


# CUTTING TOOL *Combo Paks*



# CUTTING TOOL & LUBE COMBO PAK

P/N 40002

**MEGA  
ORGANIZER**



P/N 61699M

**\$399.95**

## CIC 200™ Pro™ Drills

- Three drawer organizer features 58 Drills
- 29 of the most popular sizes
- Two 29-piece indexes for filling
- Sizes are labeled on the front of each drawer
- One convenient location for all of your drills
- Stores hundreds of drills in one place
- The right size is always available
- Controls your drill inventory
- Eliminates misplaced drills
- Easy access for your staff
- Cabinet Dimensions: 14-1/2" W x 7-1/4" H x 7-1/4" D



QTY	DRILL SIZE	QTY	DRILL SIZE	QTY	DRILL SIZE	QTY	DRILL SIZE	QTY	DRILL SIZE
2	1/16	2	5/32	2	1/4	2	11/32	2	7/16
2	5/64	2	11/64	2	17/64	2	23/64	2	29/64
2	3/32	2	3/16	2	9/32	2	3/8	2	15/32
2	7/64	2	13/64	2	19/64	2	25/64	2	31/64
2	1/8	2	7/32	2	5/16	2	13/32	2	1/2
2	9/64	2	15/64	2	21/64	2	27/64		



## Red Lion™ Toolube™ Cutting Fluid

P/N 74523

- A non-oil based, non-aerosol lubricant
- Contains no oil and has no strong noxious fumes
- For drilling, tapping, cutting and threading operations
- Lubricates tool and material
- Provides a cleaner, smoother, faster and cooler cut
- Easy clean-up and environmentally safe

# P/N 17026

## CIC 200™ Pro Shooter Tap & Drill Index & Red Lion™ Eco-Friendly Cutting Oil

### ASSORTMENT

**\$229.95**



**CIC 200™ Pro Shooter Tap  
and Drill Index**

**P/N 61621**

**Quantity: 1**

### Tap & Drill Index

An exceptional 18 piece index that is ideal for maintenance personnel. The sturdy steel case provides protection for longer life and proper organization.

### 9 Pro Drills

- 35, 29, 24, 20, 6, H, P, 3/8 and 7/16
- Chromium, vanadium, molybdenum & tungsten alloy
- Nitro-carburized flutes
- Cuts materials up to 55 Rockwell "C" scale
- Runs cooler - uses less torque

### 9 Pro Shooter Taps

- 6-32, 8-32, 10-24, 10-32, 1/4-20, 5/16-18, 3/8-16, 7/16-14 and 1/2-13
- Cuts materials up to 55 Rockwell "C" scale
- Requires less torque for faster cutting
- Unique design actually "shoots" chips out ahead of the tap
- Triple tempered for superior strength and durability



### Eco-Friendly Cutting Oil

- A multi-purpose, low odor cutting oil formulated from all natural ingredients for light-to-medium duty applications
- Toxin-free, petroleum distillate-free
- VOC compliant
- No ozone depleters
- Manufactured from environmentally safe, naturally derived materials
- Keeps work pieces cooler and generates less smoke than petroleum-based cutting oils
- For cutting, tapping, threading, sawing, grinding
- Reduces heat distortion and tool burning, resulting in increased productivity
- Readily biodegrades
- Non-staining on all metals

**Red Lion™ Eco-Friendly Cutting Oil**

**P/N 74084 - Net wt. 11 oz.**


**Quantity: 3**



# P/N 17027

## CIC 200™ Pro Shooter Tap Index & Red Lion™ Eco-Friendly Cutting Oil ASSORTMENT

**\$255.95**



**CIC 200™ Pro™ Shooter Tap Index**  
**P/N 61602**  
**Quantity: 1**

### Tap Index

- 1/4-20, 1/4-28, 5/16-18, 5/16-24, 3/8-16, 3/8-24, 7/16-14, 7/16-20, 1/2-13 and 1/2-20
- Ideal for maintenance personnel
- Sturdy steel case provides protection for longer life and proper organization
- Cuts materials up to 55 Rockwell "C" scale
- Requires less torque for faster cutting
- Unique design actually "shoots" chips out ahead of the tap
- Triple tempered for superior strength and durability



### Eco-Friendly Cutting Oil

- A multi-purpose, low odor cutting oil formulated from all natural ingredients for light-to-medium duty applications
- Toxin-free, petroleum distillate-free
- VOC compliant
- No ozone depleters
- Manufactured from environmentally safe, naturally derived materials
- Keeps work pieces cooler and generates less smoke than petroleum-based cutting oils
- For cutting, tapping, threading, sawing, grinding
- Reduces heat distortion and tool burning, resulting in increased productivity
- Readily biodegrades
- Non-staining on all metals

**Red Lion™ Eco-Friendly Cutting Oil**  
**P/N 74084 – Net wt. 11 oz.**  
**Quantity: 3**

# P/N 17028

## CIC 200™ Broken Stud Removal Kit & Red Lion™ Eco-Friendly Penetrating Oil A S S O R T M E N T

**\$119.95**



**CIC 200™ Broken Stud Removal Kit**  
**P/N 61676**  
**Quantity: 1**



**Red Lion™ Eco-Friendly Penetrating Oil**  
**P/N 74083 – Net wt. 11 oz.**  
**Quantity: 3**

### Broken Stud Removal Kit

Quickly and easily removes broken screws, studs, cap screws, pipe fittings, etc. Packed in a sturdy, metal index.

#### Spiral Screw Extractors

- #1, #2, #3, #4 and #5
- High carbon steel construction for strength and durability
- Sharp spiral flutes bite quickly into broken stud or bolt for solid grip
- Removes broken studs or bolts without damaging threads

#### Left Hand Drills

- 5/64, 7/64, 5/32, 1/4 & 19/64
- Reverse drilling actually threads out broken studs or bolts
- Special tool steel alloy for superior strength, faster heat dissipation and longer life
- Extended flutes for fast chip removal and cooler running
- Cuts standard steel, stainless steel, tool steel and other exotic steels

### Eco-Friendly Penetrating Oil


- Never-dry oil film lubricates parts, reducing friction and wear
- Ensures free and easy movement
- Provides excellent lubricity over a broad temperature range
- Contains no silicones or harsh solvents that can harm plastics, lacquers, insulation or paint
- VOC compliant – No ozone depleters
- Forceful spray helps blast through rust and corrosion.
- Powerful capillary action rapidly climbs threads and penetrates into tiny voids to carry lubricant to where it is needed



# CUTTING TOOL & LUBE COMBO PAK















**P/N 40003**

**\$799.95**


**CHROMATE<sup>®</sup> INDUSTRIAL CORP.**

**RAZORQWIK<sup>™</sup> CARBIDE TIPPED HOLE CUTTER ASSORTMENT**  
**P/N 17962**

**FEATURES:**  
 • Specially designed for cutting pipe, thick steel, steel plate, iron, aluminum, copper, cast iron and stainless steel up to 1" thick  
 • Special tungsten carbide teeth – excellent wear and heat resistance  
 • One piece construction – no assembly required and stable accurate drilling  
 • Ejector spring ejects the slug saving time  
 • Safety collar stop prevents over penetration for safer, faster operation

 <b>5/8" Carbide Tipped Hole Cutter</b> <b>P/N 51110</b>	 <b>11/16" Carbide Tipped Hole Cutter</b> <b>P/N 51111</b>	 <b>3/4" Carbide Tipped Hole Cutter</b> <b>P/N 51112</b>	 <b>13/16" Carbide Tipped Hole Cutter</b> <b>P/N 51113</b>
 <b>7/8" Carbide Tipped Hole Cutter</b> <b>P/N 51114</b>	 <b>15/16" Carbide Tipped Hole Cutter</b> <b>P/N 51115</b>	 <b>1" Carbide Tipped Hole Cutter</b> <b>P/N 51116</b>	 <b>1-1/16" Carbide Tipped Hole Cutter</b> <b>P/N 51117</b>
 <b>1-1/8" Carbide Tipped Hole Cutter</b> <b>P/N 51118</b>	 <b>1-1/4" Carbide Tipped Hole Cutter</b> <b>P/N 51120</b>	 <b>1-3/8" Carbide Tipped Hole Cutter</b> <b>P/N 51122</b>	 <b>1-1/2" Carbide Tipped Hole Cutter</b> <b>P/N 51124</b>
		 <b>3mm Hex Key</b> <b>P/N 64306</b>	 <b>Carbide Tipped Pilot Drill for Hole Cutters</b> <b>P/N 51149</b>

ILLUSTRATIONS ARE ACTUAL SIZE  
Label No. 168303

CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLON, OH 44139 • 800-BUY-BOLT • FAX: 877-233-3377 • www.chromate.com

## Razor Qwik<sup>™</sup> Carbide Tipped Hole Cutter Assortment

**P/N 17962**

- Specially designed for cutting pipe, thick steel, steel plate, iron, aluminum, copper, cast iron and stainless steel up to 1" thick
- Special tungsten carbide teeth
- Excellent wear and heat resistance
- One piece construction
- No assembly required
- Ejector spring ejects slug and safety collar stop prevents over penetration

## Red Lion<sup>™</sup> Cutting Wax

**P/N 74560 – 16 oz.**

- Specially formulated multi-purpose cutting wax
- For faster, smoother cutting operations and longer tool life
- Use for all drilling, cutting and tapping applications
- Continuous shield against friction and heat
- Especially effective on stainless steel, aluminum and many exotic alloys
- Extends tool life and reduces chip welding
- Reduces tool costs and work piece scrap
- Provides a precision finish with closer tolerances on your finished work
- Nonflammable – for increased safety



# P/N 8806

## RazorQwik™ Carbide Tipped Hole Cutters

### ASSORTMENT



**RazorQwik™ Carbide Tipped  
Hole Cutter Assortment  
With Steel Case  
P/N 8806**

### RazorQwik™ Carbide Tipped Hole Cutters

- *Special tungsten carbide teeth*
- *Superior wear and heat resistance*
- *One-piece construction – No assembly required assuring stable and accurate drilling*
- *Ejector spring and pilot drill ejects the slug, saving time and aggravation trying to remove slugs*
- *Safety collar stop – Prevents over penetration*
- *An extremely productive tool that is a cost effective alternative to bi-metal holesaws*
- *For cutting pipe, thick steel, steel plate, iron, aluminum, copper, cast iron and stainless steel up to 1" thick*
- *An invaluable time, money and labor saver*

**\$649.95**

### Included in Assortment

Diameter	RPM (Steel)	RPM (Stainless)	Part No.
5/8"	700 - 1000	300 - 700	51110
3/4"	700 - 1000	300 - 700	51112
7/8"	500 - 800	200 - 450	51114
1-3/16"	500 - 800	200 - 450	51119
1-1/2"	300 - 600	175 - 315	51124
2"	200 - 500	120 - 225	51132

- 6 Pilot Drills
- 6 Ejector Springs
- 2 Hex Keys





# P/N 17030

## Red Lion™, Eco-Friendly Cutting Oil, Penetrating Oil, Solvent Degreaser/Toolube

### ASSORTMENT

# \$119.95



**P/N 74084**  
**Net wt. 11 oz.**  
**Quantity: 3**



### Red Lion™ Eco-Friendly Cutting Oil

- A multi-purpose, low odor cutting oil formulated from all natural ingredients for light-to-medium duty applications
- Toxin-free, petroleum distillate-free
- VOC compliant – No ozone depleters
- Manufactured from environmentally safe, naturally derived materials
- For cutting, tapping, threading, sawing, grinding



**P/N 74085**  
**Net wt. 15 oz.**  
**Quantity: 3**



### Red Lion™ Eco-Friendly Solvent Degreaser

- Soy-based, high-powered cleaner and degreaser for electrical and mechanical equipment and metal parts
- Cleaning action penetrates, dissolves and lifts away grime and grease
- Contains no water, terpenes or citrus oil
- VOC compliant – No ozone depleters
- High flash solvent in excess of 200°F
- Safe on most plastics
- Virtually odorless
- For use in confined areas
- Water rinse or wipe clean for Residue-free drying



**P/N 74083**  
**Net wt. 11 oz.**  
**Quantity: 3**



### Red Lion™ Eco-Friendly Penetrating Oil

- Never-dry oil film lubricates parts, reducing friction and wear
- Ensures free and easy movement
- Provides excellent lubricity over a broad temperature range
- Contains no silicones or harsh solvents that can harm plastics, lacquers, insulation or paint
- VOC compliant – No ozone depleters
- Forceful spray helps blast through rust and corrosion.
- Powerful capillary action rapidly climbs threads and penetrates into tiny voids to carry lubricant to where it is needed



**P/N 74523 – 8 oz.**  
**Quantity: 3**

### Red Lion™ Toolube™

- A specialized lubricant designed for tough metal-working operations
- For hard metals such as stainless, high carbon, high chrome, nickel-chrome, heat-treated steels, cast iron, monel, brass, and aluminum
- Ideal for use in drilling, tapping, sawing, spot facing, counterboring, milling, fly-cutting, seat forming, engraving, broaching, hole extruding and many other applications
- Contains no oil and eliminates the difficult cleaning problems with white lead, molybdenum and similar materials