Limited Time Offer! All Items While Supplies Last!

Heavy Duty Leak Detection Kit



Find Undetectable Leaks Fast! Slash Operating Costs, Reduce Fleet Downtime, and Save on **Diagnostic Labor!**

· Includes everything needed for complete A/C and fluid leak detection (LOW-SIDE injection). Dye injector is the easiest, most accurate, and most compact method of adding dye to any truck, bus, train, off-road, and refrigerated transport vehicle's A/C system!

Kit Includes:

- · Leak detection high-intensity LED flashlight
- · 2 universal A/C dye cartridges (services up to 28 vehicles)
- Injector for universal A/C dye cartridges
- · All-In-One concentrated dye for oil, fuel, ATF, PS, & hydraulic leaks - 8 oz.
- · Coolant dye 8 oz.
- · Fluorescence enhancing glasses and case
- Will Not Void OEM Warranty


Replacement Parts – For Heavy Duty Leak Detection Kit

P/N 78044

· Super Intensity LED Flashlight with Glasses



P/N 78043







P/N 78042

P/N 78041

- Universal A/C Dye Cartridge
- 6 pack





- ROWOUTE



Cooling System Sealant

11 oz. - P/N 74557

• Stops Seeping Around Gaskets & Hoses



Leak Stop

4 oz. - P/N 74381

- Seals Leaks in Auto Air Conditioners Involving Hoses, O-rings, and Gaskets
- 6 pack







A/C Flush

1 quart - P/N 74382 1 gallon - P/N 74383

- Simple to use Premium Solvent-Based Solution
- Compatible with R12, R134a and R22 Systems
- Removes debris & sludge from A/C components
- · Evaporates quickly and leaves no residue









Non-Flammable A/C Flush

1 quart - P/N 74384

1 gallon - P/N 74385

- Simple To Use Premium Non-Ozone Depleting Solution
- · Compatible with R12, R134a and R22 Systems
- Removes debris & sludge from A/C components









PAG 46, PAG 100 and PAG 150 With UV Dye

PAG 46/8 oz. - P/N 74386 PAG 100/8 oz. - P/N 74387 PAG 150 / 8 oz. - P/N 74388

- · Synthetic Refrigerant Oil (Polyalkylene Glycol) Plus Additives
- ISO Viscosity 46, 100, 150
- For R134a A/C Systems
- · UV Dye For Leak Detection
- Premium Double End Cap



POE 100 With UV Dve

8 oz. - P/N 74389 32 oz. - P/N 74390

- · Polyol Ester Refrigerant Oil
- ISO Viscosity 100
- For R12 and R134a A/C Systems
- UV Dve For Leak Detection
- Premium Double End Cap









PAG 46, PAG 100 and PAG 150

PAG 46 / 8 oz. - P/N 74391 PAG 100 / 8 oz. - P/N 74392 PAG 150 / 8 oz. - P/N 74393

- · Synthetic Refrigerant Oil (Polyalkylene Glycol) Plus Additives
- ISO Viscosity 46, 100, 150
- For R134a A/C Systems
- Premium Double End Cap





POE 100

8 oz. - P/N 74394 32 oz. - P/N 74395

- · Polyol Ester Refrigerant Oil
- ISO Viscosity 100
- For R12 and R134a A/C Systems
- Premium Double End Cap











POE OII

4 cc - P/N 59832

- R12 and R134a POE Oil
- 10 pack



R134a Hose Recharge Kit

P/N 78045

• For Use With 12 Ounce Containers of R134a Refrigerant



A/C System Lubricant

4 cc - P/N 74396

- For O-Rings, Seals and Parts in R12 and R134a A/C Systems
- 10 pack

Digital Test Thermometer





- Reads -50°C to 150°C and -58°F to 320°F
- Comes With Extra Battery



A/C Flush Gun

P/N 78047

· Air conditioner flush gun with hose and cut off valve



Prestite Tane

P/N 32905

- · For Insulation of Pipes. Fittings, and A/C Lines
- 1/8" Thick x 2" Wide x 30 ft. Long Roll



Special \$18.60/ea.

Limited Time Offer! All Items While Supplies Last!



EXCEPTIONAL PRODUCTS, SERVICE AND INNOVATIVE SOLUTIONS