

Hammer Drill Bits

SDS PLUS / SDS MAX / SPLINE SHANK
SPLINE SHANK QUAD POINT / CORE



CHROMATE
INDUSTRIAL CORP.

SDS Plus Hammer Drill Bits



Features

- Made in Germany
- World renowned for quality of product
- Aggressive, durable carbide tip (1) allows easy centering and fast drilling
- Dynamic, chisel shaped bit head (2) ensures swift penetration
- Versatile slot drive system hammer bits fit most rotary hammers
- Patented, reinforced flute geometry reduces vibration, transfers more impact energy to the cutting face and quickly channels debris from the hole
- Balance of tip and flute geometry ensure perfectly round holes giving superior anchoring



Applications

- Highway rails
- Structural supports
- Pipe mounts
- Electrical mounts
- Bridge construction
- HVAC mounts
- Machinery mounts
- Door and window frames
- Roofing
- Brackets



7-Piece Set

P/N 61898

- 5/32" X 4" X 6" P/N 77001
- 3/16" X 4" X 6" P/N 77003
- 1/4" X 4" X 6" P/N 77013
- 3/8" X 4" X 6" P/N 77021
- 1/2" X 4" X 6" P/N 77028

Includes Rebar Hammer Bits:

- 1/4" X 4" X 6" P/N 77053
- 3/8" X 4" X 6" P/N 77066

Part Number	Drill Diameter	Max. Drill Depth	Overall Length
77000	5/32"	2"	4"
77001	5/32"	4"	6"
77002	3/16"	2"	4"
77003	3/16"	4"	6"
77004	3/16"	6"	8"
77005	3/16"	10"	12"
77006	7/32"	4"	6"
77007	7/32"	6"	8"
77008	7/32"	9"	11"
77010	7/32"	12"	14"
77011	7/32"	14"	16"
77012	1/4"	2"	4"
77013	1/4"	4"	6"
77014	1/4"	6"	8"
77015	1/4"	8"	10"
77016	1/4"	9"	11"
77017	1/4"	12"	14"
77018	1/4"	14"	16"
77019	5/16"	4"	6"
77020	5/16"	10"	12"
77021	3/8"	4"	6"
77022	3/8"	8"	10"
77023	3/8"	10"	12"
77024	3/8"	16"	18"
77025	3/8"	22"	24"
77026	7/16"	4"	6"
77027	7/16"	10"	12"
77028	1/2"	4"	6"
77029	1/2"	8"	10"
77030	1/2"	10"	12"
77031	1/2"	16"	18"
77032	1/2"	22"	24"
77033	3/4"	22"	24"
77034	5/8"	22"	24"
77036	5/8"	6"	8"
77039	11/16"	6"	8"
77037	5/8"	10"	12"
77035	9/16"	4"	6"
77038	9/16"	16"	18"
77040	3/4"	6"	8"
77041	3/4"	10"	12"
77042	3/4"	16"	18"
77043	27/32"	6"	8"
77044	7/8"	6"	8"
77045	7/8"	10"	12"
77046	1"	8"	10"
77047	1"	16"	18"

SDS Plus Rebar Hammer Drill Bits



Features

- Made in Germany
- World renowned for quality of product
- "Solid-Tip" Technology cuts through rebar (1)
- 4 Cutter head cuts faster and lasts longer (2)
- Modern heat treat and brazing processes ensuring proper hardness, toughness, and durability for maximum life
- Centering point for improved positioning
- Shortened conical-shaped dust tracks for fast debris removal (3)
- Reinforced core and special flute for maximum energy transfer and reduced vibration



Applications

- Highway rails
- Structural supports
- Pipe mounts
- Electrical mounts
- Bridge construction
- HVAC mounts
- Machinery mounts
- Door and window frames
- Roofing
- Brackets



5-Piece Set P/N 61899

- 3/16" x 4" x 6" P/N 77060
- 1/4" x 4" x 6" P/N 77053
- 5/16" x 4" x 6" P/N 77069
- 3/8" x 4" x 6" P/N 77066
- 1/2" x 4" x 6" P/N 77050

Part Number	Drill Diameter	Max. Drill Depth	Overall Length
77059	3/16"	2"	4"
77060	3/16"	4"	6"
77061	3/16"	6"	8"
77062	3/16"	8"	10"
77058	3/16"	10"	12"
77052	1/4"	2"	4"
77053	1/4"	4"	6"
77054	1/4"	6"	8"
77055	1/4"	8"	10"
77051	1/4"	10"	12"
77069	5/16"	4"	6"
77067	5/16"	10"	12"
77068	5/16"	16"	18"
77066	3/8"	4"	6"
77064	3/8"	10"	12"
77065	3/8"	16"	18"
77074	7/16"	4"	6"
77072	7/16"	10"	12"
77073	7/16"	16"	18"
77050	1/2"	4"	6"
77048	1/2"	10"	12"
77049	1/2"	16"	18"
77078	9/16"	4"	6"
77076	9/16"	10"	12"
77077	9/16"	16"	18"
77070	5/8"	10"	12"
77071	5/8"	16"	18"
77063	3/4"	16"	18"
77075	7/8"	16"	18"
77057	1"	16"	18"
77056	1-1/4"	16"	18"



SDS Max Hammer Drill Bits – 4 Cutter Cross-Head



Features

- Made in Germany
- World renowned for quality of product
- 4 Cutter head cuts faster & lasts longer
- Unique carbide geometry and centering tips – fast start up & drilling
- Modern heat-treating and brazing process ensures proper combination of product hardness, toughness and durability resulting in maximum life
- BC20 grade of carbide

4 Cutter SDS-Max / Spline



Reinforced Flutes



Maximum energy transfer from power tool to drill bit tip.

Benefits

- Dynamic tip geometry enhances hole roundness and rebar cutting
- Centering point for improved positioning
- Shortened conical shaped dust tracks for fast debris removal
- Patented, reinforced core and special flute for maximum energy transfer and reduced vibrations

Applications

- Concrete
- Hard masonry materials
- Pipe, electrical, cable and wiring clearances
- Ceiling and wall cavities

Part Number	Drill Diameter	Max. Drill Depth	Overall Length
77079	1/2"	8"	13"
77080	1/2"	16"	21"
77081	9/16"	8"	13"
77082	9/16"	16"	21"
77083	5/8"	8"	13"
77084	5/8"	16"	21"
77085	5/8"	31"	36"
77086	11/16"	16"	21"
77087	3/4"	8"	13"
77088	3/4"	17"	21"
77089	3/4"	31"	36"
77090	7/8"	8"	13"
77091	7/8"	17"	21"
77092	7/8"	31"	36"
77093	1"	8"	13"
77094	1"	17"	21"
77095	1"	31"	36"
77096	1-1/8"	10"	15"
77097	1-1/8"	12"	17"
77098	1-1/8"	17"	21"
77099	1-1/4"	10"	15"
77100	1-1/4"	18"	23"
77101	1-1/4"	31"	36"
77102	1-3/8"	18"	23"
77103	1-1/2"	18"	23"

Bold italic text = Non-stock item
Please allow 1 week for delivery.



Quick Change Adaptors

Quickly and easily adapt SDS-Max and spline drive roto-hammer power tools to use standard SDS-Plus hammer bits.

- P/N 77104 – SDS-Max to SDS-Plus
- P/N 77105 – Spline to SDS-Plus



5-Piece Set

P/N 8807

- 1/2" x 8" x 13" P/N 77079
- 5/8" x 8" x 13" P/N 77083
- 3/4" x 8" x 13" P/N 77087
- 7/8" x 8" x 13" P/N 77090
- 1" x 8" x 13" P/N 77093

Assortment

P/N 17065

Diameters: 1/2" to 1-1/8" • Lengths: 13" & 17"

CHROMATE INDUSTRIAL CORP.		SDS MAX HAMMER DRILL BITS SIZES 1/2" TO 1-1/8"	P/N 17065
		FEATURES • Reinforced 4 cutter cross head design • Unique carbide geometry & centering tip for easy start up and drilling • Use in concrete and hard masonry materials	
SDS Max Hammer Bit, 1/2" x 8" x 13" P/N 77079			)(C4Q1079)
SDS Max Hammer Bit, 5/8" x 8" x 13" P/N 77083			)(C4Q1083)
SDS Max Hammer Bit, 3/4" x 8" x 13" P/N 77087			)(C4Q1087)
SDS Max Hammer Bit, 7/8" x 8" x 13" P/N 77090			)(C4Q1090)
SDS Max Hammer Bit, 1" x 8" x 13" P/N 77093			)(C4Q1093)
SDS Max Hammer Bit, 1-1/8" x 12" x 17" P/N 77097			)(C4Q1097)
CHROMATE INDUSTRIAL CORP. • 5250-A NABIAN PARKWAY, SOLON, OH 44139 • 1-800-BUY-BOLT • FAX: 831-567-2418 • www.chromate.com			

Spline Shank Hammer Drill Bits – Single Point



Features

- Made in Germany
- World renowned for quality of product
- Splines held to very close tolerances assure perfect fit and improve impact transmission for faster drilling
- Vacuum brazed with pure copper at 1900°F and vacuum heat treated tool body to 50RC
- HL20 grade carbide

Applications

- Concrete and hard masonry materials

Assortments

P/N 17066

Diameters: 1/2" to 3/4" • Lengths: 10", 13" & 16"

CHROMATE INDUSTRIAL CORP.		SPLINE SHANK HAMMER DRILL BITS, SINGLE POINT, SIZES 1/2" TO 3/4"	P/N 17066
FEATURES		• Splines held to very close tolerances assure perfect fit	• Use in concrete and hard masonry materials
Spline Shank Hammer Bit, 1/2" x 5" x 10"		17066	
Spline Shank Hammer Bit, 1/2" x 11" x 16"		17067	
Spline Shank Hammer Bit, 5/8" x 5" x 10"		17068	
Spline Shank Hammer Bit, 5/8" x 8" x 13"		17069	
Spline Shank Hammer Bit, 3/4" x 11" x 16"		17070	
EXPANSION			
CHROMATE INDUSTRIAL CORP. • 5250-A NABMAN PARKWAY, SOLOM, OH 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com			

P/N 17067

Diameters: 1" to 1-1/2" • Length: 16"

CHROMATE INDUSTRIAL CORP.		SPLINE SHANK HAMMER DRILL BITS, SINGLE POINT, SIZES 1" TO 1-1/2"	P/N 17067
FEATURES		• Splines held to very close tolerances assure perfect fit	• Use in concrete and hard masonry materials
Spline Shank Hammer Bit, 1" x 11" x 16"		17067	
Spline Shank Hammer Bit, 1-1/4" x 11" x 16"		17068	
Spline Shank Hammer Bit, 1-1/2" x 11" x 16"		17069	
EXPANSION			
CHROMATE INDUSTRIAL CORP. • 5250-A NABMAN PARKWAY, SOLOM, OH 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com			

Part Number	Drill Diameter	Max. Drill Depth	Overall Length
77106	3/8"	3"	8"
77107	3/8"	5"	10"
77108	3/8"	8"	13"
77109	3/8"	11"	16"
77110	7/16"	8"	13"
77111	1/2"	5"	10"
77112	1/2"	8"	13"
77113	1/2"	11"	16"
77114	1/2"	17"	22"
77115	1/2"	24"	29"
77116	1/2"	31"	36"
77117	9/16"	5"	10"
77118	9/16"	8"	13"
77119	5/8"	5"	10"
77120	5/8"	8"	13"
77121	5/8"	11"	16"
77122	5/8"	17"	22"
77123	5/8"	24"	29"
77124	5/8"	31"	36"
77125	11/16"	8"	13"
77126	3/4"	5"	10"
77127	3/4"	11"	16"
77128	3/4"	17"	22"
77129	3/4"	24"	29"
77130	3/4"	31"	36"
77131	7/8"	11"	16"
77132	7/8"	17"	22"
77133	7/8"	31"	36"
77134	1"	11"	16"
77135	1"	17"	22"
77136	1"	31"	36"
77137	1-1/8"	11"	16"
77138	1-1/8"	17"	22"
77139	1-1/4"	11"	16"
77140	1-1/4"	17"	22"
77141	1-1/4"	31"	36"
77142	1-3/8"	11"	16"
77143	1-3/8"	17"	22"
77144	1-1/2"	11"	16"
77145	1-1/2"	17"	22"
77146	1-3/4"	17"	22"
77147	2"	17"	22"

Bold italic text = Non-stock item
Please allow 1 week for delivery.

Spline Shank Hammer Drill Bits – Quad Point



Features

- Made in Germany
 - World renowned for quality of product
- Splines held to very close tolerances assure perfect fit and improve impact transmission for faster drilling
- Vacuum brazed with pure copper at 1900°F
- Vacuum heat treated tool body to 50RC
- HL20 grade carbide

Benefits

- Quad Point Advantages (*over single point versions*)
 - 50% improved bit life
 - Rounder, more accurate holes
 - 60% less vibration
 - 30% less noise
 - Resists rebar hits
 - Extends hammer life
 - Less operator fatigue

Applications

- Concrete
- Hard masonry materials

Part Number	Drill Diameter	Max. Drill Depth	Overall Length
77148	5/8"	5"	10"
77149	5/8"	11"	16"
77150	5/8"	17"	22"
77151	5/8"	24"	29"
77152	5/8"	31"	36"
77153	3/4"	5"	10"
77154	3/4"	11"	16"
77155	3/4"	17"	22"
77156	3/4"	24"	29"
77157	3/4"	31"	36"
77158	7/8"	11"	16"
77159	7/8"	17"	22"
77160	1"	11"	16"
77161	1"	17"	22"
77162	1"	31"	36"
77163	1-1/8"	11"	16"
77164	1-1/8"	17"	22"
77165	1-1/4"	11"	16"
77166	1-1/4"	17"	22"
77167	1-3/8"	11"	16"
77168	1-3/8"	17"	22"
77169	1-1/2"	17"	22"
77170	1-3/4"	18"	23"
77171	2"	18"	23"

Bold italic text = Non-stock item
Please allow 1 week for delivery.

Assortments

P/N 17068

Diameters: 5/8" to 3/4" • Lengths: 10" & 16"

CHROMATE INDUSTRIAL CORP.

SPLINE SHANK HAMMER DRILL BITS, QUAD POINT, SIZES 5/8" TO 3/4"

P/N 17068
MCQ100401

FEATURES
 • 50% improved bit life
 • Rounder more accurate holes
 • Resists rebar hits
 • Use in concrete and hard masonry materials

Spline Shank Hammer Bit, Quad Point, 5/8" x 5" x 10"
P/N 77148

Spline Shank Hammer Bit, Quad Point, 5/8" x 11" x 16"
P/N 77149

Spline Shank Hammer Bit, Quad Point, 3/4" x 5" x 10"
P/N 77153

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77154

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77155

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77156

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77157

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77158

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77159

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77160

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77161

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77162

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77163

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77164

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77165

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77166

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77167

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77168

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77169

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77170

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77171

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77172

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77173

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77174

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77175

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77176

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77177

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77178

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77179

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77180

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77181

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77182

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77183

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77184

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77185

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77186

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77187

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77188

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77189

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77190

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77191

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77192

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77193

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77194

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77195

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77196

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77197

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77198

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77199

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77200

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77201

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77202

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77203

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77204

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77205

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77206

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77207

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77208

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77209

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77210

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77211

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77212

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77213

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77214

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77215

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77216

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77217

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77218

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77219

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77220

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77221

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77222

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77223

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77224

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77225

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77226

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77227

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77228

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77229

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77230

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77231

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77232

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77233

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77234

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77235

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77236

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77237

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77238

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77239

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77240

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77241

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77242

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77243

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77244

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77245

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77246

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77247

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77248

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77249

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77250

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77251

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77252

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77253

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77254

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77255

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77256

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77257

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77258

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77259

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77260

Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16"
P/N 77261

Hammer Core Bits – Carbide Tipped / Heavy Wall



Hammer Core Bit shown with SDS Max Adaptor

Features

- Made in Germany
- World renowned for quality of product
- Used in rotary hammers operating in the rotary hammer mode
- Produce holes significantly larger than the rated power drive
- Heat treated tool steel; core bodies are machined from one single piece of steel
- Teeth set with negative and positive rake to cut concrete and screening
- Tooth edges faced to act as secondary cutter area to reduce snagging
- Pilot Drill/Centering bit is recommended for best results (Pilot Drill/Centering bit is included with core bit)

Benefits

- Cutting the circumference of the hole leaves the center as a solid, so concrete removal is reduced for large size holes
- Cutting tips are put in at irregular intervals to avoid setting up a sympathetic vibration when producing the hole
- Each tooth presents itself to a random & new section of concrete as opposed to the piece previously hit by another tooth
- Multiple teeth assure faster cutting and debris evacuation from cutting path

Applications

- Light to medium hard building materials

Pipe Sizes & Types

Bit Diameter	Pipe Sizes	Pipe Types
1-3/4"	1-1/4"	Cu, EMT, 1" Rigid, IMC Sched. 40
2"	1-1/2"	Cu, EMT, Rigid, IMC Sched. 40
2-5/8"	2"	Cu, EMT, Rigid, IMC Sched. 40
3"	2-1/2"	Cu, EMT, Rigid, IMC Sched. 40
3-1/8"	3"	Cu, EMT, Rigid, IMC Sched. 40
4"	3-1/2"	Cu, EMT, Rigid, IMC Sched. 40
5"	4"	Cu, EMT, Rigid, IMC Sched. 40

Part Number	Bit Diameter	Usable Length	Core Tolerance
77172	1-3/4"	4"	1.61-1.55
77173	2"	4"	2.08-2.03
77174	2-5/8"	4"	2.63-2.58
77175	3-1/8"	4"	3.19-3.13
77176	3-1/2"	4"	3.58-3.52
77177	4"	4"	4.13-4.07
77178	5"	4"	5.12-5.06

Shank Adaptors & Extensions



Part Number	Description	Overall Length
77180	SDS Max Adaptor	7"
77181	Spline Adaptor	7"
77182	Extension for Core Adaptors	11"

Pilot Drill



Part Number	Description	Drill Diameter
77179	Pilot / Centering Bit	15/32"



Tray Assortments – Hammer Drill Bits

CHROMATE INDUSTRIAL CORP. **SDS MAX HAMMER DRILL BITS** **SIZES 1/2" TO 1-1/8"** **P/N 17065**
ICF4Q1064R

FEATURES
 • Innovative 4 cutter cross head design
 • Unique carbide geometry & cutting tips for easy start up and drilling
 • Use in concrete and hard masonry materials

SDS Max Hammer Bit, 1/2" x 8" x 13" P/N 77079		ICF4Q1064R
SDS Max Hammer Bit, 5/8" x 8" x 13" P/N 77083		ICF4Q1064R
SDS Max Hammer Bit, 3/4" x 8" x 13" P/N 77087		ICF4Q1064R
SDS Max Hammer Bit, 7/8" x 8" x 13" P/N 77090		ICF4Q1064R
SDS Max Hammer Bit, 1" x 8" x 13" P/N 77093		ICF4Q1064R
SDS Max Hammer Bit, 1-1/8" x 12" x 17" P/N 77097		ICF4Q1064R

CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLON, OH 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com 070112

CHROMATE INDUSTRIAL CORP. **SPLINE SHANK HAMMER DRILL BITS, SINGLE POINT, SIZES 1/2" TO 3/4"** **P/N 17066**
ICF4Q1065Y

FEATURES
 • Splines held to very close tolerances assure perfect fit
 • Use in concrete and hard masonry materials

Spline Shank Hammer Bit, 1/2" x 5" x 10" P/N 77111		ICF4Q1065Y
Spline Shank Hammer Bit, 1/2" x 11" x 16" P/N 77113		ICF4Q1065Y
Spline Shank Hammer Bit, 5/8" x 5" x 10" P/N 77119		ICF4Q1065Y
Spline Shank Hammer Bit, 5/8" x 8" x 13" P/N 77120		ICF4Q1065Y
Spline Shank Hammer Bit, 3/4" x 11" x 16" P/N 77127		ICF4Q1065Y

CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLON, OH 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com 070112

CHROMATE INDUSTRIAL CORP. **SPLINE SHANK HAMMER DRILL BITS, SINGLE POINT, SIZES 1" TO 1-1/2"** **P/N 17067**
ICF4Q1066V

FEATURES
 • Splines held to very close tolerances assure perfect fit
 • Use in concrete and hard masonry materials

Spline Shank Hammer Bit, 1" x 11" x 16" P/N 77134		ICF4Q1066V
Spline Shank Hammer Bit, 1-1/8" x 11" x 16" P/N 77137		ICF4Q1066V
Spline Shank Hammer Bit, 1-1/4" x 11" x 16" P/N 77139		ICF4Q1066V
Spline Shank Hammer Bit, 1-1/2" x 11" x 16" P/N 77144		ICF4Q1066V

CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLON, OH 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com 070112

CHROMATE INDUSTRIAL CORP. **SPLINE SHANK HAMMER DRILL BITS, QUAD POINT, SIZES 5/8" TO 3/4"** **P/N 17068**
ICF4Q1068S

FEATURES
 • SDS improved bit life
 • Rounder more accurate holes
 • Resists roller hits
 • Use in concrete and hard masonry materials

Spline Shank Hammer Bit, Quad Point, 5/8" x 5" x 10" P/N 77148		ICF4Q1068S
Spline Shank Hammer Bit, Quad Point, 5/8" x 11" x 16" P/N 77149		ICF4Q1068S
Spline Shank Hammer Bit, Quad Point, 3/4" x 5" x 10" P/N 77153		ICF4Q1068S
Spline Shank Hammer Bit, Quad Point, 3/4" x 11" x 16" P/N 77154		ICF4Q1068S

CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLON, OH 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com 070112

CHROMATE INDUSTRIAL CORP. **SPLINE SHANK HAMMER DRILL BITS, QUAD POINT, SIZES 7/8" TO 1-1/4"** **P/N 17069**
ICF4Q1069Z

FEATURES
 • SDS improved bit life
 • Rounder more accurate holes
 • Resists roller hits
 • Use in concrete and hard masonry materials

Spline Shank Hammer Bit, Quad Point, 7/8" x 11" x 16" P/N 77158		ICF4Q1069Z
Spline Shank Hammer Bit, Quad Point, 1" x 11" x 16" P/N 77160		ICF4Q1069Z
Spline Shank Hammer Bit, Quad Point, 1-1/8" x 11" x 16" P/N 77163		ICF4Q1069Z
Spline Shank Hammer Bit, Quad Point, 1-1/4" x 11" x 16" P/N 77165		ICF4Q1069Z

CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLON, OH 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com 070112

- **P/N 17065**
SDS Max Hammer Drill Bits
Diameters: 1/2" to 1-1/8" Lengths: 13" & 17"
- **P/N 17066**
Spline Shank Hammer Drill Bits "Single Point"
Diameters: 1/2" to 3/4" Lengths: 10", 13" & 16"
- **P/N 17067**
Spline Shank Hammer Drill Bits "Single Point"
Diameters: 1" to 1-1/2" Length: 16"
- **P/N 17068**
Spline Shank Hammer Drill Bits "Quad Point"
Diameters: 5/8" to 3/4" Lengths: 10" & 16"
- **P/N 17069**
Spline Shank Hammer Drill Bits "Quad Point"
Diameters: 7/8" to 1-1/4" Length: 16"