

\$SMART BUY\$

September 2012



HAND SCRATCH AND PIPE/TUBE BRUSHES

HAND SCRATCH BRUSHES

- CONSTRUCTED OF HEAVY GAUGE WIRE EMBEDDED IN A HEAVY DUTY HARDWOOD HANDLE
- USE FOR REMOVING PAINT, RUST, SCALE, SOLDER CHIPS AND DIRT
- CLEANS METAL PARTS, THREADS, FILES, ETC.

PIPE/TUBE BRUSHES

- CLEANS BOTH THE INSIDE AND OUTSIDE OF COPPER TUBING IN PREPARATION FOR SOLDER WHEN SWEATING PIPES
- CLEANS MOST POPULAR 1/2" AND 3/4" I.D. TUBE AND 5/8" & 7/8" O.D. TUBE
- HARDENED STEEL BRUSHES AND POLYPROPYLENE BODY FOR STRENGTH AND DURABILITY



GENERAL
PURPOSE



3/8" OR 1/2"
ACID SWAB BRUSH



1/2" OR 3/4" TUBE
FITTING BRUSH



S/S SHOE HANDLE



NYLON, BRASS OR STAINLESS STEEL
SMALL SCRATCH PLASTIC HANDLE




4-IN-1 PIPE/TUBE BRUSH

DESCRIPTION	ROWS	OVERALL LENGTH	TRIM	BRUSH LENGTH	P/N	SPECIAL PRICE
General Purpose	4 x 19	13-1/4"	1-1/8"	6"	41310	\$6.00 each - Pkg. 2
S/S Shoe Handle	4 x 16	10"	1-1/8"	5-1/2"	41312	\$9.00 each - Pkg. 2
S/S Small Scratch	3 x 7	7-7/8"	1/2"	1-3/8"	41340	\$4.50 each - Pkg. 3
Brass Small Scratch	3 x 7	7-7/8"	1/2"	1-3/8"	41342	\$4.50 each - Pkg. 3
Nylon Small Scratch	3 x 7	7-7/8"	1/2"	1-3/8"	41347	\$4.50 each - Pkg. 2
3/8 Acid Swab	-	5-3/4"	3/4"	3/8" (width)	41345	\$0.40 each - Pkg. 12
1/2 Acid Swab	-	5-3/4"	3/4"	1/2" (width)	41346	\$0.50 each - Pkg. 12
1/2 S/S Tube Fitting	-	6-1/2"	-	1/2" (width)	41348	\$15.50 each - Pkg. 2
3/4 S/S Tube Fitting	-	6-1/2"	-	3/4" (width)	41349	\$16.00 each - Pkg. 2
4-in-1 Pipe/Tube Brush	-	7-1/2"	-	3/4" & 1" (width)	41344	\$7.00 each - Pkg. 2

"SUR-SEAL" HEAT SHRINK TUBING FOR ELECTRICAL SPLICES, CONNECTIONS & TERMINATIONS

- WATERPROOFS, INSULATES & PROTECTS
- INNER WALL SEALANT KEEPS OUT MOISTURE AND AIR
- 3 TO 1 SHRINK RATIO
- HEAVY-DUTY DOUBLE WALL
- CLEAR, SEE-THRU TUBING, MAKES INSPECTION EASY
- DIELECTRIC STRENGTH 15,000 VOLTS
- TEMP. RANGE 67°F TO 347°F
- SELF-EXTINGUISHING
- AUTO, TRUCKING, MARINE, INDUSTRIAL APPLICATIONS



WIRE RANGE	SIZE I.D.	POST SHRINK I.D.	LENGTH	P/N	SPECIAL PRICE
18-12	1/4"	5/64"	6"	2873	\$1.50 each / pkg. 10
14-8	3/8"	9/64"	6"	2874	\$2.00 each / pkg. 10
8-2	1/2"	13/64"	6"	2875	\$2.50 each / pkg. 10

PRICES EFFECTIVE SEPTEMBER 1ST – SEPTEMBER 28TH 2012 – LIMIT 2 OF ANY ITEM PER CUSTOMER

\$SMART BUYS\$

September 2012

The More
You Save!
The More
You Win!

LOCK WASHERS - DIN127B METRIC

• ZINC PLATED



SIZE mm	I.D.	O.D.	THICKNESS mm	P/N	SPECIAL PRICE
2	2.1	4.4	0.5	67362	\$2.00/C - Pkg. 100
2.5	2.6	5.1	0.6	67363	\$2.00/C - Pkg. 100
3	3.1	6.2	0.8	67364	\$1.00/C - Pkg. 100
4	4.1	7.6	0.9	67368	\$2.00/C - Pkg. 100
5	5.1	9.2	1.2	67370	\$2.00/C - Pkg. 100
6	6.1	11.8	1.6	67372	\$4.00/C - Pkg. 100
8	8.1	14.8	2	67376	\$5.00/C - Pkg. 100
10	10.2	18.1	2.2	67378	\$8.00/C - Pkg. 100
12	12.2	21.1	2.5	67380	\$10.00/C - Pkg. 100
14	14.2	24.1	3	67381	\$21.00/C - Pkg. 100
16	16.2	27.4	3.5	67382	\$22.00/C - Pkg. 100
20	20.2	33.6	4	67384	\$27.00/C - Pkg. 50
24	24.5	40	5	67386	\$86.00/C - Pkg. 50

CIC 200™ SOLDER LINK SLUGS CABLE AND BATTERY SUPPLIES

SOLDER LINK SLUGS AND SUR-SEAL SHRINK TUBING PROVIDE THE FASTEST, EASIEST, HERMETICALLY SEALED BATTERY CONNECTIONS POSSIBLE – FAR SUPERIOR TO CRIMPING.

- SIMPLY DROP A SOLDER LINK SLUG INTO A BATTERY TERMINAL
- HEAT WITH TORCH WHILE PRESSING STRIPPED CABLE INTO TERMINAL
- ALLOW TO COOL
- FIT SHRINK TUBING FOR PROTECTION AGAINST THE ELEMENTS



- AVAILABLE IN SEVEN SIZES – 4 GAUGE TO 4/0
- COLOR CODED – COINCIDES WITH INDUSTRY STANDARDS
- PRE-MEASURED SOLDER PROVIDES THE EXACT AMOUNT FOR EACH SIZE CONNECTOR
- PROVIDES THE PERFECT CONNECTION EVERY TIME
- COST EFFICIENT, NO EXPENSIVE TOOLS REQUIRED
- COMPLETE AND ENVIRONMENTALLY SEALED
- FLUX-CORED TO ELIMINATE CONTAMINATION

SIZE	COLOR	P/N	SPECIAL PRICE
4 GA	Gray	6270	\$0.50 ea./pkg. 25
2 GA	Green	6271	\$0.95 ea./pkg. 25
1 GA	Pink	6272	\$0.95 ea./pkg. 25
1/0	Black	6273	\$1.50 ea./pkg. 25
2/0	Orange	6274	\$1.95 ea./pkg. 25
3/0	Purple	6275	\$2.50 ea./pkg. 25
4/0	Yellow	6276	\$3.50 ea./pkg. 20

PRICES EFFECTIVE SEPTEMBER 1ST – SEPTEMBER 28TH 2012 – LIMIT 2 OF ANY ITEM PER CUSTOMER



EXCEPTIONAL PRODUCTS, SERVICE AND INNOVATIVE SOLUTIONS

5250-A Naiman Parkway . Solon . OH 44139

090112

1-800-BUY-BOLT . Fax: 631-567-2418 . www.chromate.com

\$SMART BUY\$


September 2012

COLL-O-CRIMP® "U" SERIES FITTINGS STEEL

• GENERAL PURPOSE LOW, MEDIUM AND HIGH PRESSURE APPLICATIONS


Hot
Deals!

INVERTED MALE SWIVEL STRAIGHT



HOSE I.D.	PIPE SIZE	THREAD SIZE	HOSE CUT-OFF	INDUSTRY TYPE	P/N	SPECIAL PRICE
1/4"	1/4"	7/16-24	1-11/16"	04U-B04	54910	\$15.10 each - Pkg. 4
3/8"	5/16"	1/2-20	1-11/16"	06U-B05	54911	\$15.60 each - Pkg. 4
3/8"	3/8"	5/8-18	1-15/16"	06U-B06	54912	\$16.10 each - Pkg. 4
1/2"	1/2"	3/4-18	2-1/4"	08U-B08	54913	\$19.50 each - Pkg. 4

SAE 37° (JIC) MALE RIGID



HOSE I.D.	TUBE SIZE	THREAD SIZE	HOSE CUT-OFF	INDUSTRY TYPE	P/N	SPECIAL PRICE
1/4"	1/4"	7/16-20	1"	04U-504	54829	\$7.80 each - Pkg. 6
1/4"	5/16"	1/2-20	1"	04U-505	54830	\$7.80 each - Pkg. 6
1/4"	3/8"	9/16-18	1"	04U-506	54831	\$7.80 each - Pkg. 6
3/8"	3/8"	9/16-18	1"	06U-506	54832	\$8.50 each - Pkg. 6
3/8"	1/2"	3/4-16	1-1/4"	06U-508	54833	\$9.00 each - Pkg. 6
3/8"	5/8"	7/8-14	1-5/16"	06U-510	54834	\$11.80 each - Pkg. 4
1/2"	1/2"	3/4-16	1-3/16"	08U-508	54835	\$10.40 each - Pkg. 4
1/2"	5/8"	7/8-14	1-5/16"	08U-510	54836	\$11.00 each - Pkg. 4
1/2"	3/4"	1-1/16-12	1-3/8"	08U-512	54837	\$13.90 each - Pkg. 4
3/4"	3/4"	1-1/16-12	1-9/16"	12U-512	54838	\$14.40 each - Pkg. 4
3/4"	7/8"	1-3/16-12	1-5/8"	12U-514	54839	\$24.50 each - Pkg. 2
3/4"	1"	1-5/16-12	1-5/8"	12U-516	54840	\$21.90 each - Pkg. 2
1"	1"	1-5/16-12	1-1/2"	16U-516	54841	\$27.70 each - Pkg. 2

PRICES EFFECTIVE SEPTEMBER 1ST – SEPTEMBER 28TH 2012 – LIMIT 2 OF ANY ITEM PER CUSTOMER

\$SMART BUYS\$

September 2012

CIC 200™ NYLON INSULATED DOUBLE GRIP TERMINAL ASSORTMENT II

P/N 7729

- Double crimp holds both wire and insulation for added strength
- Funnel design for fast, positive wire insertion
- Deep "V" groove and long barrel for extra strong grip and maximum current flow
- High temperature nylon insulation

Special Price \$149.95/ea.

CHROMATE INDUSTRIAL CORP.					CIC 200™ NYLON INSULATED DOUBLE GRIP TERMINAL ASSORTMENT II	PIN 7729
					FEATURES	
					• Double crimp holds both wire and insulation for added strength	
					• Funnel design for fast, positive wire insertion	
					• Deep "V" groove and long barrel for extra strong grip and maximum current flow	
					• High temperature nylon insulation	
16-14 x 6 RING CONNECTOR PIN 2009	16-14 x 3/8 RING CONNECTOR PIN 2014	16-14 x 10 SNAP BRIDGE PIN 2792	16-14 x 3/16 FEMALE QUICK SLIDE PIN 2023	16-14 x 1/4 7-5/8 FEMALE QUICK SLIDE CONNECTOR PIN 2043	EXPANSION	
16-14 x 8 RING CONNECTOR PIN 2010	16-14 x 4 RING CONNECTOR PIN 2776	16-14 x 1/4 SNAP BRIDGE PIN 2793	16-14 x 1/4 FEMALE QUICK SLIDE PIN 2035	16-14 x 1/8 FULLY INSULATED FEMALE QUICK SLIDE PIN 2048	EXPANSION	
16-14 x 10 RING CONNECTOR PIN 2011	16-14 x 6 SNAP BRIDGE PIN 2795	16-14 x 2-4/8 MULTI-RING PIN 2722	16-14 x 3/16 MALE QUICK SLIDE PIN 2739	16-14 x 1/4 FULLY INSULATED MALE QUICK SLIDE PIN 2058	EXPANSION	
16-14 x 1/8 RING CONNECTOR PIN 2012	16-14 x 8 SNAP BRIDGE PIN 2791	16-14 x 6-8/10 MULTI-RING PIN 2724	16-14 x 1/8 MALE QUICK SLIDE PIN 2079	16-14 BUTT CONNECTOR PIN 2780	EXPANSION	
CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLON, OH 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com					090112	

HIGH TEMPERATURE TERMINAL ASSORTMENT

P/N 7730

- Nickel plated alloy steel
- Designed for 900°F (482°C) continuous, 1200°F (649°C) intermittent
- Perfect for ovens, motors, light fixtures or anywhere that other terminals would not corrode

Special Price \$139.95/ea.

CHROMATE INDUSTRIAL CORP.					HIGH TEMPERATURE TERMINAL ASSORTMENT	PIN 7730
					FEATURES	
					• Nickel plated alloy steel	
					• Designed for 900°F (482°C) continuous, 1200°F (649°C) intermittent	
					• Perfect for ovens, motors, light fixtures or anywhere that other terminals would not corrode	
22-18 x 6 RING CONNECTOR PIN 2105	16-14 x 10 RING CONNECTOR PIN 2133	12-10 x 1/4 RING CONNECTOR PIN 2135	16-14 x 10 SPRING PIN 2141	16-14 x 1/8 FEMALE Q.S. RIGHT ANGLE FLAG PIN 2153	EXPANSION	
22-18 x 10 RING CONNECTOR PIN 2127	16-14 x 1/4 RING CONNECTOR PIN 2132	12-10 x 3/8 RING CONNECTOR PIN 2136	12-10 x 10 SPRING PIN 2142	22-18 BUTT CONNECTOR PIN 2176	EXPANSION	
22-18 x 1/4 RING CONNECTOR PIN 2128	12-10 x 6 RING CONNECTOR PIN 2133	22-18 x 6 BUCKLE BRIDGE PIN 2145	16-14 x 1/4 FEMALE QUICK SLIDE PIN 2148	16-14 BUTT CONNECTOR PIN 2177	EXPANSION	
16-14 x 6 RING CONNECTOR PIN 2130	12-10 x 10 RING CONNECTOR PIN 2134	22-18 x 10 RING CONNECTOR PIN 2140	16-14 x 1/4 MALE QUICK SLIDE PIN 2152	12-10 BUTT CONNECTOR PIN 2178	EXPANSION	
CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLON, OH 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com					090112	

The More
You Save!
The More
You Win!

PRICES EFFECTIVE SEPTEMBER 1ST – SEPTEMBER 28TH 2012 – LIMIT 2 OF ANY ITEM PER CUSTOMER