

SPECIAL VALUE ASSORTMENTS • \$45 TRAYS



CIC 200™ HEX WASHER HEAD SELF DRILLING METAL SCREW ASSORTMENT

FEATURES:

- Drill and tap holes without pre-drilling
- Hex washer head designs are case hardened for extra strength
- Corrosion resistant coating

P/N 7710-45

 8 x 1/2 P/N 94009	 8 x 1-1/4 P/N 94014	 10 x 5/8 P/N 94018	 10 x 1-1/2 P/N 94024	 12 x 1-1/2 P/N 94035	 10 x 2 P/N 94026
 8 x 5/8 P/N 94010	 8 x 1-1/2 P/N 94015	 10 x 3/4 P/N 94019	 12 x 3/4 P/N 94029	 14 x 3/4 P/N 94041	 12 x 2 P/N 94037
 8 x 3/4 P/N 94011	 8 x 1-3/4 P/N 94016	 10 x 1 P/N 94021	 12 x 1 P/N 94031	 14 x 1 P/N 94043	 14 x 1-1/2 P/N 94047
 8 x 1 P/N 94013	 10 x 1/2 P/N 94017	 10 x 1-1/4 P/N 94023	 12 x 1-1/4 P/N 94032	 14 x 1-1/4 P/N 94045	 14 x 2 P/N 94048

CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLO, OHIO 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com



CIC 200™ SUR-GRIP™ HEX WASHER DRILL AND TAP SCREW ASSORTMENT

FEATURES:

- Specially designed to drill, tap and securely fasten work material in one easy, economical operation
- Recessed, serrated washer face resists vibration loosening
- Eliminates expensive tapping costs
- Zinc plated and waxed
- Specially designed to thread their own hole through strong, sharp threads with a minimum amount of torque
- Saves assembly steps, labor, equipment, tools, replacement cost

P/N 7772-45

 8-18 x 1/2" P/N 22630	 10-16 x 1/2" P/N 22644	 12-14 x 5/8" P/N 22654	 1/4-14 x 5/8" P/N 22664
 8-18 x 5/8" P/N 22632	 10-16 x 5/8" P/N 22646	 12-14 x 3/4" P/N 22656	 1/4-14 x 3/4" P/N 22666
 8-18 x 3/4" P/N 22636	 10-16 x 3/4" P/N 22648	 12-14 x 1" P/N 22658	 1/4-14 x 1" P/N 22668
 8-18 x 1" P/N 22638	 10-16 x 1" P/N 22650	 12-14 x 1-1/2" P/N 22660	 1/4-14 x 1-1/2" P/N 22670

CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLO, OHIO 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com



CIC 200™ SUR-SEAL TERMINAL ASSORTMENT

FEATURES:

- Heat shrink tubing and tin plated high conductivity copper connectors are bonded together to form a moisture-proof seal, preventing corrosion and voltage drop.
- Just crimp and heat

P/N 7777-45

 RING CONNECTOR 22-18 x 4-6 P/N 2816	 RING CONNECTOR 16-14 x 8-10 P/N 2820	 RING CONNECTOR 12-10 x 8-10 P/N 2824	 SPADE CONNECTOR 22-18 x 8-10 P/N 2828	 BUTT CONNECTOR 22-18 P/N 2841	 FULLY INSULATED FEMALE QUICK SLIDE 16-14 x 1/4 P/N 2845
 RING CONNECTOR 22-18 x 8-10 P/N 2817	 RING CONNECTOR 16-14 x 1/4 P/N 2821	 RING CONNECTOR 12-10 x 1/4 P/N 2825	 SPADE CONNECTOR 16-14 x 4-6 P/N 2829	 BUTT CONNECTOR 16-14 P/N 2842	 FULLY INSULATED MALE QUICK SLIDE 22-18 x 1/4 P/N 2846
 RING CONNECTOR 22-18 x 1/4 P/N 2818	 RING CONNECTOR 16-14 x 5/8 P/N 2822	 RING CONNECTOR 12-10 x 3/8 P/N 2826	 SPADE CONNECTOR 16-14 x 8-10 P/N 2830	 BUTT CONNECTOR 12-10 P/N 2843	 FULLY INSULATED FEMALE QUICK SLIDE 22-18 x 1/4 P/N 2847
 RING CONNECTOR 16-14 x 4-6 P/N 2819	 RING CONNECTOR 16-14 x 3/8 P/N 2823	 RING CONNECTOR 12-10 x 1/2 P/N 2827	 SPADE CONNECTOR 12-10 x 8-10 P/N 2831	 FULLY INSULATED MALE QUICK SLIDE 16-14 x 1/4 P/N 2844	EXPANSION

CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLO, OHIO 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com



OVERSIZE FENDER WASHER ASSORTMENT (3/16" TO 1/2")

FEATURES:

- Fender washers have an extra-wide bearing surface, eliminates the need for hole punching
- Precision stamped to exacting tolerance
- Special Chromate plating for durability

P/N 17742-45

 3/16" ID: 7/32" OD: 1" P/N 990	 1/4" ID: 9/32" OD: 1-1/4" P/N 991	 5/16" ID: 11/32" OD: 1-1/2" P/N 994	
 3/16" ID: 7/32" OD: 1-1/4" P/N 988	 1/4" ID: 9/32" OD: 1-1/2" P/N 992	 3/8" ID: 13/32" OD: 1-1/4" P/N 996	 3/8" ID: 27/64" OD: 1-5/8" P/N 998
 1/4" ID: 9/32" OD: 1" P/N 989	 5/16" ID: 11/32" OD: 1-1/4" P/N 993	 3/8" ID: 13/32" OD: 1-1/2" P/N 995	 1/2" ID: 17/32" OD: 2" P/N 997

CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLO, OHIO 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com

FOR MORE INFORMATION ON OUR PRODUCTS OR SYSTEMS, CALL 1-800-BUY-BOLT

SPECIAL VALUE ASSORTMENTS • \$45 TRAYS

CHROMATE INDUSTRIAL CORP.

CIC 200™ SCREW EYE AND “S” HOOK ASSORTMENT
P/N 17747-45

FEATURES:
 • Zinc plated steel eyebolts
 • Rolled threads
 • U.S. standard

1\" S\" HOOK (HEAVY OPEN) P/N 1900	9/16\" SCREW EYE (SMALL) P/N 1164	15/16\" SCREW EYE (SMALL) P/N 1158	1\" SCREW EYE (SMALL) P/N 1161	1-3/8\" SCREW EYE (SMALL) P/N 1156	1/4\" x 3-3/4\" LAG\" SCREW P/N 1166
1-1/2\" S\" HOOK (HEAVY OPEN) P/N 1901	1-1/8\" S\" HOOK (LIGHT CLOSED) P/N 1993	1-3/8\" SCREW EYE (LARGE) P/N 1145	1-13/16\" SCREW EYE (MEDIUM) P/N 1149	3/16\" x 1-15/16\" TURNED EYEBOLTS P/N 60809	1/4\" x 3\" TURNED EYEBOLTS P/N 60884
1-3/4\" S\" HOOK (HEAVY OPEN) P/N 1902	1-5/8\" S\" HOOK (LIGHT CLOSED) P/N 1991	1-15/16\" SCREW EYE (LARGE) P/N 1142	1-9/16\" SCREW EYE (MEDIUM) P/N 1150	1/4\" x 2-5/8\" TURNED EYEBOLTS P/N 60811	1/4\" x 4\" TURNED EYEBOLTS P/N 60885
1-1/2\" S\" HOOK (LIGHT OPEN) P/N 1960	1-7/8\" S\" HOOK (LIGHT OPEN) P/N 1961	2-7/8\" SCREW EYE (LARGE) P/N 1139	1-5/8\" SCREW EYE (SMALL) P/N 1155	1/4\" x 2\" TURNED EYEBOLTS P/N 60883	5/16\" x 3-1/4\" TURNED EYEBOLTS P/N 60885

TRAY FRONT
 CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLON, OHIO 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com

CHROMATE INDUSTRIAL CORP.

ELECTRICAL TAPE ASSORTMENT
P/N 17772-45

FEATURES:
 • Ideal for color-coding all wiring and connections
 • Excellent for elongation, flexibility and strength
 • Flame retardant
 • UL Listed

3/4 x 66\" ELECTRICAL TAPE - BLUE P/N 2190	3/4 x 66\" ELECTRICAL TAPE - GREEN P/N 2193	3/4 x 66\" ELECTRICAL TAPE - WHITE P/N 2197	
3/4 x 66\" ELECTRICAL TAPE - BROWN P/N 2191	3/4 x 66\" ELECTRICAL TAPE - ORANGE P/N 2194	3/4 x 66\" ELECTRICAL TAPE - YELLOW P/N 2198	3/4 x 15\" LINERLESS SPLICING TAPE P/N 2891
3/4 x 66\" ELECTRICAL TAPE - GRAY P/N 2192	3/4 x 66\" ELECTRICAL TAPE - RED P/N 2195	3/4 x 66\" ELECTRICAL TAPE - BLACK P/N 2199	1 x 36\" FUSION SEAL ELEC. WRAP - RED P/N 2899

TRAY FRONT
 CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLON, OHIO 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com

CHROMATE INDUSTRIAL CORP.

NYLON INSERT LOCK NUTS
P/N 17786-45

FEATURES:
 • Special prime steel
 • One-piece nylon insert for positive 360° locking
 • Chemical resistant and reusable
 • Chromate protective plating

• Helps reduce corrosion of nut and mating thread
 • Leak resistant and self-sealing
 • Maximum temperature is 250°F

1/4-20 P/N 6020	1/2-13 P/N 6040	1/4-28 P/N 5020	1/2-20 P/N 5040
5/16-18 P/N 6025	9/16-12 P/N 6045	5/16-24 P/N 5025	9/16-18 P/N 5045
3/8-16 P/N 6030	5/8-11 P/N 6050	3/8-24 P/N 5030	5/8-18 P/N 5050
7/16-14 P/N 6035	3/4-10 P/N 6055	7/16-20 P/N 5035	3/4-16 P/N 5055

TRAY FRONT
 CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLON, OHIO 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com

CHROMATE INDUSTRIAL CORP.

YELLOW 12-10 TERMINAL ASSORTMENT
P/N 17845-45

FEATURES:
 • Double crimp holds both wire & insulation for superior strength
 • Funnel design for fast, positive wire insertion
 • Deep “V” groove and long barrel for extra strong grip and maximum current flow

• High temperature nylon insulation
 • One piece, electro-finish plated high-conductivity copper construction for maximum corrosion resistance
 • Crimp guides for accurate crimping

12-10 x 6 Double Grip Nylon Ring P/N 2015	12-10 x 5/16 Double Grip Nylon Ring P/N 2019	12-10 x 6 Double Grip Nylon Spade P/N 2115	12-10 x 8 Double Grip Nylon Hook P/N 2216	12-10 x 1/4 Double Grip Nylon Female Quick Slide P/N 2036	12-10 Double Grip Nylon Butt Connector P/N 2770
12-10 x 8 Double Grip Nylon Ring P/N 2016	12-10 x 3/8 Double Grip Nylon Ring P/N 2020	12-10 x 8 Double Grip Nylon Spade P/N 2116	12-10 x 10 Double Grip Nylon Hook P/N 2217	12-10 x 1/4 Double Grip Nylon Female Quick Slide P/N 2748	12-10 Single Grip Nylon Butt Connector P/N 2070
12-10 x 10 Double Grip Nylon Ring P/N 2017	12-10 x 1/2 Double Grip Nylon Ring P/N 2021	12-10 x 10 Double Grip Nylon Spade P/N 2117	12-10 x 10 Double Grip Nylon Snap Spade P/N 2798	12-10 x 1/4 Double Grip Nylon Fully Insulated Female Quick Slide P/N 2044	12-10 Moisture Resistant Butt Connector P/N 2061
12-10 x 1/4 Double Grip Nylon Ring P/N 2018	12-10 x 6-8 Double Grip Multi Ring P/N 2725	12-10 x 6 Double Grip Nylon Hook P/N 2215	12-10 x 1/4 Double Grip Nylon Snap Spade P/N 2799	12-10 x 1/4 Double Grip Nylon Fully Insulated Male Quick Slide P/N 2076	12-10 Fully Insulated Nylon Female Flag Quick Slide P/N 2049

TRAY FRONT
 CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLON, OHIO 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com

FOR MORE INFORMATION ON OUR PRODUCTS OR SYSTEMS, CALL 1-800-BUY-BOLT

© COPYRIGHT 2012 CHROMATE INDUSTRIAL CORP.

SPECIAL VALUE ASSORTMENTS • \$45 TRAYS



BLUE 16-14 TERMINAL ASSORTMENT

P/N 17846-45

FEATURES:

- Double crimp holds both wire & insulation for superior strength
- Funnel design for fast, positive wire insertion
- Deep "V" groove and long barrel for extra strong grip and maximum current flow
- High temperature nylon insulation
- One piece, electro-in plated high-conductivity copper construction for maximum corrosion resistance
- Crimp guides for accurate crimping

16-14 x 6 Double Grip Nylon Ring P/N 2009	16-14 x 5/16 Double Grip Nylon Ring P/N 2013	16-14 x 10 Double Grip Nylon Hook P/N 2211	16-14 Double Grip Nylon Butt Connector P/N 2760	16-14 x 3/16 Double Grip Nylon Female Quick Slide P/N 2023	16-14 x 3/16 Double Grip Nylon Fully Insulated Female Quick Slide P/N 2047
16-14 x 8 Double Grip Nylon Ring P/N 2010	16-14 x 3/8 Double Grip Nylon Ring P/N 2014	16-14 x 6 Double Grip Nylon Spade P/N 2109	16-14 Single Grip Nylon Butt Connector P/N 2060	16-14 x 1/4 Double Grip Nylon Female Quick Slide P/N 2035	16-14 x 1/4 Double Grip Nylon Fully Insulated Female Quick Slide P/N 2048
16-14 x 10 Double Grip Nylon Ring P/N 2011	16-14 x 6 Double Grip Nylon Hook P/N 2209	16-14 x 8 Double Grip Nylon Spade P/N 2110	16-14 Moisture Resistant Butt Connector P/N 2062	16-14 x 3/16 Double Grip Nylon Male Quick Slide P/N 2738	16-14 x 3/16 Double Grip Nylon Fully Insulated Male Quick Slide P/N 2074
16-14 x 1/4 Double Grip Nylon Ring P/N 2012	16-14 x 8 Double Grip Nylon Hook P/N 2210	16-14 x 10 Double Grip Nylon Spade P/N 2111	16-14 x 1/8 Double Grip Nylon Female Quick Slide P/N 2022	14-16 x 1/4 Double Grip Nylon Male Quick Slide P/N 2025	16-14 x 1/4 Double Grip Nylon Fully Insulated Male Quick Slide P/N 2058

TRAY FRONT

CHROMATE INDUSTRIAL CORP. • 5250-A, NAIMAN PARKWAY, SOLON, OHIO 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com

030709



DRIVER BIT ASSORTMENT

P/N 17893-45

FEATURES:

- Nutsetters and bits are ideal for drill motors and screw guns
- Made from shock resistant tool steel and heat treated for maximum strength and hardness
- Always use the correct size bit for the screw you are driving to prevent stripping

1-15/16 6-8 PHILLIPS POWER BIT P/N 83025	1" 8-10 PHILLIPS INSERT BIT P/N 83022	T20 TORX® INSERT BIT P/N 83056	1/4 x 3 MAGNETIC BIT HOLDER ADAPTOR P/N 83020	7/16 x 2-9/16 MAGNETIC NUTSETTER P/N 83008	5/8-12 SLOTTED POWER BIT W/ WINDER P/N 83069
1-15/16 5-10 PHILLIPS POWER BIT P/N 83026	1" 12-14 PHILLIPS INSERT BIT P/N 83023	1/4 x 2 #6 SQUARE DRIVE POWER BIT P/N 7069	1/4 x 2-9/16 MAGNETIC NUTSETTER P/N 83005	6/8-12 SLOTTED INSERT BIT P/N 83072	6/8-12 SLOTTED POWER BIT W/ WINDER P/N 83061
1-15/16 12-16 PHILLIPS POWER BIT P/N 83027	T10 TORX® INSERT BIT P/N 83054	1/4 x 2 #8-10 SQUARE DRIVE POWER BIT P/N 7070	5/16 x 2-9/16 MAGNETIC NUTSETTER P/N 83006	8/8-10R SLOTTED INSERT BIT P/N 83073	10/8-12R SLOTTED POWER BIT W/ WINDER P/N 83062
1" 6-8 PHILLIPS INSERT BIT P/N 83021	T15 TORX® INSERT BIT P/N 83055	1/4 x 2 #12-14 SQUARE DRIVE POWER BIT P/N 7071	3/8 x 2-9/16 MAGNETIC NUTSETTER P/N 83007	10/8-12R SLOTTED INSERT BIT P/N 83074	QUICK CHANGE CHUCK ADAPTER P/N 83066

TRAY FRONT

CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLON, OH 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com

040309



HOLLOW WALL ANCHOR ASSORTMENT

P/N 17948-45

SUPERFAST ANCHORS:

- No pre drilling
- Patterns in drywall
- Removable
- Extra deep 82 Phillips drive
- Works in 3/8", 1/2" and 5/8" drywall
- Use with #6, 8, 10 or 12 metal screws

BUTTERFLY ANCHORS:

- Patterns in drywall
- Gearing, tile and concrete
- Holds up to 550 lbs.
- Accepts screws No. 6 - No. 14

NYLON FLANGED ANCHORS:

- Special side locks
- Special taper wings
- Large flange to eliminate push through
- Super deep ridges for superior holding power

TURBO DRIVE ANCHORS:

- Installs in wall board, plywood, concrete, hollow or great fiber block, brick or plaster
- Installs directly through future into wall board
- Smooth entry, clean cutting and powerful hold
- Can be easily backed out

CIC 200 SUPERFAST ANCHOR - NYLON P/N 88645	3/8-1/2 CIC BUTTERFLY TOGGLE P/N 5382	12-16 X 1-1/2 NYLON FLANGED ANCHOR P/N 682	8 X 1 PHILLIPS BINDING HEAD METAL SCREW P/N 1520
SUPERFAST MINI ANCHOR - PLASTIC P/N 88675	5/8-3/4 CIC BUTTERFLY TOGGLE P/N 5383	TURBO DRIVE ANCHOR CHROME PAN HEAD P/N 88656	10 X 1 PHILLIPS BINDING HEAD METAL SCREW P/N 1530
CIC 200 SUPERFAST ANCHOR P/N 88650	4-8 X 1 NYLON FLANGED ANCHOR P/N 680	TURBO DRIVE ANCHOR CHROME OVAL HEAD P/N 88658	10 X 1-1/2 PHILLIPS BINDING HEAD METAL SCREW P/N 1532
SUPERFAST MINI ANCHOR - ZINC P/N 88680	8-12 X 1-1/4 NYLON FLANGED ANCHOR P/N 681	14 X 2 PHILLIPS BINDING HEAD METAL SCREW P/N 1552	14 X 1-1/2 PHILLIPS BINDING HEAD METAL SCREW P/N 1550

TRAY FRONT

CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLON, OHIO 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com

030709



GRADE 8 ZINC YELLOW NYLON LOCK NUT ASSORTMENT

P/N 17955-45

FEATURES:

- Special prime steel
- One piece nylon insert for positive 360° locking
- Chemical resistant and reusable
- Dichromate protective plating
- Helps reduce corrosion of nut and mating thread
- Leak resistant and self-sealing
- Maximum temperature is 250°F

1/4-20 P/N 22020	1/2-13 P/N 22028	1/4-28 P/N 22021	1/2-20 P/N 22029
5/16-18 P/N 22022	9/16-12 P/N 22030	5/16-24 P/N 22023	9/16-18 P/N 22031
3/8-16 P/N 22024	5/8-11 P/N 22032	3/8-24 P/N 22025	5/8-18 P/N 22033
7/16-14 P/N 22026	3/4-10 P/N 22034	7/16-20 P/N 22027	3/4-16 P/N 22035

TRAY FRONT

CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLON, OH 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com

030710

FOR MORE INFORMATION ON OUR PRODUCTS OR SYSTEMS, CALL 1-800-BUY-BOLT

© COPYRIGHT 2012 CHROMATE INDUSTRIAL CORP.