

# SAFETY PRODUCTS



FIRST AID | PERSONAL PROTECTION | HI-VIS CLOTHING | LED LIGHTING SOLUTIONS



*QUALITY BUILDS CONFIDENCE, SERVICE EARNS TRUST.*

## TABLE OF CONTENTS

### First Aid

Industrial First Aid Assortments .....	3
First Aid Kits.....	6
First Aid Kits and Miscellaneous.....	8
First Aid and Supplies.....	10

### Personal Protection

Respirators/Masks.....	12
Insect Repellents.....	12
Earmuffs/Ear Plugs and Miscellaneous.....	13

### Eyewear

Safety Eyewear .....	14
Safety Eyewear, Bifocals.....	21
Safety Eyewear, Polarized Lenses .....	22
Face Shields.....	23

### Gloves

Disposable, Latex and Nitrile.....	24
Dispenser .....	24
Neoprene, PVC Coated, Cotton & Knit.....	26
Work Gloves .....	27
Winter Gloves.....	28
Cut Resistant Gloves and Sleeves .....	30
Mechanix Wear® Gloves.....	31
Hi-Visibility Gloves.....	37

### Hi-Visibility Clothing

Vests.....	38
Shirts .....	39
Rain Suit, Jackets and Pants.....	40
Parka, 3-in-1 .....	41
Evaporative Cooling Apparel .....	42

### Shop Supplies

Magnetic Retracta-Belt® Systems.....	44
Tapes .....	46
Specialized Safety Products (Indoor/Outdoor) .....	48-51

### LED Lighting Solutions

Advanced Area Lighting Systems.....	52
LED Flashlights and Headlamps .....	57-67

Wipes and Towels .....	68-70
------------------------	-------

### Chemicals

Ice Melter and Ice Remover .....	71
Eco-Friendly Chemicals and Dispensing Equipment....	72
OSHA Color Industrial Enamel Paints .....	79
Striping and Marking Paints.....	80
Paints and Coatings .....	82

### Spill Containment

Sorbent Pads, Rolls and Boom .....	83
Sorbent Socks and Spill Kits .....	84
Spill Pallets.....	86
Safety Cabinets .....	87
Specialty Spill Absorbents .....	88
One-Piece Secondary Containment Berms.....	89

### Miscellaneous

Pneumatics/Compressed Air .....	90
Saf-T-Kut™ Carbide Tipped Recip Saw Blades.....	92
Safety Center.....	93
Hurricane and Disaster Preparedness Kit .....	94

Maintenance Efficiency Center.....	95
------------------------------------	----



## INDUSTRIAL FIRST AID ASSORTMENTS

### LARGE 4-SHELF FIRST AID ASSORTMENT

- Heavy duty metal cabinet is sturdy and dust resistant
- Four-shelf cabinet with door pockets
- A large variety of high-quality first aid products
- Glow-in-the-dark front panel for added visibility
- Meets and exceeds ANSI standard Z308.1-2003
- Dimensions: 15" x 22" x 5-1/2"



DESCRIPTION	PART
Large 4-Shelf First Aid Assortment	A 85004
Large Empty Metal Cabinet	A 85004C
Large Cabinet Door Pouch (20 Pockets) – Empty	A 85004P

#### Large 4-Shelf Assortment includes:

Ammonia Inhalant Ampoule (10)	212-005	Antiseptic BZK Spray 3 oz.	221-031
Certi-Strip Adhesive Bandage, Plastic X-LG. (6)	210-009	Cotton Swabs, Vial 3" 100/Vial	224-210
Bandage Compress 4"	211-008	Elastic Bandage, Ace Style 2" x 5 yd.	228-102
Certi-Gauze Pad 4" x 4" (2)	211-012	Eye Wash w/Eye Cup, Certi-Ose 4 oz. (2)	229-043
Certi-Gauze Pad 2" x 2" (6)	211-029	Certi-Gauze Roll - Boxed 2" x 6 yd.	211-024
Burn Gel, Certi-Gel 1/8 oz. (6)	215-010	Certi-Gauze Pad 3" x 3" (25)	231-211
First Aid Cream 1 gm. (6)	213-010	Trauma Dressing, Certi-Stopper XL-TD/Boxed 4" x 60"	231-400
Antibiotic Cream, Certi-Sporyn 1 gm. (10)	213-011	Burn Spray, Certi-Burn, 1 oz.	233-004
Antiseptic BZK Towelettes 5" x 7" (10)	213-038	First Aid Facts Book - 20 Page 24" x 24"	234-010
Eye Pads & Tape Oval (4)	214-008	Cold Pack, Certi-Cool Large	234-295
Absorbent Compress 32 sq.in.	211-020	Scissors, Bandage w/Red Handle 4"	237-010
Insect Sting Wipe-Ups 1" x 2" (10)	213-014	Adhesive Certi-Tape Tri-Cut	240-037
Alcohol Wipe-Ups 1" x 2" (10)	213-040	Certi-Lan-Cet (2)	242-007
PVP Iodine Wipe-Ups 1" x 2" (10)	213-005	Forceps, Plastic 4.25"	242-014
Hydrocortisone Cream 1 gm. (6)	216-025	Finger Splint, Plastic Medium	262-025
Biohazard Bag w/Tie 24" x 24" (2)	216-123	Finger Splint, Plastic Large	262-027
Antimicrobial Towelette 5" x 8" (10)	213-006	CPRotector - O/W 5.5 sq. in.	270-026
Triangular Bandage, O/W 40"	211-037	Certi-Ache Tablets, Analgesic 2/pkg. 25/2's	504-043
Gloves, Nitrile, Pair M/L	216-081	Certi-Cet Tablets, Non-Aspirin 2/pkg. 25/2's	504-044
Certi-Strip Adhesive Bandage, Plastic 1" x 3" (100)	220-103	Certi-Lak, Tablets, Antacid 2/pkg. 25/2's	504-070
Certi-Strip Adhesive Bandage, Woven Knuckle (25)	220-228		
Certi-Strip Adhesive Bandage, Woven Med. Fingertip (25)	220-229		
Certi-Strip Adhesive Bandage, Woven 1" x 3" (50)	220-260		



## INDUSTRIAL FIRST AID ASSORTMENTS

### MEDIUM 3-SHELF FIRST AID ASSORTMENT

- Heavy duty metal cabinet is sturdy and dust resistant
- Three-shelf cabinet with door pockets
- A large variety of high-quality first aid products
- Glow-in-the-dark front panel for added visibility
- Meets and exceeds ANSI standard Z308.1-2003
- Dimensions:  
13-1/2" x 16" x 5-1/2"



DESCRIPTION		PART
Medium 3-Shelf First Aid Assortment		A 85003
Medium Empty Metal Cabinet		A 85003C
Medium Cabinet Door Pouch (12 Pockets) – Empty		A 85003P
<b>Medium 3-Shelf Assortment includes:</b>		
Ammonia Inhalant Ampoules (10)	212-005	Antiseptic BZK Spray 3 oz. 221-031
Certi-Strip, Plastic Skin Closure M/L (16)	210-008	Cotton Swabs, Vial 3" 100/Vial 224-210
Bandage Compress 4"	211-008	Certi-Rip Elastic Cohesive Bandage 2" x 5 yd. 228-346
Certi-Gauze Non-Stick Pads 2" x 3" (4)	211-030	Eye Wash w/Eye Cup, Certi-Ose 4 oz. (2) 229-043
Triangular Bandage 40"	211-033	Certi-Gauze Roll, Boxed 2" x 6 yd. 211-024
Certi-Burn Gel 1/8 oz. (6)	215-010	Certi-Gauze Pads 3" x 3" (25) 231-211
First Aid Cream 1 gm. (6)	213-010	XL-TD Trauma Dressing, Certi-Stopper 4" x 60" 231-400
Antibiotic Cream, Certi-Sporyn 1 gm. (10)	213-011	Certi-Burn Spray, 1 oz. 233-004
Antiseptic BZK Towelettes 5" x 7" (10)	213-038	First Aid Facts Book - 20 Page 4.25" x 5.5" 234-010
Eye Pads w/Tape Oval (4)	214-008	Certi-Cool Instant Cold Pack, Boxed Large 234-295
Certi-Strip, Adhesive Bandage, Plastic Jr-XL (40)	210-018	Scissors, Bandage w/Red Handle 4" 237-010
Absorbent Compress 32 sq.in.	211-020	Certi-Adhesive Tape Tri-Cut 240-037
Insect Sting Wipe-Ups 1" x 2" (10)	213-014	Forceps, Plastic 4.25" 242-014
Alcohol Wipe-Ups 1" x 2" (10)	213-040	Eye & Skin Wash, Certi-Lizer 8 oz. 250-515
PVP Iodine Wipe-Ups 1" x 2" (10)	213-005	CPRotector, Mouth to Mouth Barrier 5.5 sq. in. 270-026
Hydrocortisone Cream 1 gm. (6)	216-025	Tri-Buffered Aspirin Tablets 2/pkg. 25/2's 504-042
Biohazard Bag w/Tie 24" x 24" (2)	216-123	Certi-Ache Tablets, Analgesic 2/pkg. 25/2's 504-043
Gloves, Nitrile, Pair M/L	216-081	Certi-Cet Tablets, Non-Aspirin 2/pkg. 25/2's 504-044
Certi-Strip, Adhesive Bandage, Plastic 1" x 3" (50)	220-170	
Certi-Strip, Adhesive Bandage, Woven Knuckle (25)	220-228	
Certi-Strip, Adhesive Bandage, Woven Med. Fingertip (25)	220-229	
Certi-Strip, Adhesive Bandage, Woven 1" x 3" (50)	220-260	

## INDUSTRIAL FIRST AID ASSORTMENTS

### SMALL 3-SHELF FIRST AID ASSORTMENT

- Heavy duty metal cabinet is sturdy and dust resistant
- Vertical three-shelf cabinet with door pockets
- A large variety of high-quality first aid products
- Glow-in-the-dark front panel for added visibility
- Meets and exceeds ANSI standard Z308.1-2003
- Dimensions: 10-1/4" x 14-3/4" x 4-1/2"



85002

DESCRIPTION		PART
Small 3-Shelf First Aid Assortment		A 85002
Small Empty Metal Cabinet		A 85002C
Small Cabinet Door Pouch (12 Pockets) – Empty		A 85002P
<b>Small 3-Shelf Assortment includes:</b>		
Certi-Strip Adhesive Bandage, Plastic 1" x 3" (100)	220-103	Elastic Bandage, Cohesive, Certi-Rip, Tan 2" x 5 yd. 228-346
Certi-Strip Adhesive Bandage, Plastic Jr-XL (100)	220-014	Eye Pad/Gauze Assortment: 206-132
Certi-Strip Adhesive Bandage, Plastic X-LG (6)	210-009	(4) - Eye Pads, (2) - Gauze Roll 2" x 6 yd. and
Certi-Strip Adhesive Bandage, Woven 1" x 3" (100)	220-205	(1) - Gauze Roll 3" x 6 yd.
Certi-Strip Adhesive Bandage, Woven Med. Fingertip (50)	220-213	Eye Wash w/Eye Cup, Certi-Ose 4 oz. (2) 229-043
Certi-Strip Adhesive Bandage, Woven Knuckle (50)	220-220	Finger Splint, Wood 1" x 6" 6/lb 235-055
Certi-Skin Closures 1/2" x 6" (16)	210-008	First Aid Facts Book - 20 Page 4.25" x 5.5" 234-010
Certi-Adhesive Tape - Spool Tri-Cut	240-037	Forceps, Plastic 4.25" 242-014
Alcohol Wipe-Ups 1" x 2" (100)	221-007	Gauze Non-Stick Pads 2" x 3" (10) 231-306
Ammonia Inhalant Ampoule	212-005	Gauze Non-Stick Pads 3" x 4" (10) 231-305
Antiseptic BZK Spray 3 oz.	221-031	Certi-Gauze Pads 2" x 2" (25) 231-209
Antiseptic BZK Towelettes 5" x 7" (10)	213-038	Certi-Gauze Pads 3" x 3" (25) 231-211
Biohazard Bag w/Tie 24" x 24" (2)	216-123	Gloves, Nitrile, Pair M/L 216-081
Tri-Buffered Aspirin Tablets 2/pkg. 25/2's	504-042	Hydrocortisone Cream 1 gm. (6) 216-025
Certi-Burn Cream 1 gm. (6)	215-007	Insect Sting Wipe-Ups 1" x 2" (10) 213-014
Certi-Burn Spray, 1 oz.	233-004	PVP Iodine Wipe-Ups 1" x 2" (25) 233-096
Certi-Ache Tablets, Analgesic 2/pkg. 25/2's	504-043	Scissors, Bandage w/Red Handle 4" 237-010
Cold Pack, Certi-Cool	234-295	Certi-Lan-Cet 2/pkg. 2 242-007
Absorbent Compress 32 sq.in.	211-020	XL-TD Trauma Dressing - Certi-Stopper 4" x 60" 231-400
Cotton Swabs, Vial 3" (100)	224-210	Triangular Bandage 40" 211-037
CPRotector 5.5 sq. in.	270-026	Antibiotic Cream, Certi-Sporyn 1 gm. (25) 233-358

## FIRST AID KITS

### SMALL 2-SHELF FIRST AID KIT

- Heavy duty cabinet is sturdy, moisture and dust resistant
- Two-shelf cabinet
- Large variety of high-quality first aid products
- Meets and exceeds ANSI standard Z308.1-2003
- Dimensions: 10-1/2" x 10-1/2" x 2-1/2"



DESCRIPTION	PART
Small 2-Shelf First Aid Kit	A 85001
<i>Includes:</i>	
Adhesive Bandage Assortment, 75/box	A 220-113
Ammonia Inhalant Ampoules	A 212-005
Antiseptic Assortment, 21/box	A 220-111
Biohazard Bag with Tie	A 216-123
Non-Aspirin, 50/2's (10 tablets)	A 232-101
Cold Pack, Junior (2)	A 216-033
CPRotector®	A 270-026
Eye Wash, 20 ml	A 214-005
Forceps, Plastic, 4-1/4"	A 242-014
Eye/Gauze Pad Assortment, 16/box	A 220-115
Gauze/Tape Assortment, 3/box	A 211-050
Gauze Roll, 1" x 6 yards	A 211-022
Gloves, Nitrile, Medium/Large (2 Pair)	A 216-081
Scissors, Bandage w/ Red Handle, 4"	A 237-010
Lancing Tool, 2/package	A 242-007
Triangular Bandage	A 211-037
Elastic Bandage (Ace Style) 2" x 5 yards	A 228-102

### PORTABLE FIRST AID KIT

- Heavy duty poly cabinet is sturdy and dust resistant
- Greater variety and more product than any other #25 first aid kit
- Unique packaging, economically priced and easy to use
- Glow-in-the-dark front panel
- Meets and exceeds ANSI standard Z308.1-2003
- Polypropylene box dimensions: 10" x 7" x 3"



DESCRIPTION	PART
Portable First Aid Kit	A 85000
Portable First Aid Kit – Case Only	A 85000C
<i>Includes:</i>	
Adhesive Bandage Assortment, 49/box	A 220-113
Ammonia Inhalant (2)	A 212-005
Antiseptic Assortment, 21/box	A 220-111
Biohazard Bag with Tie	A 216-123
Cold Pack, Junior	A 216-033
CPRotector®	A 270-026
Eye Wash, 20 ml	A 214-005
Forceps, Plastic, 4-1/4"	A 242-014

### FIRST AID REFILL KIT

- Contains the fastest moving items in a first aid cabinet for fast, easy and convenience refills
- Comes packaged in a heavy duty moisture and dust resistant poly cabinet



DESCRIPTION	PART
First Aid Refill Kit	A 85008
<i>Includes:</i>	
Adhesive Bandages, Woven, 1" x 3", 50/box	A 220-260
Adhesive Bandages, Woven, Fingertip M/L, 25/box	A 220-229
Adhesive Bandages, Woven, Knuckle, 25/box	A 220-228
Certi-Sporyn Antibiotic, 1gm., 25/box	A 233-358
Gloves, Nitrile, Medium/Large, 1 Pair/Bag	A 216-081
Adhesive Bandages, Plastic, 1" x 3", 100/box	A 220-103

## FIRST AID KITS

### FIRST AID LARGE POUCH KIT

- White nylon pouch
- Kit comes with belt loops and key ring
- Dimensions:  
4-1/2" x 4-1/4" x 2-1/4"



DESCRIPTION		PART
Large First Aid Pouch Kit	A	85007
<i>Includes:</i>		
(9) Adhesive Bandages, Plastic, 1" x 3"	A	220-170
(6) Adhesive Bandages, Plastic, 3/4" x 3"	A	220-173
(4) Adhesive Bandages, Plastic, Jr-XL	A	220-014
(2) Adhesive Bandages, Woven, Fingertip, M	A	220-229
(2) Adhesive Bandages, Woven, Knuckle	A	220-228
(4) Antiseptic BZK Towelette	A	221-009
(4) Burn Cream, 1 gm.	A	233-375
(1) Cold Pack, Certi-Cool Junior	A	216-033
(2) Gauze Non-Stick Pad, 2" x 3"	A	231-306
(2) Gauze Pad, 2" x 2"	A	231-209
(1) Gauze Roll, 2" x 6 yd.	A	211-024
(2) Insect Sting Wipes	A	213-014
(2) PVP Iodine Wipes	A	213-005

### PROMOTIONAL KIT

- Plastic Certi-Strip design
- Two-piece plastic box
- Dimensions:  
4-3/4" x 1-3/4" x 1"



DESCRIPTION		PART
Promotional Kit	A	16850
<i>Includes:</i>		
(2) Adhesive Bandages, Plastic, 1" x 3"	A	210-006
(2) Adhesive Bandages, Plastic, 3/4" x 3"	A	220-100
(2) Adhesive Bandages, Plastic, JrXL	A	220-014
(2) Alcohol Wipes	A	221-022
(1) Aspirin Tablet, 2/pkg	A	232-018
(1) First Aid Cream, 1 gm.	A	233-319

### CPR KIT



- Contains the essential items for quick CPR
- Heavy duty poly cabinet is sturdy and dust resistant
- Disposable barrier helps protect the rescuer from unsafe mouth-to-mouth contact
- One way valve prevents back flow of air or fluids to the rescuer from the victim's oral secretions
- Complete with gloves and instructions



Some states are requiring Public Places by laws to have available for cardiopulmonary resuscitation (CPR) masks and gloves to protect rescuers. This kit meets this requirement.

DESCRIPTION		PART
CPR Kit	A	85009
<i>Includes:</i>		
CPRotector® "Mouth-to-Mouth" Barrier (4)	A	270-026
Gloves, Nitrile, Medium/Large, 4 Pair/Bag	A	216-081
CPR Instructions		-

### CPR BLACK MINI POUCH KIT



- Black nylon pouch with key ring and belt loops
- Disposable barrier helps protect the rescuer from unsafe mouth-to-mouth contact
- One way valve prevents back flow of air or fluids to the rescuer from the victim's oral secretions.



- Cross-section on bottom of stem prevents tongue blockage
- Complete with gloves and instructions
- Pouch dimensions: 2-1/2" x 3-1/2" x 1-1/2"

DESCRIPTION		PART
CPR Black Mini Pouch Kit	A	85006
<i>Includes:</i>		
CPRotector® "Mouth-to-Mouth" Barrier	A	270-026
Gloves, Nitrile, Medium/Large, 1 Pair/Bag	A	216-081
CPR Instructions		-



## FIRST AID KITS AND MISCELLANEOUS

### KUT-KIT

Accidents, injuries, and emergencies happen to everyone. Being properly prepared for these instances is important. Now you can be, with the CIC™ Medical Kut-Kit.

- Quick Relief® Powder included in Kut-Kit.



**Great for school buses, nurses' offices, maintenance shops, recreation departments and service vehicles!**

DESCRIPTION	PART
Kut-Kit	A K607-034
<i>Includes:</i>	
(1) Certi-Strip, Woven, 1" x 3", 16/unit	A 210-007
(1) Gauze Compress, 24" x 72", 1/unit	A 211-021
(1) Certi-Strip, Woven, 5/Fingertip 4/Knuckle, 9/unit	A 210-019
(1) Antiseptic Towelettes, 10/unit	A 213-038
(1) Eye Wash (20 ml), 2/unit	A 214-005
(1) Quick Relief® Powder, 1/unit	A 507-011

### BLOODBORNE PATHOGEN KIT

- Meets and exceeds OSHA bloodborne pathogen standard
- Separate eye and mouth protection to maintain safety when giving CPR
- Unique scoop bag for safe, easy clean up



DESCRIPTION	PART
Bloodborne Pathogen Kit	A 85010
<i>Includes:</i>	
(1) CPRotector® with Nitrile Gloves	A 216-070
(1) Gown (full length, long sleeve) and Cap	A 216-084
(1) Eye Shield, Mask and Nitrile Gloves	A 216-078
(1) Absorbent Powder-99 2 oz., Scoop Bag with Handle Scraper, Nitrile Gloves	A 216-079
(1) Biohazard Bag, Antiseptic, Antimicrobial, Certi-Green Towelette	A 216-080

### QUICK RELIEF® POWDER

**Quick Relief® powder stops bleeding without relying on the body's natural clotting process and does not cauterize or burn the skin. It is not biologically derived, non-toxic, not metabolized, does not create allergic reactions, and will not react with other medications.**

- Quick Relief® powder stops bleeding instantly
- Its unique components combine with blood to form an instant and flexible scab that seals the wound
- Protects against infection
- Allows the body's own mechanism to begin healing
- For skin lacerations and nosebleeds

**Ingredients:** Hydrophillic polymer and Potassium salt.



P/N 507-011

DESCRIPTION	PART
Quick Relief Powder	A 507-011

### FIRE BLANKET



- Made of nomex/Kevlar® blend – a tough, soft, fire and heat resistant fabric
- More effective than fire retardant-treated wool blankets
  - Effectively takes the fuel away from the flame – absorbs liquids
  - No mess to clean up after
- Won't melt, drip, burn or support combustion in the air
- Affordable and lightweight
- Packed in a white polypropylene box

DESCRIPTION	PART
Fire Blanket – 36" x 60"	A 85015



## FIRST AID KITS AND MISCELLANEOUS

### EMERGENCY BURN STATION

- Unitized, refillable station allows for quicker access to product
- Mount with foam tape (included) and/or with screws
- Long lasting, heavy polystyrene station
- Dimensions: 16" x 16" x 4"



DESCRIPTION	PART
Emergency Burn Station	A 85011
<i>Includes:</i>	
(16) Adhesive Bandages, Plastic, 1" x 3"	A 210-006
(6) Adhesive Bandages, Plastic, X-LG, 2" x 3"	A 210-009
(2) Compress, 3", 2/unit	A 211-005
(6) Burn Gel, 1/8 oz. 6/unit	A 215-010
(6) Burn Cream, 1 gm.	A 215-007
(4) Burn Dressing, 1 oz. Burn Gel, (2) 3" x 3" Dressing & Tape	A 215-013
(4) Burn Dressing, 2 oz. Burn Gel Plus, (2) 4" x 4" Dressing & Tape	A 215-016
(2) Cold Pack, Junior, 5" x 7"	A 216-033
(1) Burn Spray, 1 oz.	A 233-004
(1) Eye and Skin Wash, 16 oz.	A 250-525

### HEAT STRESS RESPONDER CABINET

- Metal Cabinet
  - 10.25" H x 15" W x 4.625" D
- Ideal for hot work environments
- Protect yourself and your workers
- A necessity for anyone working outside in the hot sun
- Convenient and portable
- First Aid for:
  - Heat cramps
  - Heat exhaustion
  - Heat stroke



DESCRIPTION	PART
Heat Stress Responder Cabinet	A 85096
<i>Includes:</i>	
(6) Instant Cold Packs, Junior	A 216-033
(4) Rescue Blanket, 52" x 84"	A 286-038
(8) Instant Cold Packs, Large	A 234-295
(1) Electrolyte - 50/2's (100 tablets)	A 232-200
(6) Adhesive Tape - 1" x 5 yd. Spool	A 240-028
(6) Sqwincher Qwik Stik Powder, 8-10 oz.	A 512-008
(1) Forehead Thermometer, Reusable	A 235-050

### HEAT STRESS RESPONDER KIT

- Plastic Case
  - 10" H x 7" W x 3" D
- Ideal for hot work environments
- Protect yourself and your workers
- A necessity for anyone working outside in the hot sun
- Convenient and portable
- First Aid for:
  - Heat cramps
  - Heat exhaustion
  - Heat stroke



DESCRIPTION	PART
Heat Stress Responder Kit	A 85095
<i>Includes:</i>	
(4) Instant Cold Packs, Junior	A 216-033
(2) Adhesive Tape - 1" x 10 yd. Spool	A 240-034
(1) Electrolyte - 25/2'S (50 tablets)	A 509-009
(1) Rescue Blanket, 52" x 84"	A 286-038
(2) Sqwincher Qwik Stik Powder, 8-10 oz.	A 512-008
(1) Forehead Thermometer, Reusable	A 235-050

## FIRST AID AND SUPPLIES

### BANDAGES

- Adhesives that stick but do not hurt when removed
- Blue bandaids – blue metal detectable strips for the food processing industry



DESCRIPTION	PART
Absorbent Compress, 32 sq. in., 1/unit	A 211-020
Adhesive Skin Closure, Plastic 1/2" x 6", 16/box	A 210-008
Adhesive, Plastic, 1" x 3", 50/box	A 220-170
Adhesive, Plastic, 1" x 3", 100/box	A 220-103
Adhesive, Plastic, Jr-XL 1/2" x 2-1/4", 100/box	A 220-014
Adhesive, Plastic, X-Large 2" x 3", 25/box	A 220-020
Adhesive, Woven, 1" x 3", 50/box	A 220-260
Adhesive, Woven, Fingertip M/L, 25/box	A 220-229
Adhesive, Woven, Knuckle, 25/box	A 220-228
Adhesive, Woven, Fingertip/Knuckle	A 210-019
Adhesive, Woven, Blue Metal Detectable, 49/box Asst.	A 220-266
Adhesive, Woven, Blue Metal Detect., 1" x 3", 100/box	A 220-201
Adhesive, Woven, Blue Metal Detect., XL, 2" x 3", 25/box	A 220-230
Adhesive, Woven, Blue Metal Detect., Fingertip M/L, 50/box	A 220-239
Adhesive, Woven, Blue Metal Detect., Knuckle, 50/box	A 220-217
Cloth Tape, 1/2" x 10 yards spool	A 240-003
Cloth Tape, 1" x 5 yards spool	A 240-009
Compress, 2", 4/unit	A 211-002
Compress, 4", 1/unit	A 211-008
Cotton Swabs, 3" 100/vial	A 224-210
Elastic, Ace Style, 2" x 5 yards	A 228-102
Elastic, Ace Style, 3" x 5 yards	A 228-104
Elastic, Ace Style, 4" x 5 yards	A 228-106
Elastic Cohesive, 2" x 5 yards	A 228-346
Elastic Cohesive, 3" x 5 yards	A 228-347
Eye Pads, Gauze Assortment	A 206-132
Finger Splint, Plastic, Medium	A 262-025
Gauze Pads, 2" x 2", 25/box	A 231-209
Gauze Pads, 3" x 3", 25/box	A 231-211
Gauze Pads, 4" x 4", 10/box	A 231-208
Gauze Roll, Sterile, 2" x 6 yards	A 211-024
Gauze Roll, Sterile, 3" x 6 yards	A 230-091
Gauze Roll, Sterile, 4" x 6 yards	A 230-094
Pads, Non-Stick, 2" x 3", 10/box	A 231-306
Tape, Tri-Cut, Spool	A 240-037
Trauma Dressing X-Large, 1/bag	A 231-400
Triangular Bandage in Clear Plastic Bag	A 211-037

### OINTMENTS / WIPES

- Pump sprays allow for ease of use and environmentally safe disposal



DESCRIPTION	PART
Alcohol Gel, 1/8 oz. 25/box	A 213-034
Alcohol Wipes, 50/box	A 221-022
Antibiotic Ointment, 1 gm. 25/box	A 233-358
Antimicrobial Towelettes, 10/unit	A 213-006
Antiseptic BZK First Aid Spray, 3 oz. Non-Aero.	A 221-031
Antiseptic BZK Towelettes, 25/box	A 221-009
Barrier Hand/Skin Cream, 3 oz.	A 225-217
Burn Cream 1 gm. 25/box	A 233-375
Burn Dressing, 4" x 4", 2 oz. Gel	A 215-016
Burn Gel, 1/8 oz. 6/unit	A 215-010
Burn Spray, 1 oz. (Non-Aerosol)	A 233-004
Certi-Green Towelettes, 25/box	A 221-016
Certi-Green Towelettes, 50/box	A 221-024
First Aid Cream, 1 gm. 25/box	A 233-319
Hydrocortisone Cream 1%, 1gm., 6/unit	A 216-025
Hydrocortisone Cream 1%, 1gm., 50/unit	A 225-150
Insect Sting Wipes, 10/unit	A 213-014
Peroxide Spray, 3 oz. Non-Aerosol	A 221-035
Poison Ivy Cream, 1/8 oz. 6/unit	A 216-027
PVP Iodine Swabs, 10/unit	A 213-004
PVP Iodine Wipes 10/unit	A 213-005
Poison Ivy Barrier Lotion, 1/4 oz. 5/box	A 225-019
Sun Screen Towelettes, SPF-30, 2/unit	A 213-020

## FIRST AID AND SUPPLIES

### TABLETS

- All medicinals are made with the highest quality ingredients with complete instructions and warnings



DESCRIPTION	PART
Analgesic, "Certi-Ache", 50/2's (100)	A 232-131
Antacid, "Certi-Lak", 50/2's (100)	A 238-012
Aspirin, 50/2's (100)	A 232-018
Cold & Sinus, "Certi-Cold" 50/unit	A 504-071
Decongestant, "Certi-Decon", 50/2's (100)	A 222-010
Electrolyte, "Certi-Lyte", 50/2's (100)	A 232-200
Ibuprofen, "Certi-Prin", 50/2's (100)	A 232-110
Menstrual Relief, "Certi-Fern", 50/2's (100)	A 232-128
Non-Aspirin, "Certi-Cet", 50/2's (100)	A 232-101
Non-Aspirin, X-str., "Certi-Cet Plus", 50/2's (100)	A 232-107
Sinus Relief, "Certi-Sine", 50/2's (100)	A 222-030
TLH Cough Drops, Cherry 50/box	A 241-012
Tri-Buffered Aspirin, 50/2's (100)	A 232-056

### MISCELLANEOUS



DESCRIPTION	PART
Ammonia Inhalant, 10/unit	A 212-005
Biohazard Bags with Tie, 2/unit	A 216-123
Cold Packs, Junior – 5" x 7"	A 216-033
Cold Packs, Large 6" x 9"	A 234-295
CPRotector®, Clear Plastic Overwrap	A 270-026
Gloves, Nitrile, Medium/Large, 1 Pair/Bag	A 216-081
Finger Splint, Plastic, Large	A 262-027
First Aid Facts Book	A 234-010
Forceps, Plastic, 4-1/4"	A 242-014
Lancing Tool, 2/package	A 242-007
Scissors, 4" Metal	A 237-010

### EYE CARE

- Our eye care products provide emergency first aid for any type of eye injury, not just chemical splash
- Eye and skin wash is a specially formulated isotonic buffered solution that neutralizes acid and alkali burns, as well as flushing out debris in eyes



DESCRIPTION	PART	DESCRIPTION	PART
Eye and Skin Wash, 8 oz. Bottle	A 250-515	Eye Drops, Single Dose, .02 oz. 5/unit	A 229-048
Eye and Skin Wash, 32 oz. Bottle	A 250-530	Eye Pads, Gauze Assortment	A 206-132
Eye Cups, Plastic 6/unit	A 229-018	Eye Pads, Non-Woven, 10/box	A 231-115
Eye Dressing Kit 4/unit	A 214-009	Eye Wash, 20 ml, 2/unit	A 214-005

### CLEANSE A LENS STATION

- 10" H x 9" W x 4" D  
White Poly Case with  
Glow-in-the-dark Face
- Safe for all glass and  
poly-coated lenses
- Certi-Clear anti-fog,  
anti-static solution
- Non-treated lens cleaning  
tissues – 4.5" x 5"
- Neat attractive wall mount  
station with waste receptacle  
for used tissues
- Disposable and recyclable  
– non refillable



DESCRIPTION	PART
Cleanse A Lens Station	A K335-050
Anti-Fog Lens Cleaning Solution (8 oz. Spray)	A 335-020
Lens Cleaning Tissues (800/pkg)	A 335-022

## PERSONAL PROTECTION

### WELDING RESPIRATOR

- Features an added sorbent that helps filter out nuisance levels of ozone and organic vapors (less than the OSHA PEL)
- Can be used where welding fumes are present
- Exhalation valve reduces hot air build-up, keeping workers cool and comfortable
- Collapse-resistant polymesh shell has integral flame retardants for added protection
- Shaped for comfort with a contour-molded nose bridge
- NIOSH 42 cfr 84 certified to have filter efficiency of 95% against particulate aerosols free of oil



DESCRIPTION	PART
Welding Respirator	I 59012

### PARTICULATE RESPIRATOR

- Features electrostatically charged microfibers infused into its construction, making breathing easier and cooler
- Designed to provide reliable protection against certain non-oil based particles
- Lightweight, high quality design
- Adjustable nose clip – secure seal
- Elastic straps keep respirator snug against the face
- NIOSH 42 cfr 84 classification of N95 (95% efficient, not resistant to oil)



DESCRIPTION	PART
Particulate Respirator	I 59014

### NUISANCE MASK

- Lightweight, economical mask provides protection for nuisance dusts like alfalfa, pollen, sawdust and animal dander
- Contoured nosepiece and elastic headband holds mask comfortably without restricting visibility



DESCRIPTION	PART
Nuisance Mask	R 59010

### INSECT REPELLENT

- Contains 25% DEET
- Repels mosquitos, chiggers, ticks, deer flies, stable flies, black flies, gnats and fleas on exposed skin surfaces
- Use just enough repellent to cover exposed skin and/or clothing
- Do not use under clothing
- Avoid over-exposure



DESCRIPTION	PART
Insect Repellent (6 oz.)	A 74705

### INSECT REPELLING WRISTBANDS

- Repels mosquitoes, flies, gnats, and no-see-ums
- DEET Free
- Natural & Effective – Made with naturally derived geranoil
- Vapors from the wristband form a protective shield around the immediate area, keeping insects a safe distance away
- While many repellents are easily diluted or rinsed off with swimming or perspiration, the wristband just keeps working, up to 120 hours
- Packaged in a reusable plastic “pod” that can be sealed between uses
- Can be worn on belt loops, hatbands, fastened in tents, or applied to other areas
- Designed with a patented break-away strap – snaps if it becomes entangled
- Several wristbands can be strung together to create a longer band



DESCRIPTION	PART
Green	c 85085
Glow-in-the-dark	c 85086
Pink	c 85087
Red	c 85088
Yellow	c 85089
Blue	c 85090



## PERSONAL PROTECTION

### MECHANIX WEAR® PRO KNEE PADS

- 100% Kevlar®
- Heavy duty professional pad
- 3mm neoprene full coverage protection
- Multi-layered EVA foam pad conforms to knee
- Nylon web pull strap allows quick adjustment and positioning
- Upper / lower extra wide hook and loop for adjustability



DESCRIPTION	PART
Mechanix Wear® Pro Knee Pads	A 162804

### PONCHO

- Color: yellow
- Size: 52" x 80"
- Thickness: 10mm PVC film
- An economical way to stay dry in various weather conditions
- Comes in a handy tote pouch
- Snap closures at sides
- Attached hood
- One size fits all



DESCRIPTION	PART
Poncho	B 59060

### OVER-THE-HEAD EARMUFF

- This lightweight muff features very low profile ear cups that fit well with most helmets, eyewear and other safety equipment
- Comfortable earmuff in design and style
- Provides effective protection, especially against the high frequency noise associated with many work areas and functions including machine shops and power tools
- For loud noise levels up to 95 dba



DESCRIPTION	PART
Over-The-Head Earmuff	A 59085

### PUSH-TO-LISTEN EARMUFF

- With the touch of a button, hear coworkers more clearly
- No more lifting the cup or removing the muff to communicate with coworkers
- Comfortable earmuff in design and style
- Provides effective protection, especially against the high frequency noise associated with many work areas and functions including machine shops and power tools



DESCRIPTION	PART
Push-To-Listen Earmuff	A 59086

### EAR PLUGS

- Foam ear plugs do not require rolling prior to insertion, eliminating the possibility of hand-to-ear contamination
- Their pre-shaped design features a built-in flexible stem that makes insertion easy
- Clean with soap and water for reuse



DESCRIPTION	PART
Corded Ear Plugs	L 59000
Uncorded Ear Plugs	L 59001

## SAFETY EYEWEAR

### SAFETY GOGGLES

- One-piece, impact-resistant polycarbonate toric lens provides superior optics and peripheral vision
- Ideal for chemical splash and impact protection
- Lens is 99.9% UV rated
- Durable polypropylene frame features a soft, flexible elastomer that conforms gently to most facial contours
- Indirect ventilation system minimizes fogging
- Quick-adjust headband easily clips onto hard hats
- Meets ANSI Z87.1-1989 and CSA Z94.3-1992 standards



DESCRIPTION	PART
Safety Goggles	A 59020

### SPORT BLACK FRAME - SMOKE LENS

- New wraparound aerodynamic sporty styling
- Side tapered lens provides extra protection against sun and harmful objects
- Soft rubber nosepiece and temples
- Lens offers 99% UV protection
- Meets ANSI Z87.1 requirements



DESCRIPTION	PART
Sport Black Frame - Smoke Lens	A 59023

### SPORT CLEAR FRAME - CLEAR LENS

- New wraparound aerodynamic sporty styling
- Side tapered lens provides extra protection against sun and harmful objects
- Soft rubber nosepiece and temples
- Lens offers 99% UV protection
- Meets ANSI Z87.1 requirements



DESCRIPTION	PART
Sport Clear Frame - Clear Lens	A 59024

### PERFORATED SAFETY GOGGLES

- Multi-purpose ultra soft goggle with poly-carbonate lens
- Flexible vinyl frame provides an excellent facial fit
- Perforated to allow comfortable ventilation
- Meets ANSI Z87.1 requirements
- Black strap masks grease and grime



DESCRIPTION	PART
Perforated Safety Goggles	A 59021

### BLACK FRAME - CLEAR LENS

- Fashionable, lightweight plastic frames
- Contemporary, panoramic, polycarbonate lens offer 99% UV protection
- Universal fit with 4-position adjustable temples
- Meets ANSI Z87.1 requirements



DESCRIPTION	PART
Black Frame - Clear Lens	A 59026

### SPORT BLACK FRAME - SILVER MIRROR LENS

- New wraparound aerodynamic sporty styling
- Side tapered lens provides extra protection against sun and harmful objects
- Soft rubber nosepiece and temples
- Lens offers 99% UV protection
- Meets ANSI Z87.1 requirements



DESCRIPTION	PART
Sport Black Frame - Silver Mirror Lens	A 59025

### OVER-PRESCRIPTION SAFETY EYEWEAR

- Provides an economical alternative
- Polycarbonate lens offers 99% UV protection
- Can be worn alone or over prescription glasses
- Meets ANSI Z87.1 requirements



DESCRIPTION	PART
Over-Prescription Safety Eyewear	A 59027

## SAFETY EYEWEAR

### ES4 - PEARL GRAY FRAME CLEAR LENS

Designed for all environments, the ES4 features an adjustable nosepiece, ultralight frame, and 100% visually correct lenses.

- Half frame
- Frame material: TR90
- 91% of light passes through
- CSA Approved
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART
ES4 - Pearl Gray Frame/Clear Lens	A 59110

### ES4 - CRYSTAL BLACK FRAME HD SILVER POLARIZED MIRROR LENS

Designed for all environments, the ES4 features an adjustable nosepiece, ultralight frame, and 100% visually correct lenses.

- Half frame
- Frame material: TR90
- 16% of light passes through
- High definition lens
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART
ES4 - Crystal Black Frame/HD Silver Polarized Mirror Lens	A 59119

### ES5 - CRYSTAL BROWN FRAME HD BROWN POLARIZED LENS

Designed for outdoor sports, the ES5 provides a polished style. The sleek framework provides substantial coverage for a variety of environments.

- Half frame
- Frame material: TR90
- 18% of light passes through
- High definition lens
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART
ES5 - Crystal Brown Frame/HD Brown Polarized Lens	A 59122

### ES5 - CRYSTAL BROWN FRAME HD BROWN FLASH MIRROR LENS

Filters blue light which can cause eye fatigue and cause a haze effect. Use in normal to bright outdoor use.

- Half frame
- Frame material: TR90
- 22% of light passes through
- High definition lens
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART
ES5 - Crystal Brown Frame/HD Brown Flash Mirror Lens	A 59075

### RPG - SHINY BLACK-PEARL RED FRAME SILVER MIRROR LENS

Similar to a smoke lens, but has the added mirror coating which filters more light, further reducing the glare. Ideal for bright outdoor conditions.

- Full frame
- Frame material: TR90
- 16% of light passes through
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART
RPG - Shiny Black-Pearl Red Frame/Silver Mirror Lens	A 59077

### RPG - MATTE BLACK FRAME HD BLUE POLARIZED LENS

Full Frame RPG fits a wide range of users and it is excellent in diverse environments. Diminishes glare. Good for outdoors.

- Full frame
- Frame material: TR90
- 18% of light passes through
- High definition lens
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART
RPG - Matte Black Frame/HD Blue Polarized Lens	A 59117

## SAFETY EYEWEAR

### COBRA - MATTE BLACK FRAME RED MIRROR LENS

Colored mirrored surface over a smoke base lens diminishes glare by absorbing reflection across the mirror surface. Good for bright outdoor conditions.

- Half frame
- Frame Material: TR90
- 16% of light passes through
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART
COBRA - Matte Black Frame/Red Mirror Lens	A 59078

### COBRA - SHINY BLACK FRAME CLEAR LENS

Allows maximum light transmission without changing or distorting sight or colors. Suitable for indoor or low light conditions.

- Half frame
- Frame material: TR90
- 91% of light passes through



DESCRIPTION	PART
COBRA - Shiny Black Frame/Clear Lens	A 59108

### CORE - MILITARY GREEN CAMO FRAME SMOKE LENS

The perfect all around tint for normal outdoor conditions

- 3/4 frame
- Frame material: TR90
- 18% of light passes through
- CSA Approved
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART
CORE - Military Green Camo Frame/Smoke Lens	A 59071

### CORE - MOCHA BROWN FRAME HD BROWN POLARIZED LENS

Filters blue light which is known to cause eye fatigue and a haze effect. Normal to bright outdoor conditions.

- 3/4 frame
- Frame material: Polycarbonate
- 22% of light passes through
- CSA Approved
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART
CORE - Mocha Brown Frame/HD Brown Polarized Lens	A 59120

### CORE - EMERALD PEARL FRAME GOLD MIRROR LENS

The mirrored surface over a smoke base lens diminishes glare by absorbing reflection across the mirror surface. Good for bright, outdoor conditions.

- 3/4 frame
- Frame material: TR90
- 16% of light passes through
- CSA Approved
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART
CORE - Emerald Pearl Frame/Gold Mirror Lens	A 59070

### KP6 - CRYSTAL BLACK FRAME SMOKE LENS

The perfect all around tint for normal outdoor conditions.

- 3/4 frame
- Frame material: Polycarbonate
- 18% of light passes through
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART
KP6 - Crystal Black Frame/Smoke Lens	A 59074



## SAFETY EYEWEAR

### INFINITY - CRYSTAL BROWN FRAME HD BROWN FLASH MIRROR LENS

Filters blue light which can cause eye fatigue and cause a haze effect. Use in normal to bright outdoor use.

- Full frame
- Frame material: TR90
- 22% of light passes through
- High definition lens
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART
INFINITY - Crystal Brown Frame/HD Brown Flash Mirror Lens	A 59076

### BRIGADE - BLACK-RED FRAME SILVER MIRROR LENS

Similar to a smoke lens, but has the added mirror coating which filters more light further reducing the glare. Ideal for bright outdoor conditions.

- Half frame
- Frame material: Nylon
- 16% of light passes through
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART
BRIGADE - Black-Red Frame/Silver Mirror Lens	A 59066

### INFINITY - CRYSTAL BROWN FRAME HD BROWN POLARIZED LENS

The comfortable fit is easy wear all day. Filters blue light which is known to cause eye fatigue and a haze effect. Normal to bright outdoor conditions.

- Full frame
- Frame material: TR90
- 22% of light passes through



DESCRIPTION	PART
INFINITY - Crystal Brown Frame/HD Brown Polarized Lens	A 59118

### SNIPER - CRYSTAL BROWN FRAME HD BROWN FLASH MIRROR LENS

Filters blue light which can cause eye fatigue and cause a haze effect. For normal to bright outdoor use.

- Half frame
- Frame material: TR90
- 22% of light passes through
- High definition lens



DESCRIPTION	PART
SNIPER - Crystal Brown Frame/HD Brown Flash Mirror Lens	A 59067

### VIPER - CRYSTAL CLEAR FRAME CLEAR LENS

Allows maximum light transmission without changing or distorting sight or colors. Suitable for indoor or low light conditions.

- Frameless
- Frame material: Polycarbonate
- 91% of light passes through
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART
VIPER - Crystal Clear Frame/Clear Lens	A 59109

### SNIPER - BLACK-CRYSTAL BURGUNDY FRAME SILVER MIRROR LENS

Similar to a smoke lens, but has the added mirror coating which filters more light, further reducing the glare. Ideal for bright outdoor conditions.

- Half frame
- Frame material: TR90
- 16% of light passes through
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART
SNIPER - Black-Crystal Burgundy Frame/Silver Mirror Lens	A 59068

## SAFETY EYEWEAR

### SNIPER - MATTE BLACK FRAME CLEAR LENS

Allows maximum light transmission without changing or distorting sight or colors. Suitable for indoor or low light conditions.

- Half frame
- Frame material: TR90
- 91% of light passes through
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART	
SNIPER - Matte Black Frame/Clear Lens	A	59107

### CONCEPT - CRYSTAL BLACK FRAME FOAM LINED / ANTI-FOG CLEAR LENS

Allows maximum light transmission without changing or distorting sight or colors. Suitable for indoor or low light conditions.

- Half frame
- Frame material: TR90
- 91% of light passes through
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART	
CONCEPT - Crystal Black Frame, Foam Lined Anti-Fog Clear Lens	A	59111

### SNIPER - SHINY BLACK FRAME SMOKE POLARIZED LENS

Count on the Sniper to perform on the job. Designed with the sportsman in mind, this style transitions easily from work to recreational environments.

- Half frame
- Frame material: TR90
- 18% of light passes through
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART	
SNIPER - Shiny Black Frame/Smoke Polarized Lens	A	59121

### DIAMONDBACK - SHINY RED FRAME FOAM LINED / SILVER MIRROR LENS

Similar to a smoke lens, but has the added mirror coating which filters more light further reducing the glare. Ideal for bright outdoor conditions.

- Full frame
- Frame material: Polycarbonate
- 16% of light passes through
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART	
DIAMONDBACK - Shiny Red Frame, Foam Lined Silver Mirror Lens	A	59073

### RAPTOR - SHINY PEARL GRAY FRAME FOAM LINED / ANTI-FOG CLEAR LENS

Suitable for indoor or low light conditions.

- Full frame
- Frame material: Polycarbonate
- 81% of light passes through
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART	
RAPTOR - Shiny Gray Pearl Frame, Foam Lined Anti-Fog Clear Lens	A	59112

### DIAMONDBACK - BLACK MATTE FRAME FOAM LINED / ANTI-FOG CLEAR LENS

Allows maximum light transmission without changing or distorting sight or colors. Suitable for indoor or low light conditions.

- Full frame
- Frame material: Polycarbonate
- 91% of light passes through
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART	
DIAMONDBACK - Shiny Red Frame, Foam Lined Anti-Fog Clear Lens	A	59114

## SAFETY EYEWEAR

### MP7 - CRYSTAL BROWN FRAME FOAMED LINED HD BROWN FLASH MIRROR LENS

Filters blue light which can cause eye fatigue and cause a haze effect. Use in normal to bright outdoor use.

- Full frame
- Frame material: TR90
- 22% of light passes through
- High definition lens
- CSA Approved
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART	
MP7 - Crystal Brown Frame Foamed Lined HD Brown Flash Mirror Lens	A	59069

### MP7 - CRYSTAL BLACK FRAME BLUE GREEN POLARIZED LENS

Filters bent light caused from reflection, reducing glare and eye fatigue. Suitable for sunny outdoor conditions.

- Full frame
- No foam lining
- Frame material: TR90
- 18% of light passes through
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART	
MP7 - Crystal Black Frame/Blue Green Polarized Lens	A	59123

### MP7 - CRYSTAL BLACK FRAME FOAMED LINED ANTI-FOG CLEAR LENS

Allows maximum light transmission without changing or distorting, sight or colors. Suitable for indoor, or low-light conditions.

- Full frame
- Frame material: TR90
- 91% of light passes through
- CSA Approved
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART	
MP7 - Crystal Brown Frame, Foamed Lined HD Brown Flash Mirror Lens	A	59113

### ECLIPSE - MATTE BLACK FRAME FOAM LINED / YELLOW FLASH MIRROR LENS

Enhances available light. Appropriate for low light conditions in both indoor and outdoor environment.

- Full frame
- Frame material: Polycarbonate
- 80% of light passes through
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



DESCRIPTION	PART	
ECLIPSE - Matte Black Frame, Foam Lined Yellow Flash Mirror Lens	A	59079

## DUAL-LED SAFETY GLASSES WITH SHATTERPROOF POLYCARBONATE CLEAR LENSES

You'll never be in the dark with these multi purpose safety glasses. This functional safety frame is perfect for multiple uses.

- Forward facing LED lights on both temples
- Individual on/off switches
- Includes 3 alkaline button cell batteries per light (P/N 29206)
- Meets ANSI Z87.1 standards for safety eyewear
- Scratch resistant coating
- UV400 filter for maximum UV protection
- Foam padding on top of frame
- Rubber nose pads and tips
- Clear lenses and black frame



DESCRIPTION	PART	
Dual-LED Safety Glasses	A	59124

## SAFETY EYEWEAR

### ELEMENT - BLACK SOFT TOUCH FRAME CLEAR ANTI-FOG LENS

Allows maximum light transmission without changing or distorting sight or colors. Suitable for indoor or low light conditions.

- Full frame
- Frame material: Coated Polycarbonate/Rubberized
- 91% of light passes through
- CSA Approved



DESCRIPTION	PART
ELEMENT - Black Soft Touch Frame/Clear Anti-Fog Lens	A 59072

### MATTE BLACK FRAME BLACK WIRE MESH LENS

Provides protection while eliminating fog. Designed for extremely humid environments.

- Full frame
- Frame material: Polycarbonate



DESCRIPTION	PART
Matte Black Frame/Black Wire Mesh Lens	A 59115

### OG-3 - OVER GLASSES BLACK FRAME CLEAR LENS

Allows maximum light transmission without changing or distorting sight or colors. Suitable for indoor or low light conditions.

- Accommodates 134 x 34 inside Rx glass
- Accommodates Rx glass with a base curve of 5
- Full frame
- Frame material: Polycarbonate
- 91% of light passes through



DESCRIPTION	PART
OG-3 - Over Glasses Black Frame/Clear Lens	A 59065

### ELASTIC BAND MATTE BLACK FRAME BLACK WIRE MESH LENS

Provides protection while eliminating fog. Designed for extremely humid environments.

- Full frame w/ elastic strap
- Frame material: Polycarbonate



DESCRIPTION	PART
Elastic Band Matte Black Frame/Black Wire Mesh Lens	A 59116

## FLEX SIDE SHIELDS

Flex Side Shields turn regular glasses into safety glasses

- Conforms to ANSI Z87.1 standards
- They're soft and molded to bend with your glasses, but are still durable enough to absorb the energy from an impact
- Provides side protection that you don't normally get from your spectacles
- Made from flexible material
- Weaves through the arm of your glasses
- Folds with temple
- Blocks 100% of harmful UV rays

To apply, weave the arms of your glasses through the cuts in the side shield. They fit on a variety of spectacle sizes and styles. Flex Side Shields also allow your glasses to fold up correctly for proper storage.



DESCRIPTION	PART
Flex Side Shields	A 59018



## SAFETY EYEWEAR – BIFOCALS

### TALON - MATTE BLACK FRAME SMOKE LENS (DIOPTER 1.5)

A sporty and lightweight design for fit and ease of use in diverse environments. The perfect all around tint for normal outdoor conditions.

- Diopter 1.5
- Half frame
- Frame material: Nylon
- 18% of light passes through
- Features: Bifocals



DESCRIPTION	PART
TALON - Matte Black Frame/Smoke Lens - Diopter 1.5	A 59101

### TALON - MATTE BLACK FRAME CLEAR LENS (DIOPTER 1.5)

A sporty and lightweight design for fit and ease of use in diverse environments. Allows maximum light transmission without changing or distorting sight or colors. For indoor or low light conditions.

- Diopter 1.5
- Half frame
- Frame material: Nylon
- 91% of light passes through
- Features: Bifocals



DESCRIPTION	PART
TALON - Matte Black Frame/Clear Lens - Diopter 1.5	A 59104

### TALON - MATTE BLACK FRAME SMOKE LENS (DIOPTER 2.0)

A sporty and lightweight design for fit and ease of use in diverse environments. The perfect all around tint for normal outdoor conditions.

- Diopter 2.0
- Half frame
- Frame material: Nylon
- 18% of light passes through
- Features: Bifocals



DESCRIPTION	PART
TALON - Matte Black Frame/Smoke Lens - Diopter 2.0	A 59102

### TALON - MATTE BLACK FRAME CLEAR LENS (DIOPTER 2.0)

A sporty and lightweight design for fit and ease of use in diverse environments. Allows maximum light transmission without changing or distorting sight or colors. For indoor or low light conditions.

- Diopter 2.0
- Half frame
- Frame material: Nylon
- 91% of light passes through
- Features: Bifocals



DESCRIPTION	PART
TALON - Matte Black Frame/Clear Lens - Diopter 2.0	A 59105

### TALON - MATTE BLACK FRAME SMOKE LENS (DIOPTER 2.5)

A sporty and lightweight design for fit and ease of use in diverse environments. The perfect all around tint for normal outdoor conditions.

- Diopter 2.5
- Half frame
- Frame material: Nylon
- 18% of light passes through
- Features: Bifocals



DESCRIPTION	PART
TALON - Matte Black Frame/Smoke Lens - Diopter 2.5	A 59103

### TALON - MATTE BLACK FRAME SMOKE LENS (DIOPTER 2.5)

A sporty and lightweight design for fit and ease of use in diverse environments. Allows maximum light transmission without changing or distorting sight or colors. For indoor or low light conditions.

- Diopter 2.5
- Half frame
- Frame material: Nylon
- 91% of light passes through
- Features: Bifocals



DESCRIPTION	PART
TALON - Matte Black Frame/Clear Lens - Diopter 2.5	A 59106

## SAFETY EYEWEAR – POLARIZED LENSES

### ES4 - CRYSTAL BLACK FRAME HD SILVER MIRROR POLARIZED LENS

Designed for all environments, the ES4 features an adjustable nosepiece, ultralight frame, and 100% visually correct lenses.

- Half frame
- Frame material: TR90
- 16% of light passes through



DESCRIPTION	PART	
ES4 - Crystal Black Frame/HD Silver Mirror Lens	A	59119

### ES5 - CRYSTAL BROWN FRAME HD BROWN POLARIZED LENS

Designed for outdoor sports, the ES5 provides a polished style. The sleek framework provides substantial coverage for a variety of environments.

- Half frame
- Frame material: TR90
- 18% of light passes through



DESCRIPTION	PART	
ES5 - Crystal Brown Frame/HD Brown Lens	A	59122

### RPG - MATTE BLACK FRAME HD BLUE POLARIZED LENS

Full frame RPG fits a wide range of users and it is excellent in diverse environments. Diminishes glare. Good for outdoor conditions.

- Full frame
- Frame material: TR90
- 18% of light passes through



DESCRIPTION	PART	
RPG - Matte Black Frame/HD Blue Polarized Lens	A	59117

### CORE - MOCHA BROWN FRAME HD BROWN POLARIZED LENS

Filters blue light which is known to cause eye fatigue and a haze effect. Normal to bright outdoor conditions.

- 3/4 frame
- Frame material: Polycarbonate
- 22% of light passes through
- CSA Approved



DESCRIPTION	PART	
CORE - Mocha Brown Frame/HD Brown Polarized Lens	A	59120

### INFINITY - CRYSTAL BROWN FRAME HD BROWN POLARIZED LENS

The comfortable fit is easy to wear all day. Filters blue light which is known to cause eye fatigue and a haze effect. Normal to bright outdoor conditions.

- Full frame
- Frame material: TR90
- 22% of light passes through



DESCRIPTION	PART	
INFINITY - Crystal Brown Frame/HD Brown Polarized Lens	A	59118

### SNIPER - SHINY BLACK FRAME SMOKE POLARIZED LENS

Count on the Sniper to perform on the job. Designed with the sportsman in mind, this style transitions easily from work to recreational environments.

- Half frame
- Frame material: TR90
- 18% of light passes through



DESCRIPTION	PART	
SNIPER - Shiny Black Frame/Smoke Polarized Lens	A	59121

### MP7 - CRYSTAL BLACK FRAME BLUE GREEN POLARIZED LENS

Filters bent light caused from reflection, reducing glare and eye fatigue. Suitable for sunny outdoor conditions.

- Full frame
- No foam lining
- Frame material: TR90
- 18% of light passes through



DESCRIPTION	PART	
MP7 - Crystal Black Frame/Blue Green Polarized Lens	A	59123

## FACE SHIELDS

### BIONIC® SHIELD

The bionic shield redefines a higher level of technology in the faceshield category. An advanced ergonomic design combines superior protection & all-day comfort with easy-to-use features that workers desire.



- Enhanced protection from airborne debris
- Excellent optics and increased visibility
- Easily replaceable visor with dual position choices
- Secure visor attachment
- Lightweight and balanced, ergonomic design for extended use
- Comfortable cell foam on back of headgear
- Breathable, removeable, washable headband
- Black matte finish
- Comfortably worn with most goggles and respirators
- Faceshield offers secondary protection and must be worn with spectacles or goggles
- Perfect for workers exposed to falling or flying objects, impact, chemical splash, and airborne debris
- Hardhat accessory is compatible with multiple hardhats, including Willson® and most other major styles
- Leaves slots free
- 100% dielectric – and no metal parts



DESCRIPTION	PART	
Bionic Shield	A	8876
Bionic Shield Replacement Visor	A	8877
Bionic Shield Replacement Visor (Shaded 5.0)	A	8878
Bionic Shield Hardhat Adapter	A	8879

### HEADGEAR FACE SHIELD

- Provides standard pin-lock sizing adjustment
- Resilient cam-lock features hold the face shield in place
- Tension can be adjusted for any fixed or moveable window position
- Clear polycarbonate replaceable face shield
- Meets ANSI Z87.1 requirements
- Made in USA

**Face Shields are considered as secondary protection only. Proper eye protection must be worn with face shields.**



DESCRIPTION	PART	
Headgear Face Shield	A	59022
Clear Face Shield Only	A	59022S

## GLOVES – LATEX

### INDUSTRIAL LATEX GLOVES

- Industrial-use, pre-powdered glove
- Wrist-length, reinforced rolled cuffs
- 5 mils thick
- Stretches to fit
- Excellent sensitivity and touch

(PAIR)  
100/BOX



DESCRIPTION	PART
Latex Disposable Gloves (Large)	A 59032
Latex Disposable Gloves (X-Large)	A 59032XL

### TEXTURED NATURAL LATEX GLOVES

- 18 mil natural latex
- 12" gloves
- Textured palm for excellent wet grip
- Flock-lined latex for added comfort and protection

(PAIR)



DESCRIPTION	PART
Textured Latex Gloves (X-Large)	J 59036XL
Textured Latex Gloves (Large)	J 59036
Textured Latex Gloves (Medium)	J 59036MED
Textured Latex Gloves (Small)	J 59036SMALL

## GLOVES – NITRILE, CHEMICAL RESISTANT

### NITRILE CHEMICAL RESISTANT GLOVES

- Resistant to most solvents and parts cleaners
- Stronger and more puncture resistant than regular latex gloves
- Hypoallergenic for hands sensitive to latex
- Snug fit helps keep liquids from leaking on hands
- Disposable, convenient, single-use saves clean-up time
- Made of 100% non-sterile nitrile polymer



100 GLOVES  
PER BOX

DESCRIPTION	PART
Black Nitrile Gloves (M)	A 59054MED
Black Nitrile Gloves (L)	A 59054LARGE
Black Nitrile Gloves (XL)	A 59054XL
Black Nitrile Gloves (XXL)	A 59054XXL

### NITRILE CHEMICAL RESISTANT GLOVES

- Resistant to most solvents and parts cleaners
- Stronger and more puncture resistant than regular latex gloves
- Hypoallergenic for hands sensitive to latex
- Snug fit helps keep liquids from leaking on hands
- Disposable, convenient, single-use saves clean-up time
- Made of 100% non-sterile nitrile polymer



100 GLOVES PER BOX

DESCRIPTION	PART
Blue Nitrile Gloves (X-Large)	A 59035
Blue Nitrile Gloves (Large)	A 59034
Blue Nitrile Gloves (Medium)	A 59034MED
Blue Nitrile Gloves (Small)	A 59034SMALL

## GLOVES – DISPENSER

### GLOVE DISPENSER

- Store your boxes of gloves in an easily accessible location
- Holds most popular brands of gloves
- Stainless steel tension spring keeps boxes securely in place
- Dispensers have two 1/2" slotted mounting holes for wall mounting (fasteners included)
- Durable and attractive white powder coated finish is rust and acid resistant
- Dimensions: 5-11/16" W x 3-13/16" D x 10" H



DESCRIPTION	PART
Glove Dispenser	A 50020



## GLOVES – NITRILE

### NITRILE GLOVES – FLOCK LINED

- Provides excellent protection against cuts, abrasion, punctures
- Superior resistance to a broad range of solvents, animal fats and other chemicals
- Case hardened finish enhances chemical and abrasion resistance, while making them easier to pull on and off
- Non-slip grip makes wet work easier and safer
- Ergonomic design maximizes comfort



DESCRIPTION	PART
Nitrile Gloves – Flock Lined (Large)	F 59037
Nitrile Gloves – Flock Lined (Medium)	F 59037MED

### BLACK LIGHTNING GLOVES – NITRILE

- Natural 5.5 pH = natural comfort!
- Super strong
- 100% quality nitrile (black)
- Superior durability, comfort and protection against day-to-day hazards
- Chlorinated and quadruple leached to ensure the cleanest, most comfortable long wearing glove possible

100 GLOVES  
PER BOX



*The NEW 5.5 pH comfort coating feature is a natural solution to aid your skin's own mechanism in restoration and repair efforts! Take a preventive stand with Black Lightning™ Gloves!*

DESCRIPTION	PART
Black Lightning Gloves (XX-Large)	A 59056XXL
Black Lightning Gloves (X-Large)	A 59056XL
Black Lightning Gloves (Large)	A 59056LARGE
Black Lightning Gloves (Medium)	A 59056MED

### LIGHTNING STORM GLOVES - NITRILE

- Blue nitrile/powder free extended 12" cuff
- 9 mils thick, yet soft and durable
- For high risk applications
- Approved for medical use
- Textured fingertips for reliable grip in wet and dry conditions
- Nitrile formulation alleviates the potential for adverse reactions associated with natural rubber latex proteins
- Ambidextrous

50 GLOVES  
PER BOX



DESCRIPTION	PART
Lightning Storm Gloves (X-Large)	A 59211XL
Lightning Storm Gloves (Large)	A 59211LARGE
Lightning Storm Gloves (Medium)	A 59211MED

### ALOE POWER 5.5 MIL NITRILE GLOVES

- Aloe coated to moisturize irritated hands
- Proprietary Freeze-Dried technology gradually bathes hands in aloe to help soothe dry, chapped, and cracked hands!
- Superior comfort for extended wear
- Powder free
- Textured grip for unsurpassed grip control in both wet and dry working conditions.
- Ambidextrous



100 GLOVES PER BOX

DESCRIPTION	PART
Aloe Power Gloves (XX-Large)	A 59028XXL
Aloe Power Gloves (X-Large)	A 59028XL
Aloe Power Gloves (Large)	A 59028LARGE
Aloe Power Gloves (Medium)	A 59028MED

### ORANGE LIGHTNING GLOVES - NITRILE

- Natural 5.5 pH = natural comfort!
- Super strong
- 100% quality nitrile (orange)
- Superior durability, comfort and protection against day-to-day hazards
- Chlorinated and quadruple leached to ensure the cleanest, most comfortable long wearing glove possible

100 GLOVES  
PER BOX



*The NEW 5.5 pH comfort coating feature is a natural solution to aid your skin's own mechanism in restoration and repair efforts! Take a preventive stand with Orange Lightning™ Gloves!*

DESCRIPTION	PART
Orange Lightning Gloves (XX-Large)	A 59207XXL
Orange Lightning Gloves (X-Large)	A 59207XL
Orange Lightning Gloves (Large)	A 59207LARGE
Orange Lightning Gloves (Medium)	A 59207MED

## GLOVES – NEOPRENE

### ROUGH FINISH NEOPRENE GLOVES

- Multi-dipped in premium-grade neoprene
- Offers superior durability against acids, caustics, oils, greases and many solvents
- Provides extra protection against cuts and punctures
- Rough finish offers great gripping capabilities

(PAIR)



DESCRIPTION	PART
Rough Finish Neoprene Gloves	A 59033

## GLOVES – PVC COATED

### SUPER GRIP GLOVES

- Heavy coat premium yellow PVC
- Surface of granulated plastic particles for super grip & long wear
- Superior resistance to cutting
- 12" length
- For fishing, water and sewer work, plywood manufacturing, heavy parts



(PAIR)

DESCRIPTION	PART
Super Grip Gloves	A 59048

### GRIP PVC JERSEY LINED GLOVES

- Green, fully coated PVC work gloves
- Features a jersey lining with superior sandpaper grip finish



(PAIR)

DESCRIPTION	PART
Grip Pvc Jersey Lined Gloves	F 59045

### PVC SAFETY ORANGE FOAM LINED GLOVES

- PVC coating resists chemicals, grease and oils
- Foam lining for optimum warmth and comfort
- Knit wrist



(PAIR)

DESCRIPTION	PART
Pvc Gloves (Large)	C 59047
Pvc Gloves (Small)	C 59047SMALL

## GLOVES – COTTON & KNIT

### COTTON STRING GLOVES PVC DOTTED

- PVC dots on both sides for extended life and grip
- 100% cotton for comfort



(PAIR)

DESCRIPTION	PART
Cotton String Gloves Dotted	J 59043

### NATURAL COTTON CANVAS WORK GLOVES

- General all-purpose work gloves
- Strong and comfortable
- Provides reliable abrasion resistance



(PAIR)

DESCRIPTION	PART
Natural Cotton Canvas Work Gloves	A 59041

### PREMIUM KNIT RUBBER COATED PALM

- White knit for comfort
- Blue latex palm coated for excellent grip
- Provides superior fit and dexterity
- Resists cuts and abrasion



(PAIR)

DESCRIPTION	PART
Premium Knit Rubber Coated (Large)	C 59044
Premium Knit Rubber Coated (X-Large)	C 59044XL

## GLOVES – WORK

### BROWN JERSEY WORK GLOVES

- 100% cotton
- All-purpose knitted jersey
- Form-fitting cleft cut style with a knit wrist for comfortable fit



DESCRIPTION	PART
Brown Jersey Work Gloves	J 59031

### BROWN JERSEY RED FLEECE LINED

- Ideal for material handling, construction, shipping and utility workers
- Brown jersey knit cotton fabric stretches, providing comfortable dexterity
- Fleece lined for warmth and extra protection



DESCRIPTION	PART
Brown Jersey Red Fleece-Lined	F 59042

### DEERSKIN DRIVING GLOVES (UNLINED)

- Premium smooth grain deerskin
- Buttery soft and flexible, nature's finest leather, tailored keystone thumb, self hem & shirred elastic back



DESCRIPTION	PART
Deerskin Driving Gloves (Medium)	A 59051MED
Deerskin Driving Gloves (Large)	A 59051
Deerskin Driving Gloves (X-Large)	A 59051XL

### DEERSKIN WORK/DRIVING GLOVES (LINED)

- Premium deerskin
- Keystone thumb, self hem and shirred elastic back
- Thinsulate™ lined



DESCRIPTION	PART
Deerskin Work Gloves (Medium)	A 59050MED
Deerskin Work Gloves (Large)	A 59050
Deerskin Work Gloves (X-Large)	A 59050XL

### DELUXE PILE LINED LABOR GLOVES

- Comfortable, rugged split leather
- Keystone thumb, elastic back and leather palm strap for added durability
- Pile lining keeps out cold



DESCRIPTION	PART
Pile Lined Labor Gloves (Large)	C 59038
Pile Lined Labor Gloves (X-Large)	C 59038XL

### PIGSKIN LABOR GLOVES

- Grain pigskin and cotton canvas back
- Leather knuckle strap and wing thumb for durability
- Fully lined with Thinsulate™



DESCRIPTION	PART
Pigskin Labor Gloves (Large)	C 59039
Pigskin Labor Gloves (X-Large)	C 59039XL

### FULL FEATURE WORK GLOVES

- Striped canvas back with matching cuff
- Reinforced leather knuckle strap provides added protection
- Full leather index finger & fingertips



DESCRIPTION	PART
Full Feature Work Gloves	F 59040

### SPLIT LEATHER GLOVES

- Economy split leather gloves
- Ideal for basic hand protection
- Lining on palm & thumb for additional comfort
- Knit wrist



DESCRIPTION	PART
Economy Split Leather Gloves	J 59030

### WELDING GLOVES

- Russet cowhide
- Fully welted seams
- One-piece back
- Turned cuff & wing thumb
- Fully lined
- 13-1/2" length



DESCRIPTION	PART
Welding Gloves	A 59046

## GLOVES - WINTER

### WINTER "WATERPROOF GLOVES WITH MINI HAND WARMERS"

- Soft, durable, black gloves have palm and thumb grips for traction
- Snug fitting cuffs keep the cold out and the warmth in
- Waterproof/breathable
- Two reflective strips on back and cuff
- Each glove has one (1) built-in "Mini Hand Warmer" pocket
- Includes one (1) pair of Heat Pax™ Mini Hand Warmers (P/N 59205)
- Mini Hand Warmers deliver up to 8 hours of air activated heat
- Simply tear open the package, wait 10 minutes for them to heat up fully, and insert into the hand warmer pocket
- Warmers maintain a minimum temperature of 104°F
- Heating can be suspended at any time by resealing the inserts in an airtight container or plastic bag

#### APPLICATIONS

- Industrial safety
- Construction
- Emergency services
- Military
- Rail yards
- Outdoor maintenance
- Snowmobiles
- Motor biking



DESCRIPTION	PART	
Winter Waterproof Gloves (Small/Medium)	A	59203
Winter Waterproof Gloves (Large/Extra large)	A	59204
Mini Hand Warmers (Pair)	A	59205

### WINTER WORK GLOVES (WATER RESISTANT)

- Ideal for working in cold winter climates
- Water resistant
- Poplin outer shell provides wind resistance
- Polyester insulation for comfort and warmth
- Foam laminated nylon liner locks in body heat
- Sure grip palm patch for durability and long wear
- Knit wrist with shirred elastic back
- Hook and D-rings attached
- Color: black




DESCRIPTION	PART	
Winter Work Gloves (Large)	A	59049
Winter Work Gloves (Extra Large)	A	59049XL



## GLOVES – WINTER

### SOFT BLACK GLOVES WITH GRIPTRAX PALM / 40 GRAM THINSULATE™ LINING

- Wind and water resistant liner
- 40 gram Thinsulate™ lining keeps the warmth in and the cold out
- 3M Scotchlite™ reflective overlay for enhanced visibility
- Soft shell fabric in an articulated, pre-curved design for a natural fit
- Silicone griptrax on the palm, thumb and index finger
- Non-slip grip
- Maximum dexterity



DESCRIPTION	PART	
Soft Black Gloves with Griptrax Palm (Extra Small)	A	59088XS
Soft Black Gloves with Griptrax Palm (Small)	A	59088SMALL
Soft Black Gloves with Griptrax Palm (Medium)	A	59088MED
Soft Black Gloves with Griptrax Palm (Large)	A	59088LARGE
Soft Black Gloves with Griptrax Palm (Extra Large)	A	59088XL
Soft Black Gloves with Griptrax Palm (Extra, Extra Large)	A	59088XXL

### MECHANIX WEAR® – THE ORIGINAL® INSULATED GLOVE

The brisk cold air makes even the simplest tasks more burdensome, so The Original® Insulated Glove was designed to lock in the warmth. A comfortable single layer of form-fitting fleece lines the entire glove, preserving warmth without sacrificing valuable dexterity.

The Original® Insulated Glove incorporates a durable water-resistant coating and a water-resistant liner in the palm to keep your hands dry. Top it off with a low-profile TPR closure for full range of motion and you have a critical cold weather tool.

#### FEATURES

- Form-fitting fleece lines the entire glove to preserve warmth
- Water-resistant coated fleece and liner keep hands dry
- Thermal Plastic Rubber (TPR) closure provides a secure fit to the wrist
- Machine washable

#### INTENDED USES

- Multipurpose cold weather
- Maintenance and repair
- Equipment operation

#### CERTIFICATIONS



#### INSULATED

Insulated and fleece lined top-of-hand for warmth and comfort.



#### WATER RESISTANT

Durable, water resistant coated fleece and liner keep hands dry.



DESCRIPTION	PART	
Mechanix Wear Original Insulated Gloves – Small (Pair)	A	59213SMALL
Mechanix Wear Original Insulated Gloves – Medium (Pair)	A	59213MED
Mechanix Wear Original Insulated Gloves – Large (Pair)	A	59213LARGE
Mechanix Wear Original Insulated Gloves – Extra Large (Pair)	A	59213XL
Mechanix Wear Original Insulated Gloves – Extra, Extra Large (Pair)	A	59213XXL

## GLOVES AND SLEEVES – CUT RESISTANT

### CUT RESISTANT GLOVES – KEVLAR®/STAINLESS STEEL COMPOSITE

- Cut resistance is ASTM Level 4/CE Level 5
- Blend of Kevlar®, wire-core steel and Cordura nylon for stellar cut protection
- Over a quarter-mile of steel in each glove
- Cut and abrasion-resistance is twice that of a regular Kevlar® glove
- PU coating has a very low particulate shed, offers good grip
- High abrasion resistance with great comfort and dexterity

#### Applications

Sharp steel • Circuit boards • Automotive • Metal fabrication • Assembly • Sheet metal work

Kevlar® is a registered trademark of E.I. du Pont de Nemours and Company.

(PAIR)



DESCRIPTION	PART	
Cut Resistant Gloves (Medium)	A	59055MED
Cut Resistant Gloves (Large)	A	59055LARGE
Cut Resistant Gloves (Extra Large)	A	59055XL

### KEVLAR® SLEEVES – CUT AND SLASH RESISTANT

#### Features and Benefits

- ASTM ANSI Cut Level 2 for protection against cuts and burns
- 100% knitted Kevlar®
- Two different lengths and two styles
  - 14"
  - 14" with thumb hole
  - 18" with thumb hole

#### Applications

- Sheet metal
- Metal fabrication
- Glass handling
- Heat protection

Kevlar® is a registered trademark of E.I. du Pont de Nemours and Company.

(PAIR)



(PAIR)



DESCRIPTION	PART	
14" Kevlar® Sleeves	A	59061
14" Kevlar® Sleeves with thumb hole	A	59062
18" Kevlar® Sleeves with thumb hole	A	59063

### 19" TIRE CORE SLEEVES WITH GUSSET AND THUMB HOLE

#### Features and Benefits

- ASTM ANSI Cut Level 1 for added protection against cuts, abrasion, snags and tears
- Sleeves stay in place and are shaped for better fit with elastic casing and gusset at top
- Full arm protection
- CPPT of 480 grams
- Inside plated with cotton for all-day cool comfort
- Machine washable

#### Applications

- Glass plants
- Metal fabrication
- Automotive assembly

(PAIR)



DESCRIPTION	PART	
19" Tire Core Sleeves	A	59064

## GLOVES – MECHANIX WEAR®

### "ORIGINAL" GLOVES

- Designed and manufactured to take on the toughest tasks you can throw at it
- The Original Glove provides a winning combination of versatility and performance
- The Clarino Synthetic Leather palm and fingertips extends the life of the glove
- The Thermal Plastic Rubber hook and loop cuff closure and two-way stretch spandex top provides a perfect fit



DESCRIPTION	PART	DESCRIPTION	PART
Mechanix Wear Original Gloves – Medium (Pair)	A 162709MED	Mechanix Wear Original Gloves – X-Large (Pair)	A 162709XL
Mechanix Wear Original Gloves – Large (Pair)	A 162709	Mechanix Wear Original Gloves – XX-Large (Pair)	A 162709XXL

### FASTFIT® GLOVES

- The FastFit® Glove is easy to pull-on and fits tons of tasks
- While the FastFit's® all-purpose design lends itself to a wide variety of jobs, the high-end features make it a great value
- New wider mouth cuff with added wrist padding
- Lycra® insert panels between fingers promotes comfort, mobility, plus synthetic leather palm make it a great grip too
- Color – Black



DESCRIPTION	PART
Mechanix Wear FastFit® Gloves – Medium (Pair)	A 59052MED
Mechanix Wear FastFit® Gloves – Large (Pair)	A 59052LARGE
Mechanix Wear FastFit® Gloves – X-Large (Pair)	A 59052XL

### IMPACT PRO GLOVES

- Race-inspired Mechanix Wear Impact Pro Glove can't be beat
- Designed to meet the stringent demands of serious tradesmen
- TPR molded rib panels to protect the backside of your hand, knuckles and fingertips
- Clarino Dura-Fit™ Synthetic Leather palm is enhanced with a padded and contoured palm heel for better flexibility and grip
- To keep you comfortable during a long day you'll appreciate the two-way stretch top with Tricot interior



DESCRIPTION	PART
Mechanix Wear Impact Pro Gloves, Black – Medium (Pair)	A 59053MED
Mechanix Wear Impact Pro Gloves, Black – Large (Pair)	A 59053LARGE
Mechanix Wear Impact Pro Gloves, Black – X-Large (Pair)	A 59053XL

GLOVES – MECHANIX WEAR<sup>®</sup> COMMERCIAL GRADE

COMMERCIAL GRADE HEAVY DUTY GLOVES (WITH GENUINE LEATHER)

- When you just can't settle for anything but the best
- Top-of-the-line answer for the workforce requiring the ultimate protection against impact, abrasion and fatigue
- Manufactured with features such as comfortable and breathable top quality genuine leather
- A multi-zone padded palm combined with flexible molded rubber ribbing for protection
- Low profile wrist cuff that allows for a full range of motion
- The CG Heavy Duty Glove can easily handle the toughest punishment your job can dish out



DESCRIPTION	PART	
Mechanix Wear CG Heavy Duty Gloves – Small (Pair)	A	59095SMALL
Mechanix Wear CG Heavy Duty Gloves – Medium (Pair)	A	59095MED
Mechanix Wear CG Heavy Duty Gloves – Large (Pair)	A	59095LARGE
Mechanix Wear CG Heavy Duty Gloves – Extra Large (Pair)	A	59095XL
Mechanix Wear CG Heavy Duty Gloves – Extra, Extra Large (Pair)	A	59095XXL

COMMERCIAL GRADE CG4X IMPACT PRO GLOVES (WITH MATERIAL 4X<sup>®</sup>)

- The CG4X Series Impact Pro has protection where it counts
- A flexible molded rubber exoskeleton protects the top of your hand from impact and abrasion
- Additional Material 4x<sup>®</sup> reinforces your knuckle, finger and palm creating extremely durable high-wear in and abrasion prone areas
- Feel safe knowing this is the glove built for extreme protection



DESCRIPTION	PART	
Mechanix Wear CG4X Impact Pro Gloves – Small (Pair)	A	59094SMALL
Mechanix Wear CG4X Impact Pro Gloves – Medium (Pair)	A	59094MED
Mechanix Wear CG4X Impact Pro Gloves – Large (Pair)	A	59094LARGE
Mechanix Wear CG4X Impact Pro Gloves – Extra Large (Pair)	A	59094XL
Mechanix Wear CG4X Impact Pro Gloves – Extra, Extra Large (Pair)	A	59094XXL



## GLOVES – MECHANIX WEAR® FINGERLESS

### COMMERCIAL GRADE FRAMER GLOVES – PROTECTION, FLEXIBILITY & COMFORT

- Mechanix Wear has taken the real-world demands of framers, added the technology learned at the racetrack, and integrated the two into a single glove that will blow away anything you've come to expect from a framer's glove
- Combination of Genuine Leather and Clarino MWX-2 Synthetic Leather for improved durability
- Anatomically shaped padded palm for maximum movement and protection against abrasion and fatigue
- Fingerless index and middle finger to deliver the utmost sensitivity when handling nails or other small items



(PAIR)

DESCRIPTION	PART	
Mechanix Wear CG Framer Fingerless Gloves – Small (Pair)	A	59201SMALL*
Mechanix Wear CG Framer Fingerless Gloves – Medium (Pair)	A	59201MED
Mechanix Wear CG Framer Fingerless Gloves – Large (Pair)	A	59201LARGE
Mechanix Wear CG Framer Fingerless Gloves – Extra Large (Pair)	A	59201XL
Mechanix Wear CG Framer Fingerless Gloves – Extra, Extra Large (Pair)	A	59201XXL

\*Non-stock item. Please allow up to 10 days after receipt of order for delivery.

### COMMERCIAL GRADE CG4X FRAMER GLOVES (WITH MATERIAL 4X®)

- When the job is on the line, feel the added protection from Material4x™ reinforced fingers, palm and knuckle area
- Anatomically shaped padded palm adds maximum movement and protection against abrasion & fatigue
- Fingerless index and middle finger deliver the utmost sensitivity when handling the smallest items



(PAIR)

DESCRIPTION	PART	
Mechanix Wear CG4x Framer Fingerless Gloves – Small (Pair)	A	59202SMALL*
Mechanix Wear CG4x Framer Fingerless Gloves – Medium (Pair)	A	59202MED
Mechanix Wear CG4x Framer Fingerless Gloves – Large (Pair)	A	59202LARGE
Mechanix Wear CG4x Framer Fingerless Gloves – Extra Large (Pair)	A	59202XL
Mechanix Wear CG4x Framer Fingerless Gloves – Extra, Extra Large (Pair)	A	59202XXL

\*Non-stock item. Please allow up to 10 days after receipt of order for delivery.

### M-PACT® GLOVES – ULTIMATE DEXTERITY WITH KNUCKLE PROTECTION

- Designed to combine the utmost dexterity with knuckle protection
- New sonic welded molded rubber on knuckles
- High impact PORON® XRD™ in the palm
- Absorbs more shock and vibration associated with repetitive tasks than its much thicker, traditional EVA foam counterpart



(PAIR)

DESCRIPTION	PART	
Mechanix Wear M-Pact® Fingerless Gloves – Medium/Large (Pair)	A	59200MED/LARGE
Mechanix Wear M-Pact® Fingerless Gloves – Extra Large/Extra Extra Large (Pair)	A	59200XL/XXL

## GLOVES – MECHANIX WEAR® SPECIALTY

### MECHANIX WEAR® GLOVE LIGHT

- Just because the day is done, doesn't mean you are - and now you don't have to be
- The Glove Light combines the fit, feel and function of The Original® with an adjustable 8mm LED that gives you 25,000 MCD
- With easily replaceable, AAAA batteries that last 14 hours, you're sure to get the job done on time
- Includes (1) one LED light (removable & adjustable)



DESCRIPTION	PART	DESCRIPTION	PART
Mechanix Wear Glove Light – Medium (Pair)	A 162797MEDIUM	Mechanix Wear Glove Light – X-Large (Pair)	A 162797XL
Mechanix Wear Glove Light – Large (Pair)	A 162797LARGE	AAAA Energizer Batteries (6 pk)	F 29207

### THE ORIGINAL® TOUCH GLOVE

- Stay connected to your touchscreen devices on the job or in the garage
- Equipped with three-finger conductivity and four designated contact points
- The Original® Touch Glove allows you to manage your touchscreen devices without removing your gloves & compromising safety
- Highly conductive AX™ Connect mimics the human touch
- Form-fitting TrekDry® helps keep hands dry and comfortable
- Thermal Plastic Rubber (TPR) hook and loop closure provides a secure fit
- Manage all your touchscreen devices:
  - Maintenance and repair
  - Equipment operation
  - Manufacturing
  - Delivery / Box handling
  - Multipurpose use
- CE EN 388 / EN 420



DESCRIPTION	PART
Mechanix Wear Original Touch® Gloves – Small (Pair)	A 59212SMALL
Mechanix Wear Original Touch® Gloves – Medium (Pair)	A 59212MED
Mechanix Wear Original Touch® Gloves – Large (Pair)	A 59212LARGE
Mechanix Wear Original Touch® Gloves – Extra Large (Pair)	A 59212XL
Mechanix Wear Original Touch® Gloves – Extra, Extra Large (Pair)	A 59212XXL

## GLOVES – MECHANIX WEAR® HI-VISIBILITY

### HI-VIS SAFETY ORIGINAL® GLOVES

- You can't beat the Safety Original® for performance, comfort, and safety in industrial environments
- We've customized our signature Original® Glove with high-visibility day-glow two-way stretch spandex
- Bright, day-glow, color-fast Clarino synthetic leather palm
- Mechanix scatter graphic pattern printed with 3M® Scotchlite™ reflective ink to add a visual effect when illuminated.



DESCRIPTION	PART	
Mechanix Wear Safety Original® Gloves – Small (Pair)	A	59097SMALL
Mechanix Wear Safety Original® Gloves – Medium (Pair)	A	59097MED
Mechanix Wear Safety Original® Gloves – Large (Pair)	A	59097LARGE
Mechanix Wear Safety Original® Gloves – Extra Large (Pair)	A	59097XL
Mechanix Wear Safety Original® Gloves – Extra, Extra Large (Pair)	A	59097XXL

### HI-VIS SAFETY FAST FIT® GLOVES

- For the industrial workplace
- Enhanced contours for a more comfortable fit
- Reflective strip panel and high-visibility day-glow two-way stretch spandex adds visibility
- Clarino synthetic leather palm, Lycra® panels between the fingers, two-ply fingertips and thumb to reduce wear and increase protection
- A new taller cuff was incorporated for a more secure fit



DESCRIPTION	PART	
Mechanix Wear Safety Fast Fit® Gloves – Small (Pair)	A	59096SMALL
Mechanix Wear Safety Fast Fit® Gloves – Medium (Pair)	A	59096MED
Mechanix Wear Safety Fast Fit® Gloves – Large (Pair)	A	59096LARGE
Mechanix Wear Safety Fast Fit® Gloves – Extra Large (Pair)	A	59096XL
Mechanix Wear Safety Fast Fit® Gloves – Extra, Extra Large (Pair)	A	59096XXL

## GLOVES – MECHANIX WEAR® HI-VISIBILITY

### HI-VIS SAFETY M-PACT® GLOVES

- A glove that absorbs punishment so your hands don't
- The M-Pact Glove has been redesigned with an anatomically engineered direct sonic welded rubber top and EVA foam palm pads for improved protection
- For exceptional performance the glove gives you tapered finger stretch side panels and a spandex stretch panel at the thumb
- The wrap-around rubber molded wrist closure adds additional protection



DESCRIPTION	PART	
Mechanix Wear Safety M-Pact® Gloves – Small (Pair)	A	59098SMALL
Mechanix Wear Safety M-Pact® Gloves – Medium (Pair)	A	59098MED
Mechanix Wear Safety M-Pact® Gloves – Large (Pair)	A	59098LARGE
Mechanix Wear Safety M-Pact® Gloves – Extra Large (Pair)	A	59098XL
Mechanix Wear Safety M-Pact® Gloves – Extra, Extra Large (Pair)	A	59098XXL

### HI-VIS SAFETY M-PACT® 2 GLOVES

- Super protection and an unbelievable fit
- Anatomically designed with advanced features
- Tapered stretch side panels that form comfortably between fingers
- Molded neoprene cuff for a seamless fit to your wrist
- We've also covered you by integrating impact absorbing molded rubber finger protection
- EVA deep ribbed accordion knuckle protection
- High-visibility Day-Glow two-way stretch spandex and printed reflective ink on the knuckle



DESCRIPTION	PART	
Mechanix Wear Safety M-Pact® 2 Gloves – Small (Pair)	A	59099SMALL
Mechanix Wear Safety M-Pact® 2 Gloves – Medium (Pair)	A	59099MED
Mechanix Wear Safety M-Pact® 2 Gloves – Large (Pair)	A	59099LARGE
Mechanix Wear Safety M-Pact® 2 Gloves – Extra Large (Pair)	A	59099XL
Mechanix Wear Safety M-Pact® 2 Gloves – Extra, Extra Large (Pair)	A	59099XXL



## GLOVES – HI-VISIBILITY

### HI-VIS 4-WAY STRETCH GLOVES

- Great form fitting gloves with a spandex contoured fit
- 3M Scotchlite™ overlay on palm and back provides high visibility
- Highly breathable abrasion resistant face with Teflon® water repellency



DESCRIPTION	PART
Hi-Vis 4-Way Stretch Gloves (Extra Small)	A 59057XS
Hi-Vis 4-Way Stretch Gloves (Small)	A 59057SMALL
Hi-Vis 4-Way Stretch Gloves (Medium)	A 59057MED
Hi-Vis 4-Way Stretch Gloves (Large)	A 59057LARGE
Hi-Vis 4-Way Stretch Gloves (Extra Large)	A 59057XL
Hi-Vis 4-Way Stretch Gloves (Extra, Extra Large)	A 59057XXL

### HI-VIS UTILITY GLOVES

- Hi-Vis, fluorescent glow worker's glove
- Double sewn grip patches at key finger and palm wear points
- Manufactured in accordance with ANSI/ISEA 107-2004 standards



DESCRIPTION	PART
Hi-Vis Utility Gloves (Extra Small)	A 59058XS
Hi-Vis Utility Gloves (Small)	A 59058SMALL
Hi-Vis Utility Gloves (Medium)	A 59058MED
Hi-Vis Utility Gloves (Large)	A 59058LARGE
Hi-Vis Utility Gloves (Extra Large)	A 59058XL
Hi-Vis Utility Gloves (Extra, Extra Large)	A 59058XXL

### HI-VIS UNLINED STRETCH KNIT GLOVES

- Hi-Vis yellow
- Low cost, knit unlined acrylic stretch
- Flexible performance when dexterity and clean handling are required



DESCRIPTION	PART
Hi-Vis Unlined Stretch Knit Gloves (Medium)	A 59059MED
Hi-Vis Unlined Stretch Knit Gloves (Large)	A 59059LARGE

### HI-VIS THINSULATE™ GLOVES

- Yellow nylon shell with a 3M Scotchlite™ overlay on palm and back
- 2-sided reflectivity
- Water repellent shell
- Waterproof insert
- 40 gram Thinsulate™ insulation
- Keeps hands toasty and dry



DESCRIPTION	PART
Hi-Vis Thinsulate™ Gloves (Extra Small)	A 59089XS
Hi-Vis Thinsulate™ Gloves (Small)	A 59089SMALL
Hi-Vis Thinsulate™ Gloves (Medium)	A 59089MED
Hi-Vis Thinsulate™ Gloves (Large)	A 59089LARGE
Hi-Vis Thinsulate™ Gloves (XL)	A 59089XL
Hi-Vis Thinsulate™ Gloves (XXL)	A 59089XXL

### HI-VIS SUPER-DUTY THINSULATE™ GLOVES

- Hi-Vis 3M Scotchlite™ overlay on palm and back
- 2-sided reflectivity
- Water repellent shell
- Waterproof insert
- 100 gram Thinsulate™ insulation
- Neoprene cuff for complete cold weather protection
- Full suregrip polyurethane palm
- Adjustable nylon strap for customized fit



DESCRIPTION	PART
Super-Duty Thinsulate™ Gloves (Extra Small)	A 59090XS
Super-Duty Thinsulate™ Gloves (Small)	A 59090SMALL
Super-Duty Thinsulate™ Gloves (Medium)	A 59090MED
Super-Duty Thinsulate™ Gloves (Large)	A 59090LARGE
Super-Duty Thinsulate™ Gloves (XL)	A 59090XL
Super-Duty Thinsulate™ Gloves (XXL)	A 59090XXL

HI-VISIBILITY CLOTHING – VESTS

HI-VISIBILITY VESTS - SAFETY YELLOW-LIME & YELLOW-LIME/ORANGE - SOLID OR MESH

Hi-Vis Safety Solid or Mesh Vests

- Meets ANSI/ISEA 107 Class II and 207-2006 Standards
- 5-point break away with Velcro® closures & hook & loop adjustable sides
- 2" certified tapes with 4" contrasting color stripes
- 2 nylon microphone tabs
- 2-divisional tool/pen pockets

5 pockets:

- 1 cell phone pocket
- 1 clear badge/ID pocket
- (1) 3-division pocket
- 2 bottom inside pockets (W x H: 7" x 7")



FRONT



BACK

DESCRIPTION	PART	
Safety Yellow-Lime Solid – S/XL	A	59300
Safety Yellow-Lime Solid – 2XL/5XL	A	59301
Safety Yellow-Lime Mesh – S/XL	A	59302
Safety Yellow-Lime Mesh – 2XL/5XL	A	59303
Safety Yellow-Lime/Orange Mesh – S/XL	A	59304
Safety Yellow-Lime/Orange Mesh – 2XL/5XL	A	59305
Safety Yellow-Lime/Orange Solid – S/XL	A	59306
Safety Yellow-Lime/Orange Solid – 2XL/5XL	A	59307

## HI-VISIBILITY CLOTHING - SHIRTS

### HI-VISIBILITY SHIRTS - SAFETY YELLOW-LIME OR ORANGE MESH - SHORT SLEEVE T-SHIRTS

#### Hi-Vis Safety Short Sleeve T-Shirts

- Meets ANSI/ISEA 107 Class II Standard
- 100% polyester yellow-lime or orange breathable wick away mesh
- (1) H-360° & (2) vertical 2" silver reflective tape
- (1) pocket on the left chest



DESCRIPTION	PART	
Safety Yellow-Lime Mesh – S/M	A	59308
Safety Yellow-Lime Mesh – L/XL	A	59309
Safety Yellow-Lime Mesh – 2XL/3XL	A	59310
Safety Yellow-Lime Mesh – 4XL/5XL	A	59311
Safety Orange Mesh – S/M	A	59312
Safety Orange Mesh – L/XL	A	59313
Safety Orange Mesh – 2XL/3XL	A	59314
Safety Orange Mesh – 4XL/5XL	A	59315

### HI-VISIBILITY SHIRTS - SAFETY YELLOW-LIME MESH - LONG SLEEVE SHIRTS

#### Hi-Vis Safety Long Sleeve Shirts

- ANSI Class 3
- 100% polyester yellow-lime breathable wick-away mesh
- 2" silver reflective tape across the shoulders
- 2" silver reflective tape 360° around the torso and sleeves
- Chest pocket



DESCRIPTION	PART	
Safety Yellow-Lime Mesh – S/M	A	59316
Safety Yellow-Lime Mesh – L/XL	A	59317
Safety Yellow-Lime Mesh – 2XL/3XL	A	59318
Safety Yellow-Lime Mesh – 4XL/5XL	A	59319

## HI-VISIBILITY CLOTHING – RAIN SUIT

### HI-VISIBILITY RAIN SUIT - YELLOW-LIME JACKET AND PANTS

#### Hi-Vis Safety Yellow-Lime Waterproof Suit "Jacket with Hood and BIB Pants"

- ANSI 107 CLASS 3 Certified  
3-piece High Visibility Rain Suit
- Waterproof Poly Oxford material with  
PU coating providing the maximum visibility

##### Jacket:

- High-visibility yellow-lime jacket has  
2" reflective stripes on arms and torso
- Full length storm flap with heavy duty zipper  
and snap front closures
- Two flapped front pockets with Velcro® closures  
to secure valuables
- Elastic cuff with adjustable straps

##### Pants:

- Adjustable elastic suspenders with  
quick release buckles & single snap fly

##### Hood:

- Yellow-lime removable hood has 4 snaps  
and chin strap for secure fit



DESCRIPTION	PART	
Hi-Vis Rain Suit		
Yellow-Lime Jacket w/ Hood & BIB Pants – Medium	A	59320MED
Yellow-Lime Jacket w/ Hood & BIB Pants – Large	A	59320LARGE
Yellow-Lime Jacket w/ Hood & BIB Pants – XL	A	59320XL
Yellow-Lime Jacket w/ Hood & BIB Pants – 2XL	A	59320XXL
Yellow-Lime Jacket w/ Hood & BIB Pants – 3XL	A	59320XXXL
Hi-Vis Jacket		
Yellow-Lime Jacket w/ Hood – Medium	A	59321MED
Yellow-Lime Jacket w/ Hood – Large	A	59321LARGE
Yellow-Lime Jacket w/ Hood – XL	A	59321XL
Yellow-Lime Jacket w/ Hood – 2XL	A	59321XXL
Yellow-Lime Jacket w/ Hood – 3XL	A	59321XXXL
Hi-Vis BIB Pants		
Yellow-Lime BIB Pants – Medium	A	59322MED
Yellow-Lime BIB Pants – Large	A	59322LARGE
Yellow-Lime BIB Pants – XL	A	59322XL
Yellow-Lime BIB Pants – 2XL	A	59322XXL
Yellow-Lime BIB Pants – 3XL	A	59322XXXL



## HI-VISIBILITY CLOTHING – 3-IN-1 PARKA

### HI-VISIBILITY 3-IN-1 LIME PARKA

#### Hi-Vis Safety Lime 3-in-1 Parka "Jacket with Hood and Removable Fleece"

- Meets ANSI 107-2010 Class 3 Standard with 2" wide reflective stripes
- Weatherproof Poly Oxford Outer Shell with 300D PU Coating and waterproof taped seams

#### Features

- Polyester mesh lining makes it a lightweight jacket
- Removable fleece lining makes it a thermal jacket
- Fleece lining can be worn as an independent jacket when removed
- Full length storm flap w/ heavy duty zipper & snaps
- Elastic cuff with adjustable snaps
- Detachable hood tucks into the collar with draw string
- 1 radio pocket  
1 I.D. pocket  
1 pen slot  
2 lower flap pockets with Velcro® closures  
2 slash pockets on the fleece liner  
2 microphone tabs



DESCRIPTION	PART	
Hi-Visibility 3-in-1 Lime Parka – Medium*	A	59323MED
Hi-Visibility 3-in-1 Lime Parka – Large	A	59323LARGE
Hi-Visibility 3-in-1 Lime Parka – XL	A	59323XL
Hi-Visibility 3-in-1 Lime Parka – 2XL*	A	59323XXL
Hi-Visibility 3-in-1 Lime Parka – 3XL*	A	59323XXXL

\*For MED, XXL and XXXL, please allow up to 10 days for delivery.

## HI-VISIBILITY EVAPORATIVE COOLING APPAREL

### HI-VIS EVAPORATIVE COOLING ANSI CLASS II VESTS\*

#### Features

- V-neck w/snap closures
- ANSI compliant color with 3M reflective tape
- ANSI Class II compliant vest
- Provides 5-10 hours of cooling relief per soaking
- Comfortable polyester outer, with HyperKewl™ fabric inner and water repellent nylon liner
- Three large front pockets
- Hi-Viz Lime or Hi-Vis Orange with Cool Blue lining

\*Vests are non-stock items, please allow 1-2 weeks for delivery.



DESCRIPTION	PART	
Hi-Vis Evaporative Cooling ANSI Class II Vest (Lime – S/M)	A	59327
Hi-Vis Evaporative Cooling ANSI Class II Vest (Lime – L/XL)	A	59328
Hi-Vis Evaporative Cooling ANSI Class II Vest (Lime – 2XL/3XL)	A	59329
Hi-Vis Evaporative Cooling ANSI Class II Vest (Orange – S/M)	A	59330
Hi-Vis Evaporative Cooling ANSI Class II Vest (Orange – L/XL)	A	59331
Hi-Vis Evaporative Cooling ANSI Class II Vest (Orange – 2XL/3XL)	A	59332

### HI-VIS EVAPORATIVE COOLING BASEBALL CAP

#### Features

- HyperKewl™ cooling material is integrated directly into hat panels
- Provides 5-10 hours of cooling relief
- Designed specifically for outdoor activities and safety
- Comfortable mesh polyester outer with reflective stripes, with HyperKewl™ fabric inner and water repellent nylon liner
- Hook and loop closure
- Hi-Viz Lime



DESCRIPTION	PART	
Hi-Vis Evaporative Cooling Baseball Cap (One Size – Adult)	A	59324

## HI-VISIBILITY EVAPORATIVE COOLING APPAREL

### HI-VIS EVAPORATIVE COOLING NECK SHADE \*

**Features**

- Keep your neck cool, comfortable and protected from the sun's damaging rays
- Hook and loop conveniently attaches to hard hat (hard hat not included)
- Provides 5-10 hours of cooling relief per soaking; lightweight and durable
- Comfortable, quilted nylon outer with HyperKewl™ fabric inner, water repellent nylon liner, black poly-cotton trim and hook and loop attachments
- Hi-Viz Lime

\*Approved for purchase by the CA, AZ and TX DOT (Departments of Transportation)



DESCRIPTION	PART	
Hi-Vis Evaporative Cooling Neck Shade (One Size – Adult)	A	59325

### HI-VIS EVAPORATIVE COOLING CROWN COOLER WITH NECK SHADE

**Features**

- Protect the head and neck from dangerous heat and sun while on the job
- Hook and loop attaches easily to hard hat liner (hard hat not included)
- Provides 5-10 hours of cooling relief per soaking; lightweight and durable
- Comfortable, quilted nylon outer with HyperKewl™ fabric inner, water repellent nylon liner, black poly-cotton trim and hook and loop attachments
- Hi-Viz Lime



DESCRIPTION	PART	
Hi-Vis Evaporative Cooling Crown Cooler with Neck Shade (One Size – Adult)	A	59326

## SHOP SUPPLIES

### MAGNETIC RETRACTA-BELT® SYSTEMS

Chromate's Retractable-Belt® Systems are designed to improve the safety and versatility of jobsite safety while increasing productivity. These units are used every day where maintenance or cleaning is being performed, allowing or restricting access into your working environment. Ideal for warehouse aisles, hallways, and doorways (ie, bathroom facilities). Great for hospitals, nursing homes, casinos, hotels, universities, public schools, utility companies, railroads, apartment/condo complexes, etc.



Yellow Unit

- 15' Yellow Belt
- CAUTION  
- DO NOT ENTER  
(Black imprint, double-sided)

P/N 20001



Black Unit

- 15' Red Belt
- DANGER  
- HIGH VOLTAGE  
- DO NOT ENTER  
(White imprint, double-sided)


P/N 20007

#### Features

- High impact polycarbonate construction, internal mechanism and body, for long term durability
- Extended top ridge; protects the unit during falls
- All parts easily replaceable
- 10 year warranty
- Unit available in smooth black or safety yellow
- Dimensions:  
4-1/8" W x 5-1/8" D x 3-7/8" H
- Mountable units allow quicker setups and frees up valuable floor space
- Magnet Strength
  - Unit/housing magnet: 82 lbs. pull force
  - Belt end magnet: 20 lbs. pull force



P/N 20001



P/N 20001



P/N 20007

### OTHER RETRACTA-BELT® SYSTEMS - WALL MOUNT AND WAREHOUSE UNITS



P/N 20029

#### Available Mounting Options

##### 4 different mounting plate options:



- Fixed/Removable permanently attach mounting plate to wall, unit slides on and off easily or can be fixed via a screw



- Magnet/Clip allows unit to attach to shelving quickly by means of a strong magnet and clip that hooks into holes or slots in most shelving units (3/8" minimum slot or hole required)



- Velcro® straps for quick and temporary installation on any column or post ranging from 1-1/2" to 5" diameter (longer straps available)



- Hose clamp metal straps for a secure and semi-permanent connection to uprights



## SHOP SUPPLIES

### RETRACTA-BELT® SYSTEMS – PART NUMBERS FOR ORDERING

PART NUMBER	UNIT TYPE	BELT LENGTH	BELT COLOR	IMPRINT TEXT	TEXT COLOR	# OF SIDES
20000	BLACK MAGNETIC	15'	Black	BLANK	NA	NA
20001*	YELLOW MAGNETIC	15'	Yellow	CAUTION - DO NOT ENTER	Black	Double
20001C	YELLOW MAGNETIC W/ CLIP	15'	Yellow	CAUTION - DO NOT ENTER	Black	Double
20002	YELLOW MAGNETIC	30'	Yellow	CAUTION - DO NOT ENTER	Black	Double
20003	BLACK MAGNETIC	30'	Red	DANGER - HIGH VOLTAGE - DO NOT ENTER	White	Double
20004	BLACK MAGNETIC	30'	Red	DANGER! ARC FLASH BOUNDARY - DO NOT ENTER	White	Double
20005	YELLOW MAGNETIC	30'	Yellow	CONTROLLED WORK AREA	Black	Double
20006	YELLOW MAGNETIC	15'	Yellow	CONTROLLED WORK AREA	Black	Double
20007	BLACK MAGNETIC	15'	Red	DANGER - HIGH VOLTAGE - DO NOT ENTER	White	Double
20008	BLACK MAGNETIC	15'	Red	SUPPLY PERSONNEL ONLY	White	Double
20009	YELLOW MAGNETIC	20'	Yellow	CAUTION - DO NOT ENTER	Black	Double
20010MR	YELLOW MAGNETIC	15'	Red	DANGER - DO NOT ENTER - LIFT IN PROGRESS	White	Single
20010ML	YELLOW MAGNETIC	15'	Red	DANGER - DO NOT ENTER - LIFT IN PROGRESS	White	Single
20011MR	YELLOW MAGNETIC	30'	Red	DANGER - DO NOT ENTER - LIFT IN PROGRESS	White	Single
20011ML	YELLOW MAGNETIC	30'	Red	DANGER - DO NOT ENTER - LIFT IN PROGRESS	White	Single
20012	BLACK MAGNETIC	15'	Red	DO NOT ENTER	White	Double
20013	BLACK MAGNETIC	30'	Red	DO NOT ENTER	White	Double
20014	YELLOW HOSE CLAMP UP TO 12" DIA.	15'	Yellow	CAUTION - DO NOT ENTER	Black	Double
20015	YELLOW MAGNETIC	15'	Red	DANGER ELECTRICAL SHOCK / ARC / HAZARD	White	Single
20016	YELLOW MAGNETIC	15'	Red	DANGER ELECTRICAL SHOCK / ARC / HAZARD	White	Single
20017	BLACK MAGNETIC	30'	Red	DANGER - DO NOT ENTER	White	Double
20018	YELLOW MAGNETIC	30'	Yellow	CAUTION - WELDING IN PROGRESS - DO NOT ENTER	Black	Double
20019	YELLOW MAGNETIC	15'	Green	DANGER - HIGH VOLTAGE - DO NOT ENTER	White	Double
20020	YELLOW MAGNETIC	30'	Green	CAUTION	White	Double
20021	YELLOW ALUM POST W/ WHEELS	25'	Yellow	CAUTION - DO NOT ENTER	Black	Double
20022	RED ALUMINUM POST ONLY – NO BELT	NA	NA	NA	NA	NA
20023MR	YELLOW MAGNETIC	30'	Yellow	SMART TEAM WORK AREA	Black	Single
20023ML	YELLOW MAGNETIC	30'	Yellow	SMART TEAM WORK AREA	Black	Single
20024	MAGNET MOUNT REPLACEMENT	NA	NA	NA	NA	NA
20025	YELLOW HOSE CLAMP UP TO 12" DIA.	15'	Yellow	NA	NA	NA
20026	YELLOW WALL MOUNT	15'	Yellow	CAUTION - DO NOT ENTER	Black	Double
20027	YELLOW MAGNETIC	15'	Yellow	CLOSED FOR CLEANING	Black	Double
20028	N/A	N/A	N/A	N/A	N/A	N/A
20029	N/A	N/A	N/A	N/A	N/A	N/A

\*Stocked item. All other part numbers will ship approximately 2 weeks after receipt of order. Lead time on custom items will be quoted as per the manufacturer's conditions.

For CUSTOM orders, specify the following:

**Housing Finish:** Smooth black or safety yellow

**Mounting Style:**

- Fixed/Removable
- Magnetic/Clip
- Velcro or Hose Clamp

**Belt Length:** 15', 20', 25' and 30'

**Belt Color:** Standard colors are: Blue, Red, Maroon, Grey, Green, Dark Green, Black, Black w/ White stripe, Dark Blue, Yellow, and Black/Yellow Diagonal

**Printing:**

- Text/Print
- One-side or double sided print
- Color of text
- Custom logo

## SHOP SUPPLIES

### BARRICADE TAPE – CAUTION DO NOT ENTER / DANGER DO NOT ENTER

#### CAUTION DO NOT ENTER

#### DANGER DO NOT ENTER

##### Applications

- Road work
- Construction sites
- Chemical and industrial plants
- Fire and crime scenes
- Any potential dangerous areas


##### Features

- Roll length: 1000'
- Roll width: 3"
- Thickness: 2 mil
- Standards OSHA 1910.144
- YELLOW OR RED film with BLACK print
- Durable polyethylene
- Continuous repeating message or warning in bold black letters
- For visual warning in hazardous areas
- Temporarily control and secure identified areas on an immediate basis
- Protect pedestrians, employees and anyone who might fall into a dangerous situation



DESCRIPTION	PART	
Barricade Tape (Yellow With Black Type - CAUTION DO NOT ENTER) 1000' Roll	A	20098
Barricade Tape (Red With Black Type - DANGER DO NOT ENTER) 1000' Roll	A	20099

### ANTI-SLIP TAPES – GLOW-IN-THE-DARK – 50 GRIT



The ultimate non-slip egress tape! Sudden power outages or natural disasters can increase the potential for panic, as well as the risk of injuries caused by slips and falls.

Safety grade glow-in-the-dark solution for marking stairs and corridors that are part of the emergency egress route. Offered in 60 ft. rolls.

##### Features and Benefits

- Manufactured with the same aggressive adhesive system as our other safety tape products
- Complies with all safety grade photoluminescent domestic and international standards
- It will adhere to most clean, dry, oil-free surfaces
- For use on painted wood, metal, sealed concrete and non-porous surfaces
- NFSI - National Flooring Safety Institute certified for "high traction"



DESCRIPTION	PART	
2" x 60' Roll, 50 Grit, Glow-in-the-Dark	A	28212
4" x 60' Roll, 50 Grit, Glow-in-the-Dark	A	28213
6" x 60' Roll, 50 Grit, Glow-in-the-Dark	A	28214

## SHOP SUPPLIES

### ANTI-SLIP TAPES – COLORS – 46 / 50 / 60 GRIT



Anti-Slip Tape is the preferred product line when visual warning is required to mark potential slip and fall hazards. Developed with maximum visual warning characteristics in mind. We provide the best assortment of visual cues to meet your requirements. Anti-Slip Tape is offered in 60 ft. rolls and easy to apply sections.



#### Features and Benefits

- Durable high traction grit surface
- Easy to apply
- Aggressive adhesive system for product longevity
- Fuel, water and fluid resistant
- Reduce the risks of slips and falls
- Ensure worker safety on potentially hazardous surfaces
- Prevent costly injuries in the workplace due to slips and falls
- Reduce Worker's Compensation claims
- NFSA - National Flooring Safety Institute certified for "high traction"
- Exceeds OSHA standards for non-slip protection on walking surfaces

#### Applications

- Farm machinery
- Construction equipment
- Forklifts
- Cherry pickers
- Steps, stairs
- RVs
- Snowmobiles
- ATVs
- Garden tractors
- Lawn mowers
- Wet & oily areas
- Loading docks
- Cold storage
- Catwalks
- Platforms/ramps
- Ladders, step stools
- Scaffolds
- Airline decks
- Airline cargo holds
- Trains
- Semi-trailers
- Buses
- Ship decks
- Boats
- Conveyors
- Pulleys
- Food service areas
- Machine shops
- Auto repair shops
- Garages

DESCRIPTION	PART	DESCRIPTION	PART
2" x 60' Roll, 46 Grit, Black	A 28207	4" x 60' Roll, 60 Grit, Yellow	A 28265
4" x 60' Roll, 46 Grit, Black	A 28208	6" x 60' Roll, 60 Grit, Yellow	A 28266
6" x 60' Roll, 46 Grit, Black	A 28209	2" x 60' Roll, 60 Grit, Yellow/Black	A 28267
2" x 60' Roll, 60 Grit, Red	A 28261	4" x 60' Roll, 60 Grit, Yellow/Black	A 28268
4" x 60' Roll, 60 Grit, Red	A 28262	6" x 60' Roll, 60 Grit, Yellow/Black	A 28269
6" x 60' Roll, 60 Grit, Red	A 28263	6" x 24" Piece, 60 Grit, Caution	A 28215
2" x 60' Roll, 60 Grit, Yellow	A 28264	6" x 24" Piece, 60 Grit, Watch Your Step	A 28260

### ANTI-SLIP TAPES – LOW PROFILE

- Prevents slips and falls on slippery surfaces
- Abrasive grain coated plastic film with pressure sensitive adhesive
- Low profile helps prevent edge curl
- Abrasive grain – provides a consistent co-efficient of friction
- Conformability – installs over most irregular surfaces
- Easy installation – simply position, peel-off backing paper and apply to a clean, dry, oil-free surface
- Superior quality materials – assures long life, durability and resistance to heavy traffic, water and grease
- Meets or exceeds motor vehicle safety standard no. 302, mil-d-17951e (ships), and non-slip mil-w-5044c type iv

**Surface Compatibility:** Painted wood, painted metal, sealed concrete

**Application Temperature:** Apply when above 50°F



DESCRIPTION	PART
2" x 60' Roll	A 28210
4" x 60' Roll	A 28211

## SHOP SUPPLIES

### ANTI FATIGUE MAT - ALLEVIATES STRESS TO THE BACK AND LEGS

Anti-fatigue mats alleviate stress to the back and legs where people have to continually stand or walk, which in turn increases worker productivity. The non-slip surface means that the mat is ideal for use in wet or dry conditions to reduce slip hazards. The implementation of ergonomic concepts offers tremendous value to any company, and can be realized with the creation of comfortable, healthy and safe work environments. We know that standing workers are less fatigued while working, and feel less discomfort at the end of the day, if they stand on anti-fatigue mats. This has been proven time and time again.

- Outstanding Anti-fatigue qualities
- UV Stable
- Solid nitrile rubber top surface for excellent chemical resistance
- 100% nitrile rubber border remains flexible for the life of the mat and will not crack or curl.
- Textured nitrile rubber surface for superior slip resistance
- Welding safe
- Closed-cell nitrile/PVC cushion backing provides long lasting comfort
- Closed-cell cushion backing is permanently molded to the nitrile rubber surface, providing a comfortable long lasting mat.
- Thicknesses: 5/8"
- Available in black
- Certified slip-resistant by the National Floor Safety Institute.
- Recommended for use in work stations, assembly lines, shipping lines and other areas where workers stand for extended periods.



DESCRIPTION	PART
Anti-Fatigue Mat, 3' x 5'	A 28229

### SHOWER IN A TOWEL - ONE TOWEL CLEANS THE WHOLE BODY

The most convenient way for you to get, and feel, clean when you don't have access to fresh water facilities. The towel's large 2' x 4' size makes it very easy to use, and it is durable enough to get the job done.

Conceived and designed by a US military serviceman who, while on a tour of duty, realized the need for a pre-moistened towel that was large enough, and durable enough, to provide a full-body cleaning.

#### Features

- Absorbs sweat and odor and dries instantly
- Fragrance-free
- Alcohol-free
- Portable and individually packaged
- Always conveniently fresh when you need it
- 2' x 4' size
- Made in the USA

#### Applications

- Military
- Emergency relief
- At home care
- Construction
- Shelters
- Fire and rescue
- Camping
- Outdoor sports
- Boating
- Medical
- Hunting/fishing
- Biking
- Trucking



DESCRIPTION	PART
Shower In A Towel (2' x 4')	A 85091



## SHOP SUPPLIES

### SAFETY FLARES – FOR LONG DISTANCE ILLUMINATION

- Provides long distance illumination for safety during emergency road-side situations
- Visible in fog, rain or snow
- Easy to ignite with self-contained striker
- 20 minute duration
- 36 flares in a case



DESCRIPTION	PART
20 Minute Non-Spike Safety Flares (Package Quantity: 36 Flares)	59080

### EARLY WARNING TRIANGLE KIT – REFLECTIVE SAFETY WARNING

- Instant alert for oncoming motorists
- Visually alerts authorities quickly
- Meets US Federal Motor Vehicle Safety Standard No. 125 for Warning Devices
- Weighted base for stability
- Kit includes 3 reflective triangles

#### Applications

- Emergency assistance
- Truck / Auto accidents
- Hazardous conditions



DESCRIPTION	PART
Early Warning Triangle Kit	A 59082

### GLOW STICKS

- A dependable light source whenever and wherever you need it, light lasts for 12 hours
- Non-toxic / non-flammable / weatherproof
- Made with Cyalume® technology (10 ml fluid)
- To activate remove from foil wrapper, bend, snap and shake



DESCRIPTION	PART
6" Glow Sticks – 12 Hour	J 59081

SHOP SUPPLIES

ROUGH SERVICE LIGHT BULBS

Lasts longer under adverse operating conditions, 2000 to 4000 hours. Up to 4X longer than the average life of most rough service bulbs.

STANDARD

- Resists shock and vibration
- Brass base



TUFF SKIN COATED

- Provides safety from glass cuts, electric shock and burns when bulbs are broken
- Resists thermal shocks, precipitation, scratches and molten splatter
- No fragmentation of glass if accidentally broken



50 WATTS		75 WATTS		100 WATTS	
F	28952	F	28950	F	28951

60 WATTS		75 WATTS		100 WATTS	
F	28953	F	28954	F	28955

CORD CONNECT

- Provides a water-tight connection while locking cords together
- Protective "clamshell" housing is made of durable all-weather plastic
- Tapered ends ensure the cord connect pulls smoothly without getting caught
- Eliminates disruptive disconnects while working with extension cords or power tools
- Watertight gasket withstands jet nozzle sprays, drip box tests and prevents water from reaching the electrical connection
- Easy to handle design allows workers wearing heavy gloves to connect and disconnect easily
- UV protected



1. Open half, place cord inside, clip closed
2. Slip water-tight gasket on the male plug and plug cords together
3. Screw both halves together until plugs are securely pushed together

DESCRIPTION		PART
Cord Connect – OSHA Orange		A 28162
Cord Connect - Landscape Green		A 28163

## SHOP SUPPLIES

### 36" PORTABLE JOBSITE LIGHTING - WOBBLIGHT



#### Features

- Patented counter-weighted self-righting design!
- Floating shock system protects bulb from impact
- Low heat output, no hot surfaces
- High-impact thermoplastic housing and lens
- 400 watt metal halide work light
- Lumens: 40,000
- 360° lighting – Adjustable to 180° with optional reflector
- Plugs into 120VAC supply
- Convenience receptacle for connecting units in series

#### Applications

- Ideal for applications requiring temporary high-output lighting

#### Replacement/Optional Parts

- Bulb "400 watt" P/N 66346
- 180° reflector P/N 66347
- Body back panel P/N 66335
- Body front panel P/N 66336
- Dome cap P/N 66337
- Dome and cap P/N 66338



P/N 66345

### 27" PORTABLE JOBSITE LIGHTING - WOBBLIGHT JR.



#### Features

- Patented counter-weighted self-righting design!
- Floating shock system protects bulb from impact
- Energy efficient 85 watt compact fluorescent bulb
- Instant-on technology
- Lumens: 5,000
- Low heat output, no hot surfaces
- High-impact thermoplastic housing and lens
- 360° lighting – Adjustable to 180° with optional reflector
- Integrated 5-foot power cord

#### Applications

- Ideal for applications requiring temporary energy efficient lighting.

#### Replacement/Optional Parts

- CFL bulb, 85 watt P/N 66343
- 180° reflector P/N 66342



P/N 66344

## LED LIGHTING SOLUTIONS

### ADVANCED AREA LIGHTING SYSTEM

The Advanced Area Lighting System is bringing several dynamic products to the market, offering up to 56 hours of bright LED light.\*

The product range starts with the compact single head beam (P/N 66301) that fits easily into confined spaces and extends to the four head beam (P/N 66307) which is capable of turning night into day. All units employ a silent, rechargeable sealed battery freeing you to work anywhere on or off the grid, no generator necessary. Each product is designed with

\* Stated runtimes based on low power setting and consecutive head activation. High power and simultaneous head use will lower total runtime.

LED technology to provide a better quality of light, high reliability and low energy consumption.

The result is an energy efficient lighting solution with low long-term operating and maintenance costs.

MODEL P/N	LIGHT HEADS	RUNTIME* (PER HEAD/CONSECUTIVE)
66301	1	15
66302	1	15
66303	1	15
66304	1	10
66305	1	6
66306	2	14/28
66307	4	14/56
66308	3	N/A

#### PRODUCT HIGHLIGHTS



All contents stow inside a Pelican Protector Case™



Direct light where it is needed with fully articulating heads



Low battery warning system and waterproof activation switch.




3 mode waterproof switch with battery charge indicator



GREEN  
60 – 100% capacity



AMBER  
20 – 60% capacity  
  
RED  
0 – 20% capacity











P/N 66301YLW shown.  
See specifications table on the next page for more detailed product information.





## LED LIGHTING SOLUTIONS

### ADVANCED AREA LIGHTING SYSTEM - SPECIFICATION TABLE

Description	Wide Beam Lighting System	Stealth Beam Lighting System	Spot Beam Lighting System	Safety Beam Lighting System	Tripod 7' Remote Area Light	Dual Portable Floodlight Station	Quad Portable Floodlight Station	Shelter Lighting System
Model P/N	<b>66301</b> 66301YLW	<b>66302</b>	<b>66303</b>	<b>66304</b> 66304GRN	<b>66305</b> 66305YLW	<b>66306</b> 66306YLW	<b>66307</b> 66307YLW	<b>66308*</b>
Light Source	High Flux LEDs	Infrared 940nm	High Flux LEDs	High Flux LEDs	LED	High flux LEDs	High flux LEDs	High Flux LEDs
Lamp Heads	1	1	1	1	1	2	4	3
No. of LEDs	24	24	24	18	10	24 (per head)	24 (per head)	24 white / 12 red (per head)
Beam Spread	90°	N/A	10°	90°	120°	90°	90°	210° Diffused
Batteries	12v Rechargeable, Sealed	12v Rechargeable, Sealed	12v Rechargeable, Sealed	NiMH	NiMH	12v Rechargeable, Sealed	12v Rechargeable, Sealed	N/A
Tested Lumen Value	1000 (Low) 2000 (High)	N/A	1000 (Low) 2000 (High)	750 (Low) 1500 (High)	1200 (Low) 2400 (High)	2000 (Low) 4000 (High)	4000 (Low) 8000 (High)	1200 (red) 6000 (white)
Battery Burn Time	15 hrs. (Low) 8 hrs. (High)	15 hrs. (Low) 8 hrs. (High)	15 hrs. (Low) 8 hrs. (High)	10 hrs. (Low) 5 hrs. (High)	6 hrs. (Low) 3 hrs. (High)	14 hrs. (Low) 7 hrs. (High)	14 hrs. (Low) 7 hrs. (High) per head	N/A
Dimensions	7.9" x 15.8" x 9.1" (20 x 40 x 23 cm)	7.9" x 15.8" x 9.1" (20 x 40 x 23 cm)	7.9" x 15.8" x 9.1" (20 x 40 x 23 cm)	7.9" x 15.8" x 9.1" (20 x 40 x 23 cm)	7.9" x 37.4" (20 x 95 cm)	13.8" x 22" x 9" (35.1 x 55.9 x 22.9 cm)	19.6" x 24.8" x 11.9" (49.7 x 63 x 30.3 cm)	16.3" x 4.1" (cylindrical) (41.4 x 10.4 cm cylindrical)
Mast Extended Height	32.3" (82 cm)	32.3" (82 cm)	32.3" (82 cm)	32.3" (82 cm)	86.3" (219 cm)	70.9" (180 cm)	72.9" (185 cm)	N/A
Weight	22.7 lbs. (10.3 kg)	22.1 lbs. (10 kg)	22.05 lbs. (10 kg)	17.6 lbs. (7.98 kg)	16.1 lbs. (7.3 kg)	50.7 lbs. (23 kg)	88.2 lbs. (40 kg)	29.8 lbs. (13.5 kg)
Colors								
Approvals	CE	CE	CE	CI D2	CE	CE	CE	CE

\* Figures calculated from LED manufacturer data.

**DELIVERY:** PLEASE ALLOW UP TO 10 DAYS, AFTER RECEIPT OF ORDER.

SYMBOLS:  Light Emitting Diode light source  Rechargeable battery

## LED LIGHTING SOLUTIONS

### ADVANCED AREA LIGHTING SYSTEM – COMPACT SINGLE HEAD BEAMS

#### Wide Beam Lighting System, P/Ns 66301 and 66301YLW

- The perfect unit for hard to reach places and at 22 lbs., it is easily transported up stairs or ladders
- Its compact size and fully extendable mast with 360° rotating light head make tight spaces easily accessible
- Dual power outputs illuminate a second optional head making it adaptable and expandable
- Solid state high efficiency circuitry withstands rigorous industrial use day in and day out

#### Stealth Beam Lighting System, P/N 66302

- Enhances night vision optics to provide improved visibility in complete darkness

#### Spot Beam Lighting System, P/N 66303

- Produces a 10° tight beam spread that reaches hundreds of yards for effective search and rescue



#### WIDE BEAM - P/N 66301 P/N 66301YLW

- Wide 90° beam
- Large area coverage



#### STEALTH BEAM - P/N 66302

- Night vision compatible infrared 7° LED beam
- Low thermal signature



#### SPOT BEAM - P/N 66303

- Focused 10° beam
- 200 yard reach



### ADVANCED AREA LIGHTING SYSTEM – SAFETY BEAM

#### Safety Beam Lighting System P/Ns 66304 • 66304GRN



- Battery powered safety approved LED remote area light
- Class I Division 2 approved
- Fills the demanding requirements of professionals working in hazardous locations
- Lightweight advanced battery technology
- Ultra-portable at just 17.6 lbs.
- 90° beam spread and a rotating head are ideal for lighting large areas
- High and low beam coupled with a low battery indicator aid in managing time and output needs with accuracy



## LED LIGHTING SOLUTIONS

### ADVANCED AREA LIGHTING SYSTEM – DUAL PORTABLE FLOODLIGHT STATION

#### Dual Portable Floodlight Station, P/Ns 66306 and 66306YLW

- Solid-state mounted LEDs coupled with a thermally efficient light engine and a Pelican Protector Case™
- Gives the user the ultimate maintenance-free portable floodlight station
- Get the job done efficiently, safely and on time
- A rugged Pelican Protector Case™ houses all its light heads and a multi-stage universal charger for total self-contained convenience
- Also equipped with a telescopic handle and rugged wheels for ease of transport



### ADVANCED AREA LIGHTING SYSTEM – QUAD PORTABLE FLOODLIGHT STATION

#### Quad Portable Floodlight Station, P/Ns 66307 and 66307YLW

- Contains four heads that will illuminate 360°
- Uses solid-state mounted LEDs coupled with a thermally efficient light engine
- A rugged Pelican Protector Case™ houses all its light heads and a multi-stage universal charger for total self-contained convenience
- Equipped with a telescopic handle
- Rugged wheels for ease of transport





## LED LIGHTING SOLUTIONS

### ADVANCED AREA LIGHTING SYSTEM – TRIPOD 7' REMOTE AREA LIGHT

#### Tripod 7' Remote Area Light, P/Ns 66305 and 66305YLW

- The most innovative unit to date
- Fast to light up ravines, confined spaces, river banks... anyplace your apparatus can't go
- Deployed, the mast extends 7 feet high, shining light over low obstructions encountered by traditional lantern style lights
- A 120° beam spread
- Up to 2400 lumens brightness
- The entire emergency area will have the light you need for a safe and swift operation
- Maintenance free
- Uses super tough LED lamp modules and NiMH batteries
- Up to 14 hours of continuous light



#### Coming Soon!

- Safety approved version
- Class I Division 1 approved
- Same great features as P/N 66305 and P/N 66305YLW



### ADVANCED AREA LIGHTING SYSTEM – SHELTER LIGHTING SYSTEM


#### Shelter Lighting System, P/N 66308

- The Shelter Lighting System provides soldiers with safe, secure and silent LED interior shelter lighting
- LED illuminated either red or white light
- The light output color (red or white) is selected via an inline switch
- Extremely rugged and is tested to a 3 meter concrete drop-test, offering survivability not found in fluorescent lighting
- Light heads are linked together and secured via hanging straps inside the temporary shelter/accommodation
- Each light head can be independently switched on or off
- The system is powered by the enclosed universal AC power supply



#### The Kit Contains:


- 3 UV stable LED light heads
- (3) 12 ft. connector cables
- Hanging straps
- Power supply
- Rugged Pelican Protector Case™





## LED LIGHTING SOLUTIONS

### 66 LED MAGNETIC WORK LIGHT



- Dual Function / Spotlight – Floodlight
- 35,000 hour LED life
- 60 LED Floodlight / 6 LED Spotlight
- Bright white LEDs
- Impact and chemical resistant housing
- Rechargeable NiMH battery pack
- 8 hour charge time
- AC & DC adapters included
- Will stand upright on flat surface
- Dual position magnetic hook attaches to top or side

#### Features/Specifications

- Spotlight: 12 lumens
- Floodlight: 120 lumens
- Length: 14.25" (without hook)
- Weight: 9.5 oz. with battery
- Dual purpose magnet
- Run-time:
  - Spotlight 18 hours
  - Floodlight 4 hours
- 3 position rocker switch

P/N 66358

**RECHARGEABLE!**




**Magnetic Hook**  
P/N 66358HOOK

### 120 LED UNDER-HOOD WORK LIGHT

- Under-hood illumination
- Interior illumination
- 120 premium LEDs
- 35,000 hour life
- Two light levels (full or half power)
- Use in the shop or roadside
- Use with or without the carrier
- Internal NiMH battery pack
- AC & DC chargers included
- Shop and car chargers included
- Chemical resistant housing
- Moisture and impact resistant
- Magnetic or hanger-hook mounting
- Spring loaded carrier extends 77"



**RECHARGEABLE!**



P/N 66325

#### Hook or Magnet Mounting Options



Magnets/Both Ends

Magnetic Mounts

Hang-Hooks

#### Specifications

- 1 Row (60 LED)  
Lumens: 150  
Run-time: 6.5 hours
- 2 Rows (120 LED)  
Lumens: 330  
Run-time: 3.5 hours
- Charge Time: 6 hours (AC or DC chargers)
- Length: 48"
- Weight: 4.9 lbs

## LED LIGHTING SOLUTIONS

### LED LIGHT (SAFETY ORANGE)

- Flashlight – Floodlight
- Bright white LEDs
- 35,000 hour life
- Small size – Light weight
- Safety orange housing
- Impact and chemical resistant
- Removable hanger-hook and magnet
- Rechargeable high quality NiMH battery
- Long run-time per charge
- Home and car chargers included



#### LED Flashlight – P/N 66380

- **Flashlight:** 1 LED = 65 lumens
- **Floodlight:** 60 LEDs = 120 lumens
- **Run-time:** 4 hrs. flashlight, 4 hrs. floodlight
- **Charge time:** 4 hours
- **Length:** 11.5"
- **Weight:** 12.0 oz.

**RECHARGEABLE!**



P/N 66380


DESCRIPTION	PART
LED Light (Safety Orange – Rechargeable)	A 66380

### WATERPROOF LED FLASHLIGHT "WITH GLASS FILLED NYLON POLYMER HOUSING"

- CREE® LED technology
- 50,000 + hours LED life
- Waterproof: IP-X7 Rating
- 180 lumens
- Momentary or constant-on flashlight
- Sharp focused beam
- Aircraft-grade 6061-T6 aluminum tail-cap with type 3 hard anodized finish
- Non-slip grip

- Large textured tail-switch
- 1" handle diameter fits most scope/flashlight mounts
- 1.25" head diameter accepts 3rd party filters
- Impact & chemical resistant
- Removable pocket clip
- Available in Black, Yellow & Tan
- Two CR-123 lithium batteries included

P/N 66321BLA



- **Lumens:** 180
- **Run-time:** 3 hours
- **Beam distance:** 190 meters
- **Water rating:** IP-X7 waterproof
- **Drop rating:** 2 meters

- **Length:** 5.5"
- **Head diameter:** 1.25"
- **Handle diameter:** 1.035"
- **Weight:** 4.4 oz.



Yellow and tan housing colors are also available. (non-stock items\*).

- P/N 66321YEL
- P/N 66321TAN

\* Please call for delivery.

DESCRIPTION	PART
Waterproof LED Flashlight – Black	A 66321BLA
Waterproof LED Flashlight – Yellow	A 66321YEL
Waterproof LED Flashlight – Tan	A 66321TAN
Replacement Lithium Batteries, Type CR-123	B 28899

## LED LIGHTING SOLUTIONS

### TECHNICIAN'S FLOODLIGHT

#### Features

- Over 300 lumens of brilliant white light with no hot spots or dark spots
- Strong, retractable hook allows you to hang it
- Dual rare-earth magnets, for fastening it to a work-space
- Removable belt clip
- Head tilts 180° and rotates 360°
- 6 AA rechargeable NiMH battery pack included, with smart recharger
- Run-time: High: 2 hours continuous, Low: 8 hours
- Battery condition indicator light
- Ergonomic light-weight, secure grip
- Includes a 12V charger and a 120V charger
- Flared base allows standing light on end
- Standard 1/4-20 threaded hole in base for tripod (not included)
- Length: 10-1/4" (26 cm)
- Weight: 1 lb (0.5 kg)

#### Applications

- Automotive
- Industrial
- HVAC repairmen
- IT maintenance
- Emergencies
- Power outages

THE BEST PROFESSIONAL LED WORK LIGHT!



**RECHARGEABLE!**

#### Details

**Brightness:** High: 300 emitter lumens  
LOW: 75 emitter lumens

**Color:** Cool white

**LED:** Cree XP-G, 5 W

**Material:** High impact ABS, except hook, which is glass reinforced ABS

**Head Adjustment:** Tilt tension adjustment screw prevents head from flopping

**Hook length:** 3" (7.5 cm) when extended, retracts into body of floodlight

**Hook diameter:** 1" (2.5 cm)

**Magnets:** 2 co-planar, nickel-plated, neodymium rare-earth magnets

**Charger:** Smart switching charger, 120 VAC with standard "Type A", 2 prong plug

**Recharge Time:** About 6 hours

### POCKET FLOODLIGHT™

#### Features

- Up to 10X brighter than ordinary penlights
- Pure cool white LED high performance light
- Lightweight & compact
- Clips easily and comfortably into any pocket
- Indestructible T6 Aluminum with Black Type II Anodized Body
- Water & dirt resistant
- Rugged tailcap switch – rated at 100,000 cycles



P/N 66341

#### Applications

- Designed for all technicians in a demanding shop
- For use in manufacturing or maintenance environments

#### Details

• **Brightness:** 120 lumens

• **Forward Current:** 400 mA

• **Battery Voltage:** Between 3.3 and 4.8 volts

• **Batteries:** 3 AAAA alkaline, *included*

• **Run-Time:** 2 hours to half brightness / 4 hours light w/ typical intermittent use

• **Reflector:** Custom design w/ bright center spot.  
Orange peel (OP) surface for an even beam.

• **Switch Tailcap:** Click ON / Click OFF. Rubber cap seals out dirt and grit.

• **Water Resistant:** Threaded joints have rubber O-ring seals. Sealed tailcap switch.

• **Head Diameter:** 9/16" (14 mm)

• **Body Diameter:** 7/16" (10 mm)

• **Body Length:** 6" (15 cm)



AAAA Energizer  
Batteries (Pkg. 6)  
P/N 29207

## LED LIGHTING SOLUTIONS

### RED LED POCKET FLOODLIGHT™

#### Features

- Up to 10X brighter than ordinary "Red" LED penlights
- LED high performance light
- Lightweight and compact
- Clips easily and comfortably into any pocket
- Indestructible T6 Aluminum with Red Type II Anodized Body
- Water and dirt resistant
- Rugged tailcap switch – rated at 100,000 cycles
- Energizer batteries included



P/N 66333

#### Applications

- Preserves night vision of individuals
- Reading flight plans
- Security
- Reading equipment in the dark
- Aviators
- Doctors/Nurses monitoring patients
- Astronomers
- Military/Police operating equipment
- Emergency Service Personnel
- Photographers
- Ushers

#### Details

<b>BRIGHTNESS:</b>	46 lumens
<b>LED, WAVELENGTH:</b>	Cree Xp-C, Red 620-630 nm
<b>FORWARD CURRENT:</b>	350 mA
<b>BATTERY VOLTAGE:</b>	Between 3.3 and 4.8 volts
<b>BATTERIES:</b>	3 AAAA alkaline (included)
<b>RUN-TIME:</b>	2 hours to half brightness / 4 hours light with typical intermittent use
<b>REFLECTOR:</b>	Custom design with bright center spot. Orange peel (OP) surface for a huge floodlight beam.
<b>SWITCH TAILCAP:</b>	Click ON / click OFF, plus half-press momentary on. Rubber cap seals out dirt & grit.
<b>WATER RESISTANT:</b>	Threaded joints have rubber O-ring seals. Tailcap switch is sealed with a rubber cap.
<b>HEAD DIAMETER:</b>	9/16" (14 mm)
<b>BODY DIAMETER:</b>	7/16" (10 mm)
<b>BODY LENGTH:</b>	6" (15 cm)

AAAA Energizer  
Batteries (Pkg. 6)  
P/N 29207



### PROFESSIONAL UV LED INSPECTION FLOODLIGHT™

#### Features

- Up to 20X brighter than ordinary UV penlights
- High performance UV LED light
- Lightweight and compact
- Clips easily and comfortably into any pocket
- Indestructible T6 Aluminum with Violet Type II Anodized Body
- Water and dirt resistant
- Rugged tailcap switch – rated at 100,000 cycles
- Energizer batteries included



P/N 66334

#### Applications

- A/C refrigerant dye leak detection
- Hairline crack detection/Quality control
- Fluorescent hand stamp verification
- Dog, cat & rodent urine stain detection
- Restroom cleanliness inspection
- Document and lab analysis
- Crime scene investigation
- Paint authentication
- Currency verification
- Bacteria detection
- Gem inspection
- UV curing

#### Details

<b>BRIGHTNESS:</b>	120 mW emitter radiant flux
<b>LED, WAVELENGTH:</b>	UltraViolet (UVA) 400-405 nm
<b>FORWARD CURRENT:</b>	350 mA
<b>BATTERY VOLTAGE:</b>	Between 3.3 and 4.8 volts
<b>BATTERIES:</b>	3 AAAA alkaline (included)
<b>RUN-TIME:</b>	2 hours to half brightness / 4 hours light with typical intermittent use
<b>REFLECTOR:</b>	Custom design with bright center spot. Orange peel (OP) surface for a huge floodlight beam.
<b>SWITCH TAILCAP:</b>	Click ON / click OFF, plus half-press momentary on. Rubber cap seals out dirt & grit.
<b>WATER RESISTANT:</b>	Threaded joints have rubber O-ring seals. Tailcap switch is sealed with a rubber cap.
<b>HEAD DIAMETER:</b>	9/16" (14 mm)
<b>BODY DIAMETER:</b>	7/16" (10 mm)
<b>BODY LENGTH:</b>	6" (15 cm)

AAAA Energizer  
Batteries (Pkg. 6)  
P/N 29207



**CAUTION:** Wear 100% UVA blocking safety glasses when using. Do not shine the light in anyone's eyes.



LED LIGHTING SOLUTIONS

MAGNETIC STICK LIGHT

- 7 super-bright LEDs - 75 lumens output
- Powerful magnet for flush, secure attachment
- Extra strong magnet in handle provides an extra hand as well as handy pick-up tool
- Has a pocket clip that moves 0°-180° to flood in light at every angle
- Produces a floodlight effect as well as directional
- Water resistant and rugged
- Runs more than 10 hours
- Uses 3 AAA batteries (included)
- Replacement batteries (P/N 29204)

**POWERFUL!**  
POCKET-SIZED FLOODLIGHT

P/N 66328



Pocket clip rotates 0°-180°.




Magnetically attach to a vertical surface!



Magnetically attach to a horizontal surface!



Magnetically attach to vertical surface!



DESCRIPTION	PART	
Magnetic Stick Light	A	66328
Replacement Lithium Batteries, AAA	A	29204

## LED LIGHTING SOLUTIONS

### INTRINSICALLY SAFE LED PENLIGHTS



- 30 or 50 Lumens/Class I, II, III, Division I, Groups A-G
- CREE® LED technology – 50,000+ hours LED life
- 30 or 50 Lumens
- 13.75/18 hours run-time
- Ultra-compact and super slim
- Powerful light output designed to illuminate very tight spaces
- Single tail-cap switch provides momentary or constant-on functionality
- Sharp focused beam for distance illumination (50/40 meters)
- Waterproof: IP-X7 Rating
- Engineered polymer housing (impact & chemical resistant)
- Built-in pocket/belt clip

#### Safety Rating

cETLus Listed Intrinsically Safe for use in Class I II III Div 1  
SECRURITE INTRINSEQUE Groups A,B,C,D,E,F & G Hazardous Locations

#### Specifications – P/N 66316

- **Lumens:** 50
- **Run-time:** 13.75 hrs
- **Beam distance:** 50 meters
- **Water rating:** IP-X7 waterproof
- **Drop rating:** 2 meters
- **Length:** 6.8"
- **Diameters:** 0.6" head / 0.5" handle
- **Weight:** 1.5 oz.
- **Power:** 3 AAAA batteries (P/N 29207) included



P/N 66316



P/N 66317\*

#### Specifications – P/N 66317\*

- **Lumens:** 30
- **Run-time:** 18 hrs
- **Beam distance:** 40 meters
- **Water rating:** IP-X7 waterproof
- **Drop rating:** 2 meters
- **Length:** 5.8"
- **Diameters:** 0.9" head / 0.7" handle
- **Weight:** 1.9 oz.
- **Power:** 2 AAA batteries (P/N 29204) included

\*Non-stock item, please call for delivery.

### INTRINSICALLY SAFE LED HEADLAMPS

- Dual-Function/Class I, II, III, Division I, Groups A-G
- Multi-position tilt head design with elastic head strap (with non-slip lining) and a heavy-duty rubber head strap for use on a hard hat
- Selectable high or low brightness spotlight operation
- CREE® LED technology – 50,000+ hours LED life
- High-brightness spotlight – 115/60 Lumens Low-brightness spotlight – 65/40 Lumens
- Focused spotlight beam for distance illumination (92/80 meters)
- Waterproof: IP-X7 Rating
- Engineered polymer housing (impact & chemical resistant)
- Single switch located on top of light
- 3 AAA premium batteries (included), reorder using P/N 29204

#### Safety Rating



cETLus Listed Intrinsically Safe for use in Class I II III Div 1 SECRURITE  
INTRINSEQUE Groups A,B,C,D,E,F & G Hazardous Locations

- -20C ≤ Tamb ≤ +40C
- Ex ia IIC T3 Ga Class 1 Zone 0
- AEx ia IIC T3 Ga, Zone 20
- AEx ia IIIC T 165C Da



#### Specifications – P/N 66318

- **Spotlight Lumens:** High - 115 / Low - 65
- **Run-time:** High - 4.5 hrs / Low - 13 hrs
- **Beam distance:** 92 meters
- **Water rating:** IP-X7 waterproof
- **Drop rating:** 2 meters
- **Dim:** 2.4" width x 1.9" height x 1.8" depth
- **Weight:** 3.5 oz.



P/N 66318  
P/N 66319\*

High/Low brightness  
spotlight switch

Spotlight



#### Specifications – P/N 66319\*

- **Spotlight Lumens:** High - 60 / Low - 40
- **Run-time:** High - 13.5 hrs / Low - 22.75 hrs
- **Beam distance:** 80 meters
- **Water rating:** IP-X7 waterproof
- **Drop rating:** 2 meters
- **Dim:** 2.4" width x 1.9" height x 1.8" depth
- **Weight:** 3.5 oz.

\*Non-stock item, please call for delivery.

## LED LIGHTING SOLUTIONS

### INTRINSICALLY SAFE LED HEADLAMPS

- Designed for hazardous workplace environments
- Safe to use in potentially explosive atmospheres
- Night vision red floodlight or high contrast green floodlight
- Spotlight • Two level white floodlight • Colored floodlight
- Spotlight CREE® LED technology - 50,000 hour life
- White / red / green floodlight LEDs - 35,000 hour life
- Full or half power white floodlight for extended run-time
- Waterproof IP-X7
- Impact and chemical resistant
- Two switch light control
- Behind the head battery pack for comfort and balance
- Adjustable ratchet tilt headlamp
- Width: 3.3" • Height: 3.3" • Depth: 3.5" • Weight: 9.5 oz.
- Rubber hardhat strap included
- 3 premium alkaline AA batteries – Reorder with P/N 29203



#### Safety Rating

cETLus Listed Intrinsically Safe for use in Class I II III Div 1 SECURITE INTRINSEQUE Groups A,B,C,D, E,F & G Hazardous Locations -20C ≤ Tamb ≤ +40C

- Ex ia IIC T3 Ga Class 1 Zone 0
- AEx ia IIC T3 Ga, Zone 20
- AEx ia IIIC T 165C Da




P/N 66326



P/N 66327


#### Specifications - P/N 66326

- Spotlight: 130 lumens
- Floodlight: 100 lumens - full power, 25 half-power
- Dual-Light: 190 lumens
- Green floodlight: 21 lumens
- Run-time hours:
  - Spotlight: 14
  - Floodlight at full power: 12.5
  - Floodlight at half-power: 70
  - Dual-light: 6
  - Green floodlight: 37



#### Specifications - P/N 66327

- Spotlight: 100 lumens
- Floodlight: 90 lumens - full power, 20 half-power
- Dual-Light: 175 lumens
- Red floodlight: 18 lumens
- Run-time hours:
  - Spotlight: 18
  - Floodlight at full power: 13.5
  - Floodlight at half-power: 75
  - Dual-light: 6.5
  - Red floodlight: 37



### INTRINSICALLY SAFE LED DUAL-LIGHT

Designed for hazardous workplace environments and is safe to use in potentially explosive atmospheres.


Flashlight



Floodlight



Dual-Light



- Dual-Light Innovation®
- 120 lumen CREE® LED
- Sharp focused flashlight
- Broad beam floodlight
- 50,000 hour LED life
- Separate switches for flashlight & floodlight
- Momentary or constant-on

- Non-slip grip textured push-buttons
- Rugged hi-visibility green polymer housing
- Impact and chemical resistant
- Built-in pocket clip and lanyard
- Rating: XP-67
- Length: 7.0 in (178 mm)
- Limited lifetime warranty



P/N 66339

#### ANSI Performance

- Flashlight: 120 lumens
- Floodlight: 120 lumens
- Dual-Light: 240 lumens
- Flashlight beam distance: 170 m
- Run-time: 17.5 hours Flashlight/Floodlight and 4.5 hours Dual-light

**Note:** Order batteries with P/N 29203 (Duracell PC1500, MSHA approved batteries). See instruction manual for details. 3 AA alkaline batteries are not included.

**NEW & IMPROVED!**  
• 50% MORE LUMENS OUTPUT!  
• NOW MSHA APPROVED!



## LED LIGHTING SOLUTIONS


### MULTI-FUNCTION HEADLAMP

#### Dual Brightness Spotlight/Floodlight & Dual-light

- CREE® LED technology – 50,000+ hours LED life
- Top mounted dual switches provide: high/low-brightness spotlight & high/low-brightness floodlight
- Dual-light (spotlight & white floodlight mode at same time) for maximum versatility
- Spotlight: 100/60 lumens / Floodlight: 90/50 lumens / Dual-light: 115 lumens
- Multi-position adjustable ratchet tilt head design with non-slip elastic head strap
- Focused spotlight beam for distance illumination
- Unfocused wide-beam floodlight for close-up illumination
- Engineered polymer housing
- Waterproof: XP-X7 Rating
- Impact and chemical resistant
- Powered by 3 AAA batteries, included (reorder with P/N 29204)



P/N 66315



#### Features/Specifications

- **Lumens:**
  - High spotlight-100 / Low spotlight-60
  - High floodlight-90 / Low floodlight-50
  - Dual-light-115
- **Run-time:**
  - High spotlight-5 hrs / Low spotlight-13.5 hrs,
  - High floodlight-4.25 hrs / Low floodlight-13.75 hrs
  - Dual-light-3.5 hrs

- **Beam distance:** 77 meters
- **Water rating:** IP-X7
- **Drop rating:** 2 meters
- **Width:** 2.6"
- **Height:** 2.1"
- **Depth:** 1.8"
- **Weight:** 3.3 oz.


### MULTI-FUNCTION HEADLAMP

#### Dual Brightness Spotlight, White/Red/Green Floodlight & Dual-light

- CREE® LED technology – 50,000+ hours LED life
- Top mounted dual switches provide: high/low-brightness spotlight and white/red/green floodlight
- Dual-light (spotlight & white floodlight mode at same time) for maximum versatility
- Colored floodlight for night-vision preservation
- Spotlight – 150/80 lumens / White Floodlight – 100 lumens / Red Floodlight – 9 lumens / Green Floodlight – 18 lumens / Dual-light – 180 lumens
- Multi-position adjustable ratchet tilt head design with non-slip elastic head strap
- Focused spotlight beam for distance illumination
- Unfocused wide-beam floodlight for close-up illumination
- Engineered polymer housing (impact and chemical resistant)
- Waterproof: XP-X7 Rating
- Powered by 3 AAA batteries, included (reorder with P/N 29204)



P/N 66323



#### Features/Specifications

- **Lumens:**
  - High spotlight-150 / Low spotlight-80
  - White floodlight-100
  - Red floodlight-9
  - Green floodlight-18
  - Dual-light-180
- **Run-time:**
  - High spotlight-4 hrs / Low spotlight-8 hrs,
  - White floodlight-4 hrs / Red floodlight-25 hrs
  - Green floodlight-22.5 hrs / Dual-light-3 hrs

- **Beam distance:** 60 meters
- **Water rating:** IP-X7
- **Drop rating:** 2 meters
- **Width:** 2.6"
- **Height:** 2.1"
- **Depth:** 1.8"
- **Weight:** 3.3 oz.



## LED LIGHTING SOLUTIONS

### HEADLAMP – WATERPROOF

- Spotlight – Floodlight – Dual-light
- Water proof IP-X7
- Small in size, big in light output
- Perfect hands-free lighting solution
- Wear on head or mount on hard-hat
- Premium super bright white LEDs
- Single LED Deep Reflector Spotlight with CREE® LED Technology
- 12 LED Floodlight
- Spotlight - 50,000 hour life
- Floodlight - 35,000 hour life
- Impact & chemical resistant
- Single switch light control
- Adjustable ratchet tilt head lamp
- Non-slip elastic band
- 3 AAA batteries included




#### Features/Specifications

- **Spotlight:** 55 lumens
- **Floodlight:** 40 lumens
- **Dual-light:** 80 lumens
- **Run-time:**
  - Spotlight: 6 hours
  - Floodlight: 8 hours
  - Dual-light: 5 hours
- **Width:** 2.44"
- **Height:** 1.75"
- **Depth:** 1.88"
- **Weight:** 3.7 oz.



P/N 66329



### MULTI-FUNCTION LED FLASH/FLOODLIGHT

- Flashlight – Floodlight – Dual-Light
- Single body switch
- Flashlight with CREE® LED technology – 50,000 + hours LED life
- Floodlight with premium LED technology – 35,000 + hours LED life
- Momentary or constant-on flashlight
- Sharp focused beam flashlight
- Wide-beam unfocused floodlight
- Engineered polymer housing
- Non-slip grip – Comfortable oval shape
- Soft touch finish
- Water resistant
- Impact and chemical resistant
- 2 AAA premium alkaline batteries included

FLASHLIGHT FLOODLIGHT DUAL-LIGHT



- **Lumens:**
  - Flashlight - 60
  - Floodlight - 25
  - Dual-light - 50
- **Run-time:**
  - Flashlight - 4 hrs
  - Floodlight - 4 hrs
  - Dual-light - 3 hrs
- **Beam distance:** 50 meters
- **Water rating:** IP-X6 water resistant
- **Drop rating:** 2 meters
- **Length:** 4.7"
- **Width:** 1.1" x 0.8"
- **Weight:** 2.2 oz.

P/N 66322



Metal pocket clip included




## LED LIGHTING SOLUTIONS

### EXTENDABLE MAGNETIC LED FLASHLIGHT

- Metal casing
- Weight: 3.5 ounces
- Magnet at light is for powerful retrieval
- Magnet on grip acts as a third hand
- 3 super-bright LEDs
- Extends from 6.5" to 21"
- Flexible shaft to access hard-to-reach places
- A pick-up tool and a flashlight
- Uses four LR44 1.5V batteries (included)
- Replacement batteries - 4 pack (P/N 29206)
- Utility holster with metal belt clip (P/N 70005)
- Magnetic inspection mirror (P/N 66349M)



P/N 66349




### LIGHTED PICK-UP TOOLS



P/N 66324 - A SET OF 2 FLEXIBLE, LIGHTED PICK-UP TOOLS WITH DURABLE STORAGE CASE

Makes it fast and easy to find and retrieve the small object that always falls through your fingers! See and reach into awkward spaces where only the lighted pick-up tool can fit.

- The Blue Lighted Pick-up Tool is magnetic and works well when picking up metal objects.
- The Red Lighted Pick-up Tool is not magnetic and is great when a magnet would be a drawback.
- Both are flexible and made to fit into cramped spaces as well as reach around obstacles.
- Handy LED light with easy On/Off button.
- Approximately 24 inches long.
- Both tools use 3 LR-44 batteries (included). Reorder with P/N 29206 (4-pack).



## LED LIGHTING SOLUTIONS

### CLAMP LIGHT



#### Features/Specifications

- **Spotlight:** 65 lumens
- **Floodlight:** 24 lumens
- **Dual-Light:** 89 lumens
- Detachable light with magnetic base
- 2 beam Flashlight
- Run-time: Up to 18 hours

- Spotlight – Flashlight – Floodlight – Dual-light
- 35,000 hour LED life
- 1 Spotlight LED
- 12 Floodlight LEDs
- Multi-function locking clamp
  - Stands by itself
  - Secures to round objects and flat objects
- Light reaches out in all directions
  - Light swivels 360°
  - Light tilts 180° +
- Impact & moisture resistant safety orange light housing
- Engineered polymer clamp base
- Premium AAA batteries included

**HANDS FREE!**

P/N 66359



*Self Standing*



*2 Beam Flashlight*



*Round Stock*



*Square Stock*



*Detachable Light with Magnetic Base*

WIPES AND TOWELS

FACILITY WIPES (ALL SURFACE CLEANING WIPES)

Designed to clean and deodorize any surface, anywhere. They are excellent for quick and easy cleaning of equipment, furniture and facilities. Wipe down surface with fresh towel and throw towel away when finished. Good for cleaning metal, glass, tiles and ceramic.

Applications

- Athletic clubs • Schools • Hospitals • Nursing homes • Restaurants • Health clubs • Offices

Features and Benefits

- Cleans and deodorizes surfaces on contact
- Fast and easy to use towel, one step cleaning
- Wall mounted dispenser allows convenient individual use

Use With Center-Pull Dispenser

- Single-sheet release requires only one hand to tear off
- Made of tough impact resistant materials
- One of the most vandal-proof, break resistant, chemical and flame resistant products
- For heavy use applications



P/N 28235 – 800 Wipes  
P/N 1789 – Dispenser

DESCRIPTION	PART	
Facility Wipes (800 Wipes Per Roll - 8" x 10")	A	28235
Dispenser	A	1789



## WIPES AND TOWELS

### CENTERFEED HAND TOWELS

#### Centerfeed Hand Towels

- Offers one-at-a-time service, and reduces waste
- High capacity, reduces labor and refills
- Few, or no moving parts, nothing to jam or break
- High absorbency, means less towels used
- Touch only dispensing towel reduces cross contamination
- Made from 100% recycled fiber
- Provides environmental benefits
- 600 towels per roll



P/N 28237

#### Centerfeed Dispenser

- Simplify and complement any environment, providing a clean, hygienic appearance
- Our new design ensures easy and intuitive maintenance, refilling and use
- High capacity cabinets are ideal for high traffic environments
- No cross contamination from levers or cranks
- The portion control feature dispenses one towel every time
- Cabinets are simple and reliable offering low maintenance costs

#### Applications

- |                     |                  |                      |                  |
|---------------------|------------------|----------------------|------------------|
| • Auto shops        | • Offices        | • Break rooms        | • Printing areas |
| • Work benches      | • Plumbing sites | • Kitchens           | • Painting areas |
| • Maintenance areas | • Marinas        | • Construction sites | • Manufacturing  |



P/N 1788

DESCRIPTION	PART	
Hand Towels (600 Towels Per Roll)	A	28237
Centerfeed Dispenser	A	1788

## WIPES AND TOWELS

### TOWELS IN A TUB

#### Chromate Advanced Shop Wipes with Bucket Dispenser

- Removable lid for easy on-off quick access.
- Pop top is resealable, angled and connected to water channels for maximum protection.
- Handle designed for easy portability and added convenience.
- Dispensing disk designed for single towel dispensing to reduce pilferage and lower cost-in-use.
- Plastic container is durable to protect against dry or wet chemicals.
- Stackable packaging design allows for more efficient packing and storage.

#### Chromate Advanced Shop Wipes Refill

- Best all purpose with cloth like softness
- Absorbs large spills and leaks
- Janitorial maintenance wiping
- Patient hygiene
- Line wiping and cleaning
- Absorbs oil and water
- Works on grease and grime
- Industrial cleaning and maintenance
- Can be used on hands and face
- 200 wipes

- Sheet Size: 9.9" x 13.1"
- Tub Size: 10" x 8.5" x 9"



DESCRIPTION	PART	
Towels In A Tub with Dispenser	A	28216
Towels In A Tub – Refill	A	28217

### SHOP WIPES (HIGH-POWERED VERSATILE CLEANER)

Designed for use in industrial and manufacturing settings, each towel is pre-moistened with a powerful cleaning formula capable of cleaning hard-working hands, as well as non-porous surfaces. Made from an abrasive, yet non-scratching fabric that helps lift away heavy deposits of grime and dirt off hands and surfaces as well as leaving behind a fresh citrus scent. Scrub surfaces with abrasive side of towel until the dirt is loosened, then use the smooth side to wipe surfaces clean and discard.

#### Applications

- Auto shops • Work benches • Maintenance areas • Offices • Plumbing sites • Marinas
- Break rooms & kitchens • Construction sites • Printing & painting areas • Manufacturing

#### Features and Benefits

- High powered multipurpose cleaner
- Effective against tar, paint, wax, grease, adhesives and ink
- Abrasive, yet non-scratching fabric aids in cleaning
- Natural oils and emollients, safe for hands & skin

#### Use With Center-Pull Dispenser

- Offers single-sheet release
- Requires only one hand to tear off
- Made of tough impact resistant materials
- One of the most vandal-proof, break resistant, chemical and flame resistant products
- For heavy use applications



P/N 28236 – 400 Wipes  
P/N 1789 – Dispenser



DESCRIPTION	PART	
Shop Wipes (400 Wipes Per Roll - 8" x 12")	A	28236
Dispenser	A	1789

## CHEMICALS

### PROFESSIONAL ICE MELTER®

Professional Ice Melter® is formulated to be the most effective and cost efficient product in the market today. It is the best choice to protect high traffic areas against accidental falls and your workers from hazardous material exposure. Environmentally, it is safer to greenery and inside is less binding to carpet fibers, making it the most suitable choice... inside and out. Remove ice with less effort.

#### Features

- 4-way blend of tech-grade calcium, magnesium, potassium and sodium chlorides that are triple-screened to provide uniform spreading with maximum results
- Entire blend is coated with liquid magnesium chloride to enhance melting power
- Geared to outperform leading brands by melting more ice faster, even in extreme cold to -12° F
- Treated with an anti-caking agent to provide easy pouring & extended shelf life
- BLUE color improves smooth & consistent coverage, especially during low visibility conditions
- The best choice to protect high traffic areas against accidental falls



P/N 74452 – 50 lb Box  
P/N 74452P – Pallet (40 Boxes)

DESCRIPTION	PART	
Professional Ice Melter (50 lb box)	A	74452
Professional Ice Melter Pallet (40 boxes)	A	74452P

### ICE AND FROST REMOVER

Specifically formulated to quickly dissolve ice, frost and snow deposits. Melts ice, frost and snow instantly. Use on automobiles, trucks, buses, and maintenance equipment. Quickly dissolves ice, frost and snow deposits.

#### Features

- Fast acting, water rinseable
- Helps prevent freezing when applied in advance
- Eliminates scraping and potential damage to glass
- Thaws frozen locks
- Works in any temperature

#### Applications

- Windows • Headlights • Windshields • Locks • Tires • Tail lights • Hinges • Sidewalks • Steps



DESCRIPTION	PART	
Ice and Frost Remover – 13 oz.	A	74488

CHEMICALS

ECO-FRIENDLY CHEMICALS – CLEANERS

These Red Lion<sup>™</sup> Eco-Friendly "Green" Chemicals meet Green Seal<sup>™</sup> Environmental Standards for industrial and institutional cleaners and floor-care products.

In our continuing effort to offer the most environmentally preferable and effective products, we would like to introduce our Red Lion<sup>™</sup> Eco-Friendly "Green" line of chemicals.

The products are designed to meet "Green Product" industry criteria. The standards encompass environmental impact, health effects as well as product performance. They are Environmentally Preferable Products that are formulated to perform well yet have no harmful effects on our environment or to the person using the product. We are proud to announce that Eco-Friendly Multi-Purpose Cleaner, Eco-Friendly Glass Cleaner, Eco-Friendly Tub & Tile Cleaner, Eco-Friendly Peroxide Cleaner, Eco-Friendly Zinc-Free Seal & Finish and Eco-Friendly Floor Stripper all meet specific Green Seal<sup>™</sup> Environmental Standards.

There are laws already in place or are pending that will require the use of environmentally sensitive products in N.Y. State Buildings, N.Y.C. Municipal Buildings and all schools in N.Y. State. Although New York has taken the lead in this area, other states are sure to follow.

Perfect for use in schools, office buildings, apartment buildings, hospitals, nursing homes and other institutions where environmentally preferred products are desired.

Eco-Friendly Multi-Purpose Cleaner

A highly concentrated, multi-purpose cleaner formulated to be a H.D. Cleaner, Spray and Wipe Cleaner and a Neutral Floor Cleaner depending upon dilution. This product meets the requirements of the GS-37 Green Seal<sup>™</sup> Standard. Provides top-tier performance for cleaning floors, walls, chrome, stainless steel, table tops, vinyl, sealed wood and many other surfaces not harmed by water.



- **Spray/wipe Cleaner:** 1:128 dilution  
1 gallon dilutes with water to make up to 512 quart bottles
- **Heavy-duty Cleaner/Degreaser:** 1:32 dilution  
1 gallon dilutes with water to make up to 128 quart bottles
- **Neutral Floor Cleaner:** 1:256 dilution  
Low suds, so it's great for auto-scrubbers as well as mop buckets.

P/N 74067 (1 gal. Container)  
P/N 74068 (5 gal. Pail)  
P/N 74069 (55 gal. Drum)

Eco-Friendly Glass & Window Cleaner

A highly concentrated, glass, window and multi-purpose cleaner. It is designed to meet the requirements of GS-37, the Green Seal<sup>™</sup> Standard for Glass Cleaner. Eco-Friendly Glass & Window Cleaner has been formulated with completely biodegradable surfactants and other naturally derived ingredients. This non-toxic glass, window and multi-purpose cleaner provides top-tier performance. It is alcohol-free, ammonia-free, non-streaking and fast drying.



- **Glass & Window Cleaner:** 1:64 dilution  
1 gallon dilutes with water to make 256 quart bottles

P/N 74070 (1 gal. Container)  
P/N 74071 (5 gal. Pail)  
P/N 74072 (55 gal. Drum)



## CHEMICALS

### ECO-FRIENDLY CHEMICALS – CLEANERS

These Red Lion™ Eco-Friendly "Green" Chemicals meet Green Seal™ Environmental Standards for industrial and institutional cleaners and floor-care products.



#### Eco-Friendly Tub & Tile Cleaner

A highly concentrated, non-corrosive, non-fuming, tub & tile cleaner. This product meets the requirements of the GS-37 Green Seal™ Standard. It is formulated with a low pH organic salt capable of replacing a wide range of traditional acids. Provides top-tier performance for cleaning tubs, tile, grout, walls, toilet bowls, urinals, shower stalls and other bathroom surfaces.

**P/N 74073 (1 gal. Container)**

**P/N 74074 (5 gal. Pail)**

**P/N 74075 (55 gal. Drum)**

.....



#### Eco-Friendly Peroxide Cleaner

A highly concentrated, multi-purpose cleaner providing top-tier performance as a Glass Cleaner, Multi-Purpose Cleaner and a Restroom Cleaner depending upon dilution. Eco-Friendly Peroxide Cleaner meets the requirements of the GS-37 Green Seal™ Standard. It has a pleasant orange scent.

- **Spray/Wipe Cleaner:** 1:128 dilution • 1 gallon dilutes with water to make up to 512 quart bottles
- **Multi-purpose Cleaner:** 1:64 dilution • 1 gallon dilutes with water to make up to 256 quart bottles
- **Restroom Cleaner:** 1:16 dilution • 1 gallon dilutes with water to make 64 quart bottles

**P/N 74076 (1 gal. Container)**

.....



#### Eco-Friendly Floor Stripper

A concentrated, highly effective, fast acting, low odor, floor finish and wax remover – environmentally benign but still strong enough to remove floor finishes and wax seals without the use of a floor machine. Eco-Friendly Floor Stripper meets the GS-40 Green Seal™ Standard for Floor Stripper, based on its reduced human and aquatic toxicity and reduced smog production potential. Using state-of-the-art chemistry, it provides top-tier performance without the potentially harmful effects of 2-butoxyethanol, ammonia, nonylphenol surfactants, dye or fragrance. A highly effective fast acting product with low odor.

**P/N 74080 (1 gal. Container)**

**P/N 74081 (5 gal. Pail)**

**P/N 74082 (55 gal. Drum)**

.....



#### Eco-Friendly Zinc-Free Seal & Finish

A highly effective, low V.O.C., zinc free floor seal and finish. Eco-Friendly Zinc-Free Seal & Finish represents a new generation of floor care products. It exhibits a deep, wet-look gloss and it can be incorporated into any floor maintenance program. It meets the GS-40 Green Seal™ Standard for Floor Finish. Eco-Friendly Zinc-Free Seal & Finish contains no heavy metals, formaldehyde, ammonia or nonylphenol surfactants. High levels of zinc have been found to be toxic to aquatic life.

**P/N 74077 (1 gal. Container)**

**P/N 74078 (5 gal. Pail)**

**P/N 74079 (55 gal. Drum)**

## CHEMICALS

### ECO-FRIENDLY CHEMICALS – DISPENSING EQUIPMENT FOR CLEANERS

#### Red Lion™ Blend Mate Wall Dispensers

##### Directions For Use

1. Hang cabinet on wall using mounting screws provided, making sure water hose will reach water source.
2. Connect black 6' water hose to upper right side of dispenser cabinet and water source.
3. Using key(s) provided, unlock cabinet.
4. Remove cap from gallon bottle of concentrate and place inside dispenser cabinet, inserting draw tube into bottle.
5. Close and lock cabinet.
6. Following direction label on front of dispenser, turn toggle switch to desired dilution strength. Insert clear plastic fill tube into spray bottle or mop bucket and push appropriate button to activate flow.

Use Blend Mate Wall Dispensers and 32 oz. Spray Bottles With The Following:



**Eco-Friendly Multi-Purpose Cleaner**  
Meets the requirements of the GS-37 Green Seal™ Standard. Provides top-tier performance for cleaning floors, walls, chrome, stainless steel, table tops, vinyl, sealed wood and many other surfaces not harmed by water.

**P/N 74067 (1 gal. Container)**



**Eco-Friendly Glass & Window Cleaner**  
Designed to meet the requirements of GS-37, the Green Seal™ Standard for Glass Cleaner. Eco-Friendly Glass & Window Cleaner has been formulated with completely biodegradable surfactants and other naturally derived ingredients. This non-toxic glass, window and multi-purpose cleaner provides top-tier performance. It is alcohol-free, ammonia-free, non-streaking and fast drying.

**P/N 74070 (1 gal. Container)**



**Eco-Friendly Tub & Tile Cleaner**  
A highly concentrated, non-corrosive, non-fuming, tub & tile cleaner. This product meets the requirements of the GS-37 Green Seal™ Standard. It is formulated with a low pH organic salt capable of replacing a wide range of traditional acids. Provides top-tier performance for cleaning tubs, tile, grout, walls, toilet bowls, urinals, shower stalls and other bathroom surfaces.

**P/N 74073 (1 gal. Container)**



**Eco-Friendly Peroxide Cleaner**  
A highly concentrated, multi-purpose cleaner providing top-tier performance as a Glass Cleaner, Multi-Purpose Cleaner and a Restroom Cleaner depending upon dilution. Eco-Friendly Peroxide Cleaner meets the requirements of the GS-37 Green Seal™ Standard. It has a pleasant orange scent.

**P/N 74076 (1 gal. Container)**

## CHEMICALS

### ECO-FRIENDLY CHEMICALS – DISPENSING EQUIPMENT FOR CLEANERS

#### Red Lion™ Blend Mate Wall Dispensers

A mounted dispenser for automatic dilution/metering of Eco-Friendly cleaners into secondary containers (32 oz. bottle or bucket fill) in ready to use form.

**P/N 1822 – Peroxide Cleaner Wall Dispenser**

**P/N 1824 – Multi-Purpose Cleaner Wall Dispenser**

**P/N 1826 – Glass & Window Cleaner Wall Dispenser**

**P/N 1828 – Tub & Tile Cleaner Wall Dispenser**

#### Uses

Convenient wall mount in janitors closets, housekeeping/maintenance rooms, etc.

#### Features

- Gray high density plastic cabinet
- Installation Materials Included:  
Mounting hardware, water inlet hose, 2 locking keys, appropriate metering tips installed by the factory according to product used.
- Cabinet Size:  
22" high x 6-1/2" wide x 7-3/4" deep. Up to 4 cabinets can be linked together with a single cold water source.

#### Available Types

##### Eco-Friendly Glass & Window Cleaner:

- 1 button
- 32 oz. bottle
- pre-set dilution

##### Eco-Friendly Multi Purpose Cleaner:

- 2 button
- 32 oz. bottle & bucket fill
- 3 dilution selector

##### Eco-Friendly Tub & Tile Cleaner:

- 2 button
- 32 oz. bottle & bucket fill
- 3 dilution selector

##### Eco-Friendly Peroxide Cleaner:

- 2 button
- 32 oz. bottle & bucket fill
- 2 dilution selector



**Multi Purpose  
Cleaner Dispenser**



**Glass & Window  
Cleaner Dispenser**



**Tub & Tile  
Cleaner Dispenser**



**Peroxide Cleaner  
Dispenser**

## CHEMICALS

### ECO-FRIENDLY CHEMICALS - CLEANERS/DEGREASERS

**Red Lion™ Safe-T-Line™ products** are less hazardous to the user and less damaging to the environment, while still providing all the quality and performance essential for those tough, demanding industrial applications. They are safer for the user and the environment because it does not contain harmful CFC's, chlorinated solvents, toluene or butyl. It is extremely low in V.O.C.'s and carries a level 1 NFPA 30B fire code rating (the safest storage rating for aerosol products).

**NO CFCs (Chlorofluorocarbons)** – Chemicals linked to ozone depletion.

**NO Chlorinated Solvents** – Also linked to ozone depletion. Certain chlorinated solvents are suspected carcinogens.

**NO Perchloroethylene, Toluene or Butyl** – Suspected carcinogens.

**OZONE-SAFE Propellant** – Propellant has no harmful effect on ozone.

**LOW VOC's (Volatile Organic Compounds)** – Carbon-containing (organic) compounds created from sources such as automobile exhaust, power plants, paints, etc. VOC's can form ground level ozone, a major component of smog.

**NFPA 30B Level 1 Fire Code Rating** – The National Fire Protection Association's best rating for the safe storage of aerosols.

### Engine Degreaser (High pressure spray, water rinsing)

P/N 74183 – 15 oz.



This natural citrus cleaner/degreaser is a powerful engine degreasing formula. It cleans and degreases oil, dirt, grease, tar and adhesives.

#### Features:

- Superior formulation cuts through stubborn grease and oil
- High pressure spray
- Water rinsing
- Non-chlorinated
- Easy to use



#### Applications:

- For use on automotive engines, aluminum, stainless steel, tire whitewalls and garage floors

### H.D. Citrus Cleaner/Degreaser (Powerful citrus base, biodegradable cleaner)

P/N 74145 – 18 oz.



H.D. Citrus Cleaner is a highly concentrated cleaner and degreaser with its powerful foaming action actually lifts dirt and grease off surfaces so it can be easily wiped clean with a cloth.

#### Features:

- Natural citrus solvent
- Powerful foaming action
- Removes grease, oil and dirt from most surfaces
- Deodorizes with fresh citrus scent
- Biodegradable



#### Applications:

- For use on porcelain, formica, tiles, enamel surfaces, vinyl tops, floor mats, sinks, tubs, appliances, tools and equipment, oil and tar stains, printing presses and white wall tires



## CHEMICALS

### ECO-FRIENDLY CHEMICALS – LUBRICANT

**Red Lion™ Eco-Friendly Cutting Oil "Green Aerosol" is toxin-free, petroleum distillate-free, VOC compliant, and contains no ozone depleters. Manufactured from environmentally safe, naturally derived materials and packaged in recyclable containers that are made from partially recycled steel.**

#### What are bio-enzymatic products?

Many cleaners and industrial products contain toxins and chemicals which can cause harmful effects on the environment and human health.

Bio-enzymatic products contain strains of safe, naturally occurring bacteria and enzymes that are very efficient at breaking down and digesting organic materials and eliminating soil and odor, and do not create pollution. Instead of using man-made chemicals that use energy to produce and deplete natural resources, to clean and deodorize, Chromate uses nature's approach.

#### What are renewable resources products?

These products are formulated from ingredients derived from renewable agricultural sources, including citrus and soy, and are excellent alternatives to products made from traditional petroleum-based or synthetic components.

Renewable resource ingredients are constantly replenished by nature and help promote sound environmental stewardship since they don't harm the environment or expose the user to dangerous chemicals.

#### What are the benefits of using aerosols?

Aerosols can produce results unavailable from any other application method by controlling the particle's size, spray pattern, volume and concentration. This combination ensures that the proper amount and concentration of the product is delivered exactly where it's needed.

Additionally, aerosols are packed in sealed containers, making them spill-proof, unlike liquid products. They reduce waste because precise amounts of the product are delivered to an exact area. You can aim and spray exactly where you want to, with maximum effectiveness. Products stay fresh because no air can get in the can, giving them a long shelf-life.



### Eco-Friendly Cutting Oil

A multi-purpose, low odor cutting oil formulated from all natural ingredients for light-to-medium duty applications. Keeps work pieces cooler and generates less smoke than petroleum-based cutting oils.

#### Suitable For:

- Cutting, Tapping, Threading, Sawing, Grinding

#### Features:

- Reduces heat distortion and tool burning, resulting in increased productivity
- Readily biodegrades
- Non-staining on all metals
- Specially designed for field and portable operations

P/N 74084 – Net wt. 11 oz.



CHEMICALS

ECO-FRIENDLY CHEMICALS – BIO-LUBE "LUBRICANT/PENETRANT"

A high performance penetrant and lubricating oil for general purpose use. Formulated with the best optimized USA-grown natural seed oils and select additives, it surpasses the lubricity and performance of conventional lubricants. Loosens rusty bolts, quiets squeaky hinges and moving parts. For general purpose cutting, grinding and drilling metals, milling, tapping, and reaming.

Features

- Multipurpose lubricant and penetrant
- Loosens rusty bolts
- Quiets squeaky hinges and moving parts
- Deters water and protects from rust and corrosion
- General purpose cutting, grinding and drilling metals, milling, tapping, and reaming

Benefits

- Made from renewable USA-grown crop-based vegetable oils, better for your health
- Biobased
- Biodegradable
- Reduces foreign oil dependence
- Multiple applications – Reduces product inventory
- Superior lubricity improves productivity
- Cooler operating and less smoke – Higher operating speeds
- Safe for all metals
- Will help your business comply with ISO-14000
- Does not contain chlorine
- High flash and fire points



DESCRIPTION	PART	
Bio-Lube Spray Bottle, 2 oz.	A	74266
Bio-Lube Spray Bottle, 8 oz.	A	74267

## CHEMICALS

### PAINTS AND COATINGS




P/N 74190 – Red  
P/N 74194 – Yellow  
P/N 74196 – Green  
(All OSHA Paints 15.25 oz.)

## OSHA Color Industrial Enamel Paints (Extremely tough, corrosion resistant, fast drying, acrylic enamel paints)

Provide maximum coverage for marking and color coding pipe lines, electrical equipment, safety equipment, emergency equipment, conduit, tools, motors, ducting and sheet metal. The tough protective coating resists corrosion, chipping and peeling and our unique SprayPro™ nozzle makes application easy in both horizontal and vertical positions.

### Features:

- One coat coverage
- Protects against rust and corrosion
- Use on metal and wood
- Leaves a durable, protective finish
- Dries fast
- SprayPro™ nozzle



### Color Coding Applications:

Even though the Occupational Safety and Health Administration (OSHA) has eliminated the specific color definitions and detailed requirements for Safety Color Coding, the following suggested color scheme has been utilized and accepted throughout the industry. The marking of physical hazards should never take the place of eliminating those hazards when possible, and proper employee training in the recognition of these colors and their respective warnings is imperative.

- **RED** is used to mark fire protection equipment such as alarm boxes, extinguishers, fire blankets and doors, hose connections, hydrants and sprinkler piping. It can also be used on emergency stop bars on hazardous machinery or stop buttons and electrical switches.
- **YELLOW** is used to color code dangerous materials such as flammable liquids, poisonous gases, corrosive liquids (acids and alkalis) and steam, water or air at high temperatures and/or pressures. It can also be used to highlight handrails.
- **GREEN** is used to color code relatively safe materials such as drinking water, service water, brine, syrups or glycols. It can also be used to mark the location of First Aid equipment such as kits, dispensary, stretchers and safety showers.

## CHEMICALS

### STRIPING AND MARKING PAINTS



#### *(Dependable performance in a wide range of marking applications)*

These Striping and Marking Paints are formulated to address today's environmental concerns while providing efficient and dependable performance in a wide range of marking applications. From utilities and construction to recreational and maintenance applications, we offer a striping product suited to your needs.

- **GOLF COURSE MARKER** – a **16 oz.** water-base marker for use on golf courses and other porous applications. Formulated not to harm grass, this marker is not water-soluble and will not wash away during rain or irrigation. This marker comes with the "Converta-Cap", a specially designed protective cover that does not need to be removed before using.
- **ATHLETIC FIELD MARKER** – A specially formulated **20 oz.** water-base paint that will not harm grass and is not water soluble for maximum durability.
- **INVERTED TIP MARKER** – A heavy-duty, **20-oz.** water-base industrial marker. The no-clog, fast drying formula is available in a full range of construction and APWA colors. This marker also comes with the "Converta-Cap". This provides the user with a convenient marking tool without the worry of accidentally spraying. The new spray tip provides crisp lines up to 4" wide and approximately 250 feet in length.
- **TRAFFIC MARKER** – A **20-oz.** water-base paint formulated with high pigment solids ideally suited for a wide range of applications including concrete, blacktop, gravel or dirt. Not affected by water.

#### Applications:

##### ATHLETIC MARKER PRODUCTS

For grass and turf applications

- Recreational school fields
- Rental yards
- Golf courses
- Nurseries
- Paving contractors
- Landscaping
- Home landscaping layouts

##### TRAFFIC MARKER PRODUCTS

For asphalt and concrete applications

- School Parking Lots and Playgrounds
- Apartment complexes
- Churches
- Rental yards
- Golf courses
- Paving contractors
- Water/Sewer lines
- Hotels
- Public works municipal projects

*For applicator tools, see next page.*

##### GOLF COURSE MARKER

- Inverted-Straight Nozzle – 16 oz.  
P/N 74050 – White  
P/N 74051 – Red

##### ATHLETIC FIELD MARKER

- "T" Type Nozzle – 20 oz.  
P/N 74052 – White  
P/N 74053 – Orange

##### INVERTED TIP MARKER

- Inverted-Straight Nozzle – 20 oz.  
P/N 74004 – Purple  
P/N 74054 – White  
P/N 74055 – Fluorescent Red  
P/N 74056 – Fluorescent Orange  
P/N 74057 – Precaution Blue  
P/N 74058 – Alert Orange  
P/N 74059 – Safety Red  
P/N 74060 – Fluorescent Green  
P/N 74061 – Fluorescent Hot Pink  
P/N 74062 – Utility Yellow

##### TRAFFIC MARKER

- T-Type Nozzle – 20 oz.  
P/N 74063 – White  
P/N 74064 – Yellow  
P/N 74065 – Red  
P/N 74066 – Handicap Blue



## CHEMICALS

### STRIPING AND MARKING PAINTS - APPLICATORS



#### Traffic Marking Machine

**P/N 1810**

Designed exclusively for Traffic Striping Marker Paints. Applies clean, crisp even stripes or marks from 2" to 4". Use on porous surfaces ranging from asphalt to concrete.

.....

#### Marking Wand

**P/N 1812**

Easy loading. Machine is ready to use and requires no accessories. 33" overall extension and light touch makes marking simple and accurate. Nickel zinc plating makes it durable and corrosion resistant. Great for golf courses, utilities, surveyors, contractors and more.



#### Athletic Marking Machine

**P/N 1811**

Designed with larger wheels and to be used exclusively with Athletic Field Striping Paints only. Ready to use and requires no accessories. Allows applications of lines up to 2" to 4" on athletic fields or other turf surfaces.

.....



#### Traffic Marking Applicator

**P/N 1809**

Designed for heavy-duty paint application where a wider stripe is required. For use on concrete, asphalt and athletic fields. Easy loading, with light touch control that makes marking simple and accurate.

Use with all 20 oz. Traffic or Athletic Marker Paints only.

## CHEMICALS

### PAINTS AND COATINGS



#### Non-Conductive Paint (Maintains Non-conductivity Coating Integrity)

P/N 74029 – 16 oz.

##### Features:

- Glossy white
- Single coat hiding power
- Resists:
  - Fading
  - Chipping
  - Peeling
  - Cracking
  - Corrosion
- High opacity
- Great durability
- Lead-free formulation

##### Applications:

- Bucket trucks
- Buckets
- Utility bodies
- Utility contractors
- Power companies
- Fire departments
- Scaffolding coating
- Tops of ladders & hooks
- Power boxes



#### Rust-Away II Rust Converter (Converts rust to a tough protective coating)

P/N 74701 – 15 oz.

##### Features:

- Specially formulated to convert rusted metal surfaces to a tough, black protective coating.
- No priming or sanding and won't crack, chip or peel
- Forms an airtight protective seal
- Stops rust dead in its tracks
- Weather and chemical resistant
- Paintable

##### Applications:

- Protects transformers, coils, tools, fixtures, brackets, equipment, heavy machinery, chain link fences and hundreds of other applications.



#### Rust-Away™ Rust Conversion Coating (Flexible latex coating – chemically converts rust)

P/N 74157 – 32 oz.

P/N 74555 – 1 gal.

##### Features:

- Chemically converts rust to a long lasting weather and chemical resistant coating
- This water-based formulation is easily applied like paint and stops rust dead in its tracks
- The flexible latex acrylic coating is specially formulated for rusted metal surfaces
- No priming or sanding and won't crack, chip or peel
- Forms an airtight seal
- Flexible latex coating lasts for years

##### Applications:

- Protects transformers, coils, tools, fixtures, brackets, equipment, heavy machinery, chain link fences and hundreds of other applications.
- Bonds to metal, wood, concrete and plastics without primers.

## SPILL CONTAINMENT

### SORBENT PADS, ROLLS AND BOOM



#### Fine Fiber Meltblown Pads and Rolls

- Top and bottom layers of fine fiber are built of densely-woven, small-diameter strands of fiber to increase surface area, enabling the mat to grip the floor and secure it for safe walking
- A 3-ply construction with a layer of melt blown polypropylene ultrasonically sandwiched between two fine fiber layers makes this mat virtually indestructible to foot traffic
- Polypropylene fibers creates a high-loft inner layer

Part No.	Description	Size	Sorbent Capacity	Packaging	Weight
28310*	Medium Weight Pads, Gray	15" x 19"	21 Gallons	100/Box	13 lbs.
28311	Double Weight Roll, Gray	30" x 150'	50 Gallons	1 Roll	29 lbs.
28312	Single Weight Roll, Gray	30" x 300'	50 Gallons	1 Roll	30 lbs.

#### Bonded Meltblown Pads and Rolls – For Oil-Only



- Twin bonded layers of melt blown polypropylene creates high surface area
- The mat sucks up liquid quickly and keeps its shape when fully saturated
- Twin layered random assembly of large diameter melt blown polypropylene fibers creates a high loft inner layer
- Ultrasonic weld points fuse the layers of melt blown polypropylene fibers together

Part No.	Description	Size	Sorbent Capacity	Packaging	Weight
28313	Double Weight Pads, White	15" x 19"	30 Gallons/Bale	100/Bale	15 lbs.
28314	Double Weight Roll, White	30" x 150'	56 Gallons/Roll	1 Roll	29 lbs.
28315	Single Weight Roll, White	30" x 300'	59 Gallons/Roll	1 Roll	30 lbs.

#### Standard Meltblown Pads – For Oil-Only



- Loose stacked-weave construction increases surface area on spill
- Starts absorbing on contact
- Fibers are left in their natural hydrophobic state
- Hydrophobic fibers repel water (and float) while only absorbing oils and other hydrocarbons

Part No.	Description	Size	Sorbent Capacity	Packaging	Weight
28316*	Double Weight Pads, White	15" x 19"	34 Gallons/Bale	100/Bale	15 lbs.
28317*	Medium Weight Pads, White	15" x 19"	27 Gallons/Bale	100/Bale	12 lbs.
28318	Single Weight Pads, White	15" x 19"	36 Gallons/Bale	200/Bale	16 lbs.

#### Booms – For Oil-Only



- Strong mesh outer skin encases a poly sock sleeve filled with highly sorbent polypropylene
- Filler won't shed and booms won't sink, even when saturated with oil
- Built in connectors link booms together

Part No.	Description	Size	Sorbent Capacity	Packaging	Weight
28319	Lint-Free Absorbent Boom, White	5" x 10'	35 Gallons/Bale	4 Booms/Bale	24 lbs.

\* Stock item. For all other part numbers, please allow up to 10 days after receipt of order for delivery.

## SPILL CONTAINMENT

### SORBENT SOCKS AND SPILL KITS



#### Sorbent Socks – For Oil-Only

- Ideal for surrounding spilled fluids to keep them from spreading
- Easy and convenient to put into place
- Conforms to the base of leaky machines
- Fits snugly to absorb leaking fluids before they spread to walk areas and become slippery hazards

Part No.	Description	Size	Sorbent Capacity	Packaging	Weight
28320	Oil-Only Absorbent Sock, White	3" x 4'	30 Gallons/Case	30 Socks/Case	35 lbs.
28321	Oil-Only Absorbent Sock, White	3" x 8'	30 Gallons/Case	15 Socks/Case	35 lbs.



#### Sorbent Socks – Universal/Maintenance

- Ideal for surrounding spilled fluids to keep them from spreading
- Easy and convenient to put into place
- Conforms to the base of leaky machines
- Fits snugly to absorb leaking fluids before they spread to walk areas and become slippery hazards

Part No.	Description	Size	Sorbent Capacity	Packaging	Weight
28322	Universal Absorbent Sock, Gray	3" x 4'	30 Gallons/Case	30 Socks/Case	35 lbs.
28323	Universal Absorbent Sock, Gray	3" x 8'	30 Gallons/Case	15 Socks/Case	35 lbs.

#### Spill Kits – Oil Only, Universal & Hazmat

- Everything you need for a complete and thorough clean up of a large industrial spill
- Screw on lid makes a tight, secure seal ensuring a secure and leak free transport to a disposal site
- 65 gallon and 95 gallon spill kits are DOT approved

Part No.	Description	Type	Sorbent Capacity	Weight
28336	30 Gallon Drum Spill Kit, Blue	Oil-Only	18 Gallons	31 lbs.
28337	30 Gallon Drum Spill Kit, Blue	Universal	18 Gallons	31 lbs.
28338	30 Gallon Drum Spill Kit, Blue	Hazmat	18 Gallons	31 lbs.
28336REFILL	30 Gallon Drum Spill Kit Refill	Oil-Only	18 Gallons	17 lbs.
28337REFILL	30 Gallon Drum Spill Kit Refill	Universal	18 Gallons	17 lbs.
28338REFILL	30 Gallon Drum Spill Kit Refill	Hazmat	18 Gallons	17 lbs.
28333	55 Gallon Drum Spill Kit, Blue	Oil-Only	44 Gallons	55 lbs.
28334	55 Gallon Drum Spill Kit, Blue	Universal	44 Gallons	55 lbs.
28335	55 Gallon Drum Spill Kit, Blue	Hazmat	44 Gallons	55 lbs.
28333REFILL	55 Gallon Drum Spill Kit Refill	Oil-Only	44 Gallons	29 lbs.
28334REFILL	55 Gallon Drum Spill Kit Refill	Universal	44 Gallons	29 lbs.
28335REFILL	55 Gallon Drum Spill Kit Refill	Hazmat	44 Gallons	29 lbs.
28330	65 Gallon Overpack Spill Kit, Yellow	Oil-Only	46 Gallons	85 lbs.
28331	65 Gallon Overpack Spill Kit, Yellow	Universal	46 Gallons	85 lbs.
28332	65 Gallon Overpack Spill Kit, Yellow	Hazmat	46 Gallons	85 lbs.
28330REFILL	65 Gallon Overpack Spill Kit Refill	Oil-Only	46 Gallons	38 lbs.
28331REFILL	65 Gallon Overpack Spill Kit Refill	Universal	46 Gallons	38 lbs.
28332REFILL	65 Gallon Overpack Spill Kit Refill	Hazmat	46 Gallons	38 lbs.
28327	95 Gallon Overpack Spill Kit, Yellow	Oil-Only	73 Gallons	90 lbs.
28328	95 Gallon Overpack Spill Kit, Yellow	Universal	73 Gallons	90 lbs.
28329	95 Gallon Overpack Spill Kit, Yellow	Hazmat	73 Gallons	90 lbs.
28327REFILL	95 Gallon Overpack Spill Kit Refill	Oil-Only	73 Gallons	40 lbs.
28328REFILL	95 Gallon Overpack Spill Kit Refill	Universal	73 Gallons	40 lbs.
28329REFILL	95 Gallon Overpack Spill Kit Refill	Hazmat	73 Gallons	40 lbs.

\* Stock item. For all other part numbers, please allow up to 10 days after receipt of order for delivery.



## SPILL CONTAINMENT

### SPILL KITS



#### Spill Cart on Wheels – Oil Only, Universal & Hazmat

- Developed to contain spills over 100 gallons
- 4" rubber casters allow for maximum mobility across a plant floor to quickly respond to a spill
- Refills are also available for large spill carts

Part No.	Description	Type	Sorbent Capacity	Weight
28324	Large Spill Kit On Wheels, White	Oil-Only	108 Gallons	170 lbs.
28325	Large Spill Kit On Wheels, White	Universal	108 Gallons	170 lbs.
28326	Large Spill Kit On Wheels, White	Hazmat	108 Gallons	170 lbs.
28324REFILL	Large Spill Kit On Wheels Refill	Oil-Only	108 Gallons	85 lbs.
28325REFILL	Large Spill Kit On Wheels Refill	Universal	108 Gallons	85 lbs.
28326REFILL	Large Spill Kit On Wheels Refill	Hazmat	108 Gallons	85 lbs.



#### Spill Kit in Zipper Poly Bag – Oil Only & Universal

- Use around the shop or in a vehicle
- Kit allows a worker or driver to act quickly when responding to a spill
- Compact enough to fit easily in a truck cab

Part No.	Description	Type	Sorbent Capacity	Weight
28339	Poly Bag Spill Kit – Clear Poly	Oil-Only	5 Gallons	6 lbs.
28340	Poly Bag Spill Kit – Clear Poly	Universal	5 Gallons	6 lbs.



#### Spill Kit for Acids/Caustics – 5 Gallons

- Ideally used in battery shops or any area prone to leaking caustics.
- Kit Contains:
  - (1) Pail
  - (1) Two lb. Shaker of Neutralizers
  - (5) Acid Absorbing Pads, 15" x 19"
  - (2) Socks
  - (2) Disposable Bags with Ties
  - (1) Scoop
  - (1) Pair of Goggles
  - (1) Pair of Nitrile Gloves

Part No.	Description	Size	Type	Sorbent Capacity	Weight
28341	Acid Spill Kit	—	Acid/Caustics	5 Gallons	9 lbs.
28342	Acid Absorbing Pads	15" x 19"	Acid/Caustics	5 Gallons	—

\* Stock item. For all other part numbers, please allow up to 10 days after receipt of order for delivery.

## SPILL CONTAINMENT

### SPILL PALLETS



#### Spill Pallet – 1 Drum

- Great for safely storing a single 55 gallon drum

Part No.	Description	Pallet Size	Containment	Weight
28350	1 Drum Spill Pallet	26" L x 26" W x 6.5" H	15 Gallons	16 lbs.



#### Spill Pallet (Low Profile) – 2 Drum

- Store two 55 gallon drums without worrying about spills or leaks

Part No.	Description	Pallet Size	Containment	Weight
28351	2 Drum Spill Pallet	26.25" L x 51.5" W x 6.5" H	32 Gallons	32 lbs.
28356	Poly Ramp	45.5" L x 32" W x 8" H	–	32 lbs.



#### Spill Pallet (High Profile) – 2 Drum

- Store two 55 gallon drums without worrying about spills or leaks
- SPCC compliant, so you can be sure that your facility will remain clean and safe



Part No.	Description	Pallet Size	Containment	Weight
28352	2 Drum Spill Pallet	26.25" L x 51.5" W x 15" H	68 Gallons	54 lbs.



#### Spill Pallet (Low Profile) – 4 Drum

- Designed for facilities storing multiple drums on location
- SPCC compliant, so you can be sure that your facility will remain clean and safe



Part No.	Description	Pallet Size	Containment	Weight
28353	4 Drum Spill Pallet	51.5" L x 51.5" W x 10" H	62 Gallons	65 lbs.
28356	Poly Ramp	45.5" L x 32" W x 8" H	–	32 lbs.



#### Spill Pallet (In-Line) – 4 Drum

- Designed for facilities storing multiple drums on location
- SPCC compliant, so you can be sure that your facility will remain clean and safe



Part No.	Description	Pallet Size	Containment	Weight
28354	4 Drum Spill Pallet	106" L x 30.25" W x 6.75" H	63 Gallons	74 lbs.
28356	Poly Ramp	45.5" L x 32" W x 8" H	–	32 lbs.



#### Spill Pallet (High Profile) – 4 Drum

- Designed for facilities storing multiple drums on location
- SPCC compliant, so you can be sure that your facility will remain clean and safe



Part No.	Description	Pallet Size	Containment	Weight
28355	4 Drum Spill Pallet	26.25" L x 51.5" W x 15" H	98 Gallons	88 lbs.

\* Stock item. For all other part numbers, please allow up to 10 days after receipt of order for delivery.

SPCC compliant: Drum pallet must contain 110% of the largest container on pallet.

## SPILL CONTAINMENT

### SAFETY CABINETS



45 gallon flammable



60 gallon flammable



40 gallon paint and ink



60 gallon paint and ink

### 30/45/60 Gallon Flammable Storage Cabinets

- Safely store combustible fluids that must be stored away from any open flames or electricity
- Store up to 60 gallons
- Available in manual or self close and with one or two shelves
- Bright yellow for visibility
- 2 Doors
- 1 Shelf models – 4 gal. / 30 gal. (*not shown*)
- 2 Shelf models – 45 gal. / 60 gal.

Part No.	Description	Cabinet Size	Capacity	Weight
28362	Storage Cabinet (Self Close) – 2 Shelf	31.25" L x 31.25" W x 65" H	60 Gallons	364 lbs.
28363	Storage Cabinet (Manual Close) – 2 Shelf	31.25" L x 31.25" W x 65" H	60 Gallons	364 lbs.
28364	Storage Cabinet (Manual Close) – 2 Shelf	43" L x 18" W x 65" H	45 Gallons	353 lbs.
28365	Storage Cabinet (Self Close) – 2 Shelf	43" L x 18" W x 65" H	45 Gallons	353 lbs.
28366	Storage Cabinet (Manual Close) – 1 Shelf	43" L x 18" W x 44" H	30 Gallons	257 lbs.
28367	Storage Cabinet (Manual Close) – 1 Shelf	17.5" L x 18" W x 22.5" H	4 Gallons	70 lbs.

### 40/60 Gallon Paint and Ink Storage Cabinets

- Safely store up to 60 gallons of paint or ink in these cabinets
- 3 shelf model – 40 gal.
- 5 shelf model – 60 gal.

Part No.	Description	Cabinet Size	Capacity	Weight
28360	Storage Cabinet (Manual Close) – 3 Shelf	43" L x 18" W x 44" H	40 Gallons	281 lbs.
28361	Storage Cabinet (Manual Close) – 5 Shelf	43" L x 18" W x 65" H	60 Gallons	389 lbs.

### Grounding Wires for Storage Cabinets

- These wires provide maximum protection against any static electricity or sparks that may cause ignition of fuels, paints or inks
- Helps comply with Uniform Fire Code, Division VIII, Section 79.803
- Used to prevent sparking around flammable or combustible liquids, when used in combination with safety cabinets

Part No.	Description	Length	Weight
28368	Bonding Wires, Silver	3'	1 lb.

\* Stock item. For all other part numbers, please allow up to 10 days after receipt of order for delivery.

## SPILL CONTAINMENT

### SPECIALTY SPILL ABSORBENTS



#### Track Mat – Oil Only Railroad Containment Absorbent

- For preventing or controlling oil spills, leaks and drips
- 3-ply construction includes an oil only polypropylene core, surrounded by an impenetrable barrier film that prevents absorbed liquids from leaching out
- Has a UV resistant cover-stock, providing an outdoor life of 12 to 18 months
- Capable of absorbing nearly 3 gallons of oil or other petroleum products per square yard
- Originally designed for use between and on the outside of RR tracks
- Used by transportation companies, utilities, refineries, and steel mills

Part No.	Description	Size	Packaging
28226	Track Mat Inner Roll	59" W x 100' L	1
28227	Track Mat Outer Roll	19" W x 100' L	2

#### Chromagic – Universal Spill Absorbent



**CAUTION:** Cannot be used to absorb Hydrofluoric Acid (HF).

- One absorbent for multiple types of spills
- Non-toxic & Non-flammable
- Environmentally safe and friendly
- 15 times more absorbent than clay based products
- Lightweight – Up to 20 times lighter than clay based products
- Will save money on shipping, storing and disposal
- Instant clean up saves time
- Meets or exceeds all OSHA and EPA requirements
- Unlike kitty litter products that contain "Crystalline" Silica, Chromagic does not, under OSHA standards, qualify as a carcinogen, or as a substance causing silicosis, a lung disease
- Less accidents, It picks up oily sheen – Reduce Workers' Compensation
- One pound of Chromagic can completely absorb one quart of motor oil; clay, earth, and sand products require 15 pounds of material
- Works on all animal, vegetable, mineral, petroleum based or semi-liquid spills
- Non-injurious to most surfaces including cement, asphalt, tile, and carpet

Part No.	Description	Size	Packaging
28234	Chromagic Spill Absorbent	0.15 cu. ft.	2

#### Quik-Zorb™ Spill Absorbent

P/N 74189 – 16 oz.



##### Features:

- Instantly "gels" all water-based chemical spills
- Instantly "gels" human and animal bodily fluids; including blood, urine and vomit
- Turns liquid biohazards into sweepable, flushable gel / Biodegradable – can be flushed
- Works on hard surfaces and carpet
- Absorbs over 100 times its weight, allowing quick and easy cleanup of spills
- Deodorizes with a fresh mint odor counteractant fragrance
- USDA approved
- V.O.C. compliant – contains no VOC's or ozone depleting chemicals

##### Applications:

- Industrial plants • Processing plants • Plumbing contractors • hospitals • Nursing homes
- Day care centers • Athletic clubs • Schools/Offices • School buses • Laboratories • Restaurants
- Shopping centers • Taverns • Airlines • Cruise liners • Public transportation • Ambulance services
- Taxi cabs/Watercraft • Pet stores • Kennels • Veterinarians • Jail cells • Waste haulers



## SPILL CONTAINMENT

### ONE-PIECE SECONDARY CONTAINMENT BERMS



### Snap Up Berms, Ground Tarps and Track Belts

- One-piece secondary containment berm is easily deployed and set up by one or more people
- Deploys in minutes
- Drive in and use
- Snap-up leg supports; manufactured using high tensile patented, unbreakable, non-sparking co-polymer rods
- Leg supports snap into place creating strong dependable side walls
- Leg supports are permanently attached to containment berm

#### Features

- No difficult assembly
- No air needed
- Stores in a compact shippable size
- Resistant to corrosive solvents
- Long lasting
- Heavy durable fully fuel resistant to all EPA regulations for secondary containment
- High level UV standards

#### Ground Tarp

- 30 mils minimum reinforced fabric
- High abrasion resistance
- Puncture resistant
- Specially designed to be driven over
- Adds protection from rough sub grades
- Allows the berm systems to be deployed in almost any terrain

#### Track Belts

- Gives added protection for tire tracks onto and over containment berms and other areas in need of protection
- Heavy duty vinyl coated polyester core
- Rolls out ready to use

Part No.	Description	Liquid Capacity	For Size
9-STC-1010-12	Berm	750 Gallons	10' x 10' x 12"
9-STC-TB-3-10	Track Belt Set	—	10' x 10' x 12"
9-STC-GT-1010	Ground Tarp	—	10' x 10' x 12"
9-STC-1236-12	Berm	3,240 Gallons	12' x 36' x 12"
9-STC-TB-3-36	Track Belt Set	—	12' x 36' x 12"
9-STC-GT-1236	Ground Tarp	—	12' x 36' x 12"
9-STC-1260-12	Berm	5,400 Gallons	12' x 60' x 12"
9-STC-TB-3-60	Track Belt Set	—	12' x 60' x 12"
9-STC-GT-1260	Ground Tarp	—	12' x 60' x 12"
9-STC-1466-12	Berm	6,930 Gallons	14' x 66' x 12"
9-STC-TB-3-66	Track Belt Set	—	14' x 66' x 12"
9-STC-GT-1466	Ground Tarp	—	14' x 66' x 12"

\* Stock item. For all other part numbers, please allow up to 10 days after receipt of order for delivery.

## MISCELLANEOUS – PNEUMATICS/COMPRESSED AIR

### QUICK DISCONNECTS – PUSH BUTTON SAFETY RELEASE COUPLINGS



- State of the art push-button coupling technology
- Double release air safety coupling prevents hose whip
- Leakage free – "thru o-ring" design greatly reduces expensive air leaks
- Fully interchangeable with series listed below
  - Meeting MIL-C-4109 and ISO 6150-B specifications conforms to ISO 4144 safety specifications

#### Applications:

- Safety required air tools, blowguns, air automatic equipment
- Paint and body shops
- Automotive and aircraft assembly lines

#### Instructions:

1. The first press on the push-button decompresses the lower part of the circuit without disconnecting the plug, and with reduced risk to the user.
2. The second press on the push button safely releases the plug.

ARO STYLE INTERCHANGE SERIES			INDUSTRIAL INTERCHANGE SERIES						TRU-FLATE / PARKER STYLE INTERCHANGE SERIES					
			"H" STYLE – 3/8"			"M" STYLE – 1/4"			"P" STYLE – 3/8"			"T" STYLE – 1/4"		
			NPT PIPE THREAD	FLOW I.D.	PART	NPT PIPE THREAD	FLOW I.D.	PART	NPT PIPE THREAD	FLOW I.D.	PART	NPT PIPE THREAD	FLOW I.D.	PART
"A" STYLE – 1/4"			3/8 Female	3/8	A 52293	1/4 Female	1/4	A 52289	3/8 Female	3/8	A 52299	1/4 Female	1/4	A 52295
NPT PIPE THREAD	FLOW I.D.	PART	3/8 Male	3/8	A 52294	1/4 Male	1/4	A 52290	3/8 Male	3/8	A 52301	1/4 Female	3/8	A 52297
1/4 Female	1/4	A 52296	–	–	–	3/8 Female	1/4	A 52291						
–	–	–	–	–	–	3/8 Male	1/4	A 52292						

### SAFETY BLOW GUN WITH OSHA VENTURI NOZZLE

**Ergonomic design fits in your hand comfortably, and composite body and nozzle will not scratch – sturdy and durable.**

- Light weight (4.8 oz.)
- 1/4" female brass insert to match any plug profile
- Built-in hole on body so it can hang up easily on hook
- The shape of the trigger will not allow any dust or material inside the gun
- It operates with a double O-ring seal and stainless steel spring
- Built-in trigger stop at the handle base prevents the handle from being over extended and fatigued
- Trigger and nozzle angle are shaped in the natural air flow of the gun
- 7.7 SCFM @ 87 PSI
- 90 db rating
- Blower Force - 9.5 oz.
- Dynamic pressure @ 87 PSI = 17.40 PSI



DESCRIPTION	PART
Safety Blowgun with OSHA Venturi Nozzle	A 52233

## MISCELLANEOUS – PNEUMATICS/COMPRESSED AIR

### POCKET BLO-GUN

- Easy grip two finger air control
- Adjusts from whisper to full volume air flow
- "M" Style
- "T" Style



DESCRIPTION	PART	
Fits 1/4 "M" Style Coupler Body	A	52224
Fits 1/4 "T" Style Coupler Body	A	52226

### RUBBER TIP BLO-GUN

- Full line pressure
- Heavy duty
- Leak-proof connection for blowing out fluid lines
- Won't mar delicate or painted surfaces



DESCRIPTION	PART	
1/4" NPT Air Inlet with Rubber Tip	A	52230

### SAFETY LEVER BLO-GUN

- Full flow
- Lever easily controls air flow
- Hundreds of automotive / industrial uses
- Rugged construction
- Meets OSHA requirements



DESCRIPTION	PART	
1/4" NPT Air Inlet Nozzle Thread 7/16-27	A	52228
1/4" NPT Air Inlet w/Hang-Up Hook Nozzle Thread 1/8-27	A	52229

MISCELLANEOUS – CUTTING TOOLS

Saf-T-Küt™ CARBIDE TIPPED RECIPROCATING SAW BLADES – 1/2" SHANK

**Sāf-T-Küt™ saw blades save you huge amounts of time and trouble. This little investment can save you BIG dollars!**



**Don't let your workers cost you thousands of dollars in repairs due to accidentally cutting into electrical, telecommunications or plumbing lines!**

**Our blades are designed to safely cut through drywall and plaster without damaging hidden lines within the walls.**

The carbide tipped blades were developed by contractors just like you that were spending time and money fixing mistakes created by old style blades. With Sāf-T-Küt reciprocating saw blades this problem is virtually eliminated!

- Fits any reciprocating saw
- Cuts through drywall and plaster easily
- Keeps plumbing and electrical lines safe
- Eliminates dust
- Sold in 2 blade packs

DESCRIPTION	LENGTH	PART	
Sāf-T-Küt™ Specialty Recip Blade	2-1/8"	B	19270



## MISCELLANEOUS – SAFETY CENTER

### MSDS SAFETY SHELF / MSDS BINDER / HAZARDOUS MATERIALS POSTERS

#### MSDS Safety Shelf

- Holds up to three binders
- Wall Mountable
- 3 pierced holes for chain attachments
- Exterior Dimensions:  
20" H x 37-1/2" W x 14" D
- Shipping weight: 32 lbs.



P/N 50024

P/N 17033

Get all of these great safety items in one shot with the Safety Center (P/N 17033). Or order each item separately using the individual part numbers.

Under Federal law, you may be required to have a Material Safety Data Sheet (MSDS) on file for every chemical used at your place of business.

Keep your Material Safety Data Sheets organized and readily accessible with our top quality MSDS Binders.

Employees who don't understand how to handle hazardous materials properly are a risk to themselves and others.

An overly technical MSDS and different labeling systems can add to the confusion. Help your workers understand all of the technical terms and label symbols so they can work safely.



P/N 85199

#### MSDS Binder

- 1-1/2" ring – yellow
- Made from .055 gauge polyethylene
- Durable, yet lightweight
- Bright yellow poly with black imprint provides high visibility
- Top quality 1-1/2" capacity 3-ring (metal), with opening and closing boosters
- Holds approximately 300 sheets of 20# bond – 8.5" x 11" paper

#### Hazardous Material Posters (2)

- Heavy duty laminated posters
- One poster instructs employees on how to read a MSDS
- The second poster instructs employees on how to read hazardous material labels
- Poster size: 18" W x 26" H



P/N 200147

## HURRICANE & DISASTER PREPAREDNESS KIT

### #17958 COMPLETE KIT (Fastener and Safety Kits)

- Everything you need to be prepared for a hurricane, emergency disaster or blackout
- Fastener Kit contains all items necessary for fast and secure board-up of windows and doors
- Safety items are neatly pre-packed in a heavy duty water-resistant bag and ready for immediate use
- Wide opening bag has 23 pockets for additional tools



**Fastener Kit only**  
#17958F



**Safety Kit only**  
#17958S

#### FASTENER KIT INCLUDES:

PART #	QTY	DESCRIPTION
2680	40	1/4-20 x 1" Truss Head Machine Screws
2682	40	1/4-20 x 1-1/4" Truss Head Machine Screws
2684	40	1/4-20 x 1-1/2" Truss Head Machine Screws
5146	100	Wing Nuts with Washer
83090	1	1/4" Wing Nut Driver
9057	30	Tapcon / Hurricane Screws
9059	20	Tapcon / Hurricane Screws
9061	20	Tapcon / Hurricane Screws
21132	70	1/4-20 x 3" Hanger Bolts
59100	6	Hurricane Clips <ul style="list-style-type: none"> <li>• Boardup aluminum-framed windows without drilling or screws</li> <li>• Hurricane clips work with aluminum-framed window casings that are at least 1-1/2 inches deep</li> <li>• Use with 3/4" plywood</li> </ul>
8079	5	Snap Ties <ul style="list-style-type: none"> <li>Just One Snap To Tie and Untie – Fully Reusable</li> <li>• Highly visible yellow color – Nylon 6/6</li> <li>• Use for multiple applications</li> <li>• Easier than rope, no knots to tie</li> <li>• Tensile strength: 200 lbs.</li> </ul>
7923P	1	Plastic Assortment Tray with Adjustable Compartments

#### SAFETY KIT INCLUDES:

PART #	QTY	DESCRIPTION
59081	12	Glow Sticks <ul style="list-style-type: none"> <li>• 360° of light</li> <li>• Nonflammable / Waterproof / Floatable</li> <li>• Easy to use</li> </ul>
59040	4	Gloves
59026	2	Goggles
85007	1	First Aid Kit
66404	1	Small Flashlight
66410	1	Utility Knife
66450	1	2-Way Radios (Pair) <ul style="list-style-type: none"> <li>• Range up to 3 miles</li> <li>• Channel Scan/Monitor</li> <li>• 22 Channels</li> <li>• Belt clip included</li> </ul>
66451	1	Self-Powered AM/FM Weather Band Radio <ul style="list-style-type: none"> <li>• 3-way power: Dynamo (manual charge – crank) AC Adapter (not included) 2 AA Batteries</li> <li>• Receives 24 hour weather information</li> <li>• Earbuds and detachable carrying strap included</li> </ul>
29202	4	Batteries (C Cell)
29201	4	Batteries (D Cell)
29204	8	Batteries (AAA Cell)
59060	2	Ponchos
59010	5	Nuisance Mask
2885	1	Duct Tape
200060	1	Gate Mouth Bag (17"L x 9"W x 12"H)



# MAINTENANCE EFFICIENCY CENTER

**Get organized and increase your efficiency now!**

**SUPERIOR QUALITY PRODUCTS • SAVE ON DOWNTIME • REDUCE LABOR COSTS**



## CHROMATE OFFERS YOU EXCEPTIONAL PRODUCTS, SERVICE, AND INNOVATIVE SOLUTIONS!

- A leading supplier of high quality maintenance products and inventory management services.
- Providing the industrial MRO market places with "Systematic Solutions" for 50 years.
- Our expertise is in the reduction of your consumable MRO parts procurement costs (acquisition, possession, and application).
- Satisfying the needs of the most demanding industries such as mass transit & fleet maintenance, construction, power, energy & utilities, hospitals, universities and more.
- Eliminate wasted time and money spent on parts chasing and performing maintenance operations with incorrect and inferior parts.

### **CUTTING TOOLS**

BANDSAW BLADES  
COBALT DRILLS  
END MILLS  
HACKSAW BLADES  
HOLE SAWS  
MASONRY DRILLS  
PRO™ DRILLS  
QUAD POINT™ DRILLS  
RECIPROCATING BLADES  
ROTARY FILES  
STEP DRILLS  
TAPS / DIES  
TUNGSTEN CARBIDE BLADES

### **CHEMICALS - RED LION™**

ADHESIVES  
AEROSOLS  
BULK CONTAINERS  
CLEANERS / DEGREASERS  
CUTTING FLUIDS  
FOOD GRADE  
LUBRICANTS  
ODOR CONTROL  
PAINTS  
SOLVENTS  
TOOL COOLANTS

### **SHOP SUPPLIES**

ABRASIVES  
EYE BOLTS  
GRINDING / CUT-OFF WHEELS  
HOSE CLAMPS  
KEY / BAR STOCK  
LED SAFETY LIGHTING  
MOUNTED POINTS  
"O" RINGS  
"S" HOOKS  
SCREW EXTRACTORS  
SPRINGS  
TAPE  
WIRE BRUSHES

### **FASTENERS**

ANCHORS  
BRASS  
CARRIAGE / PLOW BOLTS  
FLANGE BOLTS  
HIGH STRENGTH CAP SCREWS  
MACHINE SCREWS  
METAL SCREWS  
METRICS  
RETAINING RINGS  
SOCKET / SET SCREWS  
STAINLESS  
THREADED ROD

### **ELECTRICAL**

BATTERY CABLE  
BULBS  
CABLE CLAMPS  
CONNECTORS  
FUSES  
INSULATION  
PRIMARY WIRE  
SHRINK TUBING  
SPLIT BOLTS  
TAPE  
TERMINALS  
WIRE TIES

### **WELDING - AURALLOY™**

210 - MILD STEEL  
225 - HIGH STRENGTH STEEL  
250 - STAINLESS STEEL  
300 - CAST IRON  
400 - CHAMFERING  
500 - SOLDER  
600 - ALUMINUM  
700 - BRAZING  
800 - HI-STRENGTH BRAZING  
900 - HARD SURFACING  
FLUXES  
JIGGING / HEAT DAM PUTTY

### **FLEET**

AIR BRAKE FITTINGS  
AIR BRAKE HOSE  
AIR CHUCKS  
BATTERY TERMINALS  
BULBS  
FLANGE / MANIFOLD BOLTS  
FUSES  
GLADHANDS  
GREASE FITTINGS  
HOSE REPAIR KITS  
IGNITION TERMINALS  
VACUUM HOSE / FITTINGS

### **HYDRAULICS**

BLACK IRON PIPE  
BRASS  
COLL-O-CRIMP  
COMPRESSION  
FLARE  
GREASE  
HOSE  
INSTANT  
REUSABLE  
STEEL  
TUBING  
VACUUM

### **FIRST AID/SAFETY**

BANDAGES  
CABINETS  
EYECARE  
FIRST AID KITS  
GLOVES  
HI-VIS CLOTHING  
OINTMENTS  
SAFETY GLASSES  
TABLETS  
WIPES

# The Sytematic Solution To All Your Maintenance Needs!



**CUTTING TOOLS**



**CHEMICALS**



**SHOP SUPPLIES**



**FASTENERS**



**ELECTRICAL**



**WELDING**



**FLEET**



**HYDRAULICS**



**FIRST AID/SAFETY**



**CHROMATE INDUSTRIAL CORPORATION**  
5250-A NAIMAN PARKWAY • SOLON • OH • 44139  
1-888-567-2206 • 1-800-BUY-BOLT • FAX: 631-567-2418  
[www.chromate.com](http://www.chromate.com)

