

CHEMICALS



ADHESIVES AND SEALANTS | BULK CHEMICALS | CLEANERS AND DEGREASERS
SKIN CARE | INSECTICIDES | LUBRICANTS | PAINTS AND COATINGS
PAINT REMOVERS | SPECIALTY | ECO-FRIENDLY | ODOR ELIMINATORS



1-888-567-2200 • www.chromate.com

TABLE OF CONTENTS



Whether you are using a cleaner, an adhesive or a lubricant; the two most important points to remember are to choose the right product for the application and to use that product safely.

Red Lion™ Chemical formulations provide the ultimate in performance while maintaining maximum safety for the user. Aerosols, bulk and specialty products that work better, faster and are safer.

1. Adhesives and Sealants

Concrete Crack Repair	4
Drop-Tite™ Epoxy System	4
Double Bubble® Adhesives and Epoxies	5-7
E-Z Poxy™ Epoxy Products	8-12
Fast-Fix™ Epoxy Patch Kit	13
Fast-Fix™ Pipe & Hose Repair Kit	13
Fast Weld Adhesive & Welding Powder	14
Instant Adhesive & Instant Adhesive Gel	15
Just For Copper	16
Spray Adhesives & 3M™ Spray Adhesives	16-17
CPVC/ABS/PVC Cements	18
PVC & CPVC Primer	18
Super Adhesive Sealants	19
Liquid Electrical Tape	19
RTV Gasket Makers/Sealers	20-21
Rapid Seal & Seal-It	22
Insulating Expandable Foam Sealant	23
Cooling System Sealant	23
Threadlocker	24
Stud Lock & Bearing Mount	25
Thread Sealant Hydraulic/Pneumatic	25
Loctite® Thread Treatment Sticks	26-27
Loctite® Quickstix™ Products	27
Teflon® Pipe Sealants	28
Screw Grab®	29
3M™ Fire Barrier	30-31

2. Bulk Chemicals

Aluminum Brite™	33
Big Job™ Truck Wash	33
Citrus Grease Digester™	34
Clear View™	35
Coil and Filter Cleaner	35
Diesel Fuel Additive	36
Equipment Clean™	37
4-Way Plus	38
Floor Glo™	39
H.D. Citrus Cleaner/Degreaser™	40
Lift-Out™ Lift Station Degreaser	41
N-Zyme™ Drain Maintenance	42
Odor Eliminator™ Products	43-44
Pleasant Scent™	45
Safety Solv 2000™	46
Brake Clean	46
Steam Clean™ Products	47-48

2. Bulk Chemicals (Continued)

Super Clean™	49
Super Gloss™ Wash-N-Wax	50
Super Stripper™	50
Synthetic/Soluble Cutting Fluid	51
X-Tra Clean NB™	51
QX1 Cleaners	52-55

3. Cleaners and Degreasers

Coil and Filter Cleaner	56
Brake Clean N.C.	57
Choke and Carb Cleaner	57
Battery Acid Cleaner/Neutralizer Wipes	58
Battery Protector & Cleaner	58
Insta-Shine Truck/Bus Protectant	59
Club Clean	59
A/C Flush	60
Surface Disinfectant	61
Dis-N-Clean™	61
Cleaner/Degreaser	62
Glass & Surface Cleaner	62
Glass Cleaner	63
PVA Wipes	64
Air Tool Conditioner	65
Stainless Steel Cleaner Wipes	65
Quik-Shine™ Metal Polish	66
Metal Cleaner & Tarnish Remover	66
Insta-Clean	67
Baseboard/Stripper Cleaner	67
Contact Cleaner P.S.	68
Degreaser	68
High Performance Safe-Acid Cleaner	69
Citrus Grease Digester	69
Pro-Tex	70
Electronic Equipment Wipes	70
Dust Blaster Max	71
Easy-Out Stain Remover	72
Carpet/Upholstery Spot Remover	72
Carpet Spot Direct	73
Quick Clean	73
Quick-Solv™	74
Citrus Blast H.D.	74
Facility Wipes & Shop Wipes	75

4. Skin Care

Stoko® Xtreme Care Cream	76
Stokolan® Skin Care Cream	76
Hand Sanitizers	77
Hand Soaps & Cleansers	78-81
H.D. Multi-Purpose Citrus Towels	81
PVA Hand Cleaner	82
Citrus Clean GF	82
Protective Skin Cream	83
Hand Sanitizing Wipes	83

5. Insecticides

Bug Be Gone Wipes	84
Insect Repellent Wristbands	84
Wasp & Hornet Killer	85
Fire Ant & Insect Dehydrator	85
Ant & Roach Spray	86

TABLE OF CONTENTS

6. Lubricants

4-Way Plus	87
Blue Grease.....	87
Cable & Chain Lube	88
Dielectric Grease.....	89
Clear Lube.....	89
Zoom Spout® Oiler.....	90
Lithium Grease White - Cartridge.....	90
Grease Cartridges.....	91
Dry Lube Plus & Moly Dry Lube	92
Penetrating Oil With Graphite.....	93
Pneumatic Tool Anti-Seize Lubricant.....	93
Pro Pull™ Wire Pulling Lube.....	94
PTFE Dry Lube.....	94
Red Grease Hi-Temp & Red Grease II.....	95
Red Grease III.....	96
Silicone FG.....	96
Super Impact Grease	97
TFG Grease.....	97
White Grease Lubricant.....	98
Cutting Oil III.....	99
Toolube™.....	99
Tool Cool II and Cutting Wax.....	100
Anti-Seize Products.....	101-103
Freezing Action Penetrant.....	104
PAG Lubricants.....	105-106
POE Lubricants.....	107

7. Paints and Coatings

Caterpillar® Yellow	108
School Bus Yellow	108
Satin Black Paint	109
Red Iron Oxide Primer.....	109
No-Stick Welder's Anti-Spatter	109
Pro-Coat™ OSHA Color Industrial Enamels.....	110
Pro-Coat™ Acrylic Enamel Paints	111
Pro-Coat™ Stainless Steel Protective Coating.....	112
Non-Conductive Paint.....	112
Ceiling Tile Spray.....	113
Red Insulating Varnish.....	113
Rust-Away Products.....	114
Undercoat.....	115
Cold Zinc Galvanizing.....	115
Striping and Marking Paints.....	116
Snow Plow Coating	117

8. Paint Removers

Prep-Solve.....	118
Gasket and Paint Remover	118
Graffiti Wipes.....	119
Graffiti Barrier.....	120

9. Specialty Products

A&R Tabs.....	121
Belt Dressing	121
Drain Opener.....	122
Chromagic.....	123
Quik-Zorb™.....	124
Gum Off.....	124
Snow & Ice Melter and Ice & Frost Remover	125
Leak Stop.....	126

10. Eco-Friendly "Green" Products

Bio-Lube "Lubricant/Penetrant"	127
Eco-Friendly Multi-Purpose Cleaner.....	128
Eco-Friendly Glass & Window Cleaner	128
Eco-Friendly Tub & Tile Cleaner.....	129
Eco-Friendly Peroxide Cleaner.....	129
Eco-Friendly Floor Stripper.....	130
Eco-Friendly Zinc-Free Seal & Finish.....	130
Eco-Friendly Cutting Oil.....	131
Eco-Friendly Penetrating Oil.....	131

11. Safe-T-Line™ Products

Kleen & Shine.....	132
Engine Degreaser.....	133
H.D. Citrus Cleaner/Degreaser.....	133
Smoke & Odor Eliminator.....	134

12. Odor Eliminators

Air Sanitizer & Deodorizer	135
Lemon Italian Ice Air Deodorizer	135
Baby Powder Odor Eliminator	136
Smoke & Odor Eliminator.....	136
Odor Neutralizing Fogger.....	137
Fresh Linen Air Freshener.....	137
Greenway Natural Odor Eliminators.....	138
Pleasant Scent™ - Bulk	138
Urinal Deodorant Screens	139
Metered Mist Products.....	140

13. Dispensing Equipment

Metered Mist Dispenser.....	141
Red Lion™ Blend Mate Wall Dispensers	142
Dispenser for Greenway Commercial Gel.....	143
Eco-Friendly Cleaners - 32 oz. Spray Bottles.....	144
Sure-Shot Sprayer.....	145
Plastic Tank Sprayer.....	145
Compressed Air Sprayers.....	145
Spray Can Tool	146
Trigger Sprayers - Various.....	146
36 oz. Measurable Bottle.....	146
Plastic & Metal Drum Pumps.....	147
Rotary Barrel Pump	147
Plastic Syphon Pump	147
Drum Faucets	147
Drum Wrench	147
Drum Dolly.....	147
Grease Guns & Lube Unit	148-149
Air Operated Grease Gun Kit	150
3M Fire Barrier Foam FIP 1-Step Guns.....	150
Drop-Tite™ Epoxy System Caulking Gun.....	151
Grease Oil Pump	151
Caulking Gun - Smooth Rod.....	151
Autodose™ Drain Manager	152
Centerfeed & Center-Pull Dispensers	152
Sani-Smooth Dispenser.....	153
Wall Mount Hand Cleaner Pump Dispenser.....	153
Soap Dispensers	153
Traffic Marking Machine	154
Athletic Marking Machine	154
Marking Wand	154
Traffic Marking Applicator.....	154

ADHESIVES AND SEALANTS

CONCRETE CRACK REPAIR

Epoxy Polymer Repair For Concrete

A trowelable polymer composite for repairing cracked and spalled concrete. Outlasts ordinary concrete. Provides four times the compression strength and ten times the tensile strength of standard concrete. It is non-shrinking, non-cracking and may be feather edged or poured up to 5 inches thick. One 5-gallon pail will surface approximately 15 square feet of floor at 1/4" thickness.

Features

- Easy-to-use, permanent concrete repair
- Trowelable polymer composite
- Non-shrinking and crack resistant
- 4 times stronger than original cement
- Can be feathered or poured up to 5" thick

Applications

- Ideal for setting anchors
- Filling cracks, gaps, holes, etc.



DESCRIPTION	PART
Concrete Crack Repair - 5 Gallon Pail (74 g)	74508

DROP-TITE™ EPOXY SYSTEM

"Fast cure" Formula for Projects Requiring "Fast Bolt-Up"

A "fast cure" formula specially developed for projects requiring "fast bolt-up" and extended working time in a variety of applications. The complete system comes with a 22-oz. two-part epoxy cartridge and two 3/8 mixing nozzles. Must be used with dual cartridge caulking gun, p/n 8250 (see Dispensing Equipment).

Features

- Superior Bond Strength – maintains its full bonding integrity under seismic and vibratory loads, even in underwater applications.
- Exhibits no offensive odors which is especially important when work is performed in enclosed areas.
- Bonding Not Affected by Concrete Dust – wets through residual dust and adheres directly to concrete or steel.
- Corrosion Resistant – seals out oxygen and moisture that can cause corrosion.
- Minimal Shrinkage – when compared to other epoxies and formulas containing styrene.
- Non-Combustible – flash point is three times greater than that of formulas containing highly flammable styrenes.
- Non-Carcinogenic – contains no styrene and is safer for users.
- Longer Shelf Life – 2-3 times longer than products containing styrene.

Applications (For use with Drop-Tite™ Anchors)

- Horizontal, vertical and overhead anchoring and doweling
- Seismic repair and upgrade
- Concrete repair (non-structural)
- Bonding applications
- Use in concrete, hollow concrete block (CMU), solid and hollow brick and stone

CURE TIMES*

Gel 8-10 Minutes
 Loading 4 Hours
 Full-Cure 48 Hours
 Recommended

Temp. Range 36°F-110°F
 *Based on a temperature of 78°F (25°C).
 Gel times are calculated on a mass of 20 grams. The recommended temperature range refers to the maximum and minimum substrate temperatures in which the product may be used.



P/N 8251 – Mixing Tube

DESCRIPTION	PART
Drop-Tite™ Epoxy System (21.2 oz)	74534

ADHESIVES AND SEALANTS

1

DOUBLE BUBBLE® EPOXY EXTRA FAST

Extra Fast Setting Epoxy Adhesive
Strong and versatile. Does more to repair jobs in less time. Contains no solvents. Will not shrink.

Features

- Work time: 3 minutes
- Handling strength: 15-30 minutes
- Fills gaps
- Does not induce galvanic corrosion

Applications

- Bonds metal, glass, ceramics, wood, stone, concrete, most hard plastics, leather.
- For repairing tools, auto parts, electronic components, furniture, etc.



5 packets per box

DESCRIPTION	PART
Double/Bubble® Epoxy Extra Fast (3.5 g)	74499

DOUBLE/BUBBLE® MACHINEABLE EPOXY

Fast Setting

A machineable tooling and body patch that adheres to metal, wood and hard plastics. Can be machined, sanded, drilled and tapped.

Features

- Work time: 25 minutes
- Handling strength: 4 hours
- Aluminum color
- Contains no solvents

Applications

- Patching and filling voids and scratches in plastic and metal tooling, patterns and furniture.



5 packets per box

DESCRIPTION	PART
Double/Bubble® Machineable Epoxy (3.5 g)	74498

DOUBLE BUBBLE® GENERAL PURPOSE EPOXY

A Long Work-Life Adhesive

Features

- Work time: 2 hours
- Handling strength: 8 hours
- Does not induce galvanic corrosion

Applications

- For bonding wood, metal, ceramics, concrete, rubber & plastics
 - Repair of tools, furniture and sports equipment.
- An excellent adhesive for use with fiberglass cloth.



5 packets per box

DESCRIPTION	PART
Double/Bubble® General Purpose Epoxy (3.5 g)	74497

DOUBLE/BUBBLE® HIGH PEEL STRENGTH EPOXY

Flexible, Tough and Durable

Features

- Work time: 3 hours
- Handling strength: 18 hours
- Vibration resistant adhesive
- High peel and shear strengths

Applications

- Bonds to polystyrene, ABS nylon, metal, wood, masonry and rubber
- For repair of sports equipment, marine, aircraft, auto, truck and tractor parts.
- Excellent adhesive for grinding wheel hubs, door and window gaskets.



5 packets per box

DESCRIPTION	PART
Double/Bubble® High Peel Strength Epoxy (3.5 g)	74496

ADHESIVES AND SEALANTS

DOUBLE BUBBLE® WET SURFACE PATCH EPOXY

A Gap Filling Adhesive

For use in damp or moist environments. Cures and bonds under water. Bonds to stone, concrete, metal, glass, china, wood and fiberglass.

Features

- Work time: 25 minutes
- Handling strength: 5 hours
- Gray color

Applications

- Wet crack sealant and plumbing patch.
- For repair of gutters, battery cases and boats.
- Excellent adhesive for use with fiberglass tape.



5 packets per box

DOUBLE/BUBBLE® WATER CLEAR EPOXY

Use as an Adhesive or Coating

Covers and fills scratches. Impact resistant. Bonds to metal, ceramics, glass, porcelain and wood.

Features

- Work time: 1 hour
- Handling strength: 8 hours
- No color – clear
- Does not electrically corrode copper

Applications

- Repair of printed circuit boards, optical fibers, lenses and other optical equipment, jewelry, art objects and other applications where a clear bond is desired.



5 packets per box

DESCRIPTION	PART
Double/Bubble® Wet Surface Patch Epoxy (3.5 g)	74495

DESCRIPTION	PART
Double/Bubble® Water Clear Epoxy (3.5 g)	74494

DOUBLE BUBBLE® REGULAR SETTING EPOXY

Regular Setting Epoxy Adhesive

Strong and versatile. Does more to repair jobs in less time. Contains no solvents. Will not shrink.

Features

- Work time: 45 minutes
- Handling strength: 4 hours
- A low-viscosity adhesive
- Fairly long work-life
- Cures to a light color

Applications

- Bonds well to wood, metal, concrete, fabrics and most plastics.
- Excellent for applications requiring a thin glue line. Ideal for fine furniture, hobby use and sports equipment.



5 packets per box

DOUBLE/BUBBLE® EXTRA FAST SET (NON-SAG) EPOXY

Extra-Fast Setting

Strong and versatile. Does more to repair jobs in less time. Contains no solvents. Will not shrink.

Features

- Work time: 3 minutes
- Handling strength: 15-30 minutes
- Non-sag (thixotropic) adhesive
- For quick repairs

Applications

- Bonds to wood, glass, metal, stone, ceramics and leather.
- Ideal for quick, permanent, vertical and overhead repairs. For fixturing, tacking, sealing, gap filling and staking in electrical and industrial applications.



5 packets per box

DESCRIPTION	PART
Double/Bubble® Regular Setting Epoxy (3.5 g)	74493

DESCRIPTION	PART
Double/Bubble® Extra Fast Set (Non-Sag) Epoxy (3.5 g)	74492

ADHESIVES AND SEALANTS

1

DOUBLE BUBBLE® URETHANE – FLEXIBLE

Shore Hardness D-50

Features

- Work time: 3-5 minutes
- Handling strength: 1 hour
- A good combination of high peel and lap shear strengths
- It is semi-flexible and will bond to rubber, leather, china and many plastics

Applications

- For automotive repairs, bonding aftermarket replacement mirrors, etc., repair of shoes, ski boots and other sports equipment, repair of conveyor belts.



DOUBLE/BUBBLE® URETHANE – SEMI-RIGID

Shore Hardness D-85

Features

- Work time: 3-5 minutes
- Handling strength: 1 hour
- Extra fast setting, semi-rigid
- Combines very high lap shear strength with good peel strength

Applications

- For repair of urethane RIM parts. Recommended for repair of rubber hoses and flexible electrical connections.



DESCRIPTION	PART
Double/Bubble® Urethane – Flexible (3.5 g)	74417

DESCRIPTION	PART
Double/Bubble® Urethane – Semi-Rigid (3.5 g)	74418

DOUBLE BUBBLE® URETHANE – VERY FLEXIBLE

Shore Hardness A-85

Features

- Work time: 8 minutes
- Handling strength: 45 minutes
- Fast setting with high peel strength
- Tough and flexible
- Bonds to most metals, plastics, rubber, glass and leather
- Good for low temperature, sub-zero applications
- Patching and filling voids and scratches in plastic and metal tooling, patterns and furniture



Applications

- Repair of construction and off-road tires, flexible conveyor belts, printing press rollers, rubberized fabrics, shoes, ski boots and other sports equipment. For bonding refrigeration and air-conditioning equipment.

DESCRIPTION	PART
Double/Bubble® Urethane – Very Flexible (3.5 g)	74419

ADHESIVES AND SEALANTS

E-Z POXY™ 200

For Steel Hard Repairs in a Stick

A combination of steel reinforced epoxy resin and hardener in a stick. Simply knead putty and apply to damaged area. It can be drilled, filed, tapped, sanded or machined after one hour.

Features

- No measuring, mess or waste
- Fast – sets in 10 minutes
- Adheres to damp surfaces and hardens under water
- Certified to NSF/ANSI Standard 61 for use in contact with potable water and drinking water systems
- Authorized by the USDA for use in federally inspected meat and poultry plants

Applications

- Perfect for repairing tanks, radiators, bathroom fixtures, tile, cars, boats, metal and wood furniture, downspouts, gutters, garbage cans, valves, cast iron, etc.



PHYSICAL PROPERTIES:

Density.....18.5 lb./gal. (2.2 gm/cm³)
 Compression Strength..... 12,000 psi
 Tensile Strength..... 6,000 psi
 Modulus of Elasticity..... 6 x 10⁵ psi
 Adhesive Strength 900 psi
 Izod Impact..... 0.3 ft.-lb./in. (notched)
 Hardness (Shore D).....80
 Maximum Use Temp.....300°F (149°C)

ELECTRICAL PROPERTIES:

Volume Resistance..... 1 x 10¹² ohm-cm
 Dielectric Strength ..300 volts/mil @ 0.15 cm

IMPORTANT: Do not use on polyethylene, polypropylene and polybutylene.

DESCRIPTION	PART
E-Z Poxy™ 200 (4 oz.)	74502

E-Z POXY™ ALUMINUM

Strong, Fast Setting, Fast Curing, Multi-Purpose Epoxy Putty Stick

A hand-kneadable, non-rusting, aluminum reinforced epoxy putty that mixes in just one minute to provide fast repairs to all types of aluminum. It comes in a handy four-ounce "tootsie roll" form with the curing agent encapsulated in the contrasting color base material. The putty-like consistency eliminates drips and runs, providing "no mess" applications with no tools required for use. Simply cut off amount needed, knead and apply.

Features

- No measuring, mess or waste
- Fast – cures in 60 minutes
- Non-rusting – can even be applied underwater

Applications

- Perfect for repairing storm doors, windows, aluminum boats, recreational vehicles, aluminum siding, aluminum tanks, castings, pipes and engine blocks.



PHYSICAL PROPERTIES:

Work Life (Minimum) 5-7
 Shelf Stability24 months (min. @ 75°F)
 Shore D Hardness (full cure 24 hrs.)..... 75-85
 Lap Shear Tensile Strength ...500-700 on steel
 (1" x 1" x 1/16").....400-600 on aluminum
 Compression Strength lbs./in.² 12,000
 Shrinkage <1%
 Non-Volatile Content..... 100%
 Electrical Resistance30,000 megohms
 Dielectric Strength300 volts/mil
 Temperature250°F continuous
 300°F intermittent

Chemical Resistance: Resistant to hydrocarbons, ketones, alcohols, esters, halocarbons, aqueous salt solutions and dilute acids and bases.

DESCRIPTION	PART
E-Z Poxy™ Aluminum (4 oz.)	74505

ADHESIVES AND SEALANTS

E-Z POXY™ AQUA REPAIR

Repairs Wet Areas and Underwater Surfaces

A hand-kneadable, specialty epoxy putty that mixes in just one minute for repairs to damp, wet areas and underwater surfaces. It contains a fading dye and becomes "fiberglass white" after mixing. It may be applied underwater, in either fresh or salt water and will bond tenaciously to substances such as fiberglass, metal, wood, concrete, ceramic, glass, etc.

Features

- No measuring, mess or waste
- Excellent as an adhesive
- Can be applied underwater
- Does not yellow when exposed to UV light
- Authorized by the USDA for use in federally inspected meat and poultry plants

Applications

- Perfect for patching dings, scratches, cuts, gouges and holes in fiberglass, metal and wood.
- Repairs fittings, pipes, electrical connections, leaking gaskets, fuel tanks, etc.



PHYSICAL PROPERTIES:

Working Life (min.)	20
Shelf Stability	6 months (min. @ 75°F)
Shore D Hardness (full cure, 24 hrs.)	75
Lap Shear Tensile Strength on Steel (1" x 1" x 1/16")	700 Lbs.
Temperature Limitations	250°F continuous 300°F intermittent
Chemical Resistance: Resistant to hydrocarbons, ketones, alcohols, esters, halocarbons, aqueous salt solutions and dilute acids and bases.	
Electrical Resistance	30,000 megohms
Dielectric Strength	300 volts/mil
Shrinkage	Less than 1%
Non-Volatile Content	100%
Compression Strength	12,000 psi

DESCRIPTION	PART
E-Z Pox™ Aqua Repair (4 oz.)	74500

E-Z POXY™ CONCRETE

Repairs and Rebuilds Anything Made of Concrete

A hand mixable, fast curing epoxy putty stick that mixes in one minute to provide permanent repairs to concrete. Simply knead putty and apply to damaged area. Can be drilled, filed, tapped, sanded, machined, sawed or painted after one hour.

Features

- Use as putty or adhesive
- No measuring, mess or waste
- Fast – sets in 10 minutes
- Adheres to damp surfaces
- Hardens under water
- Authorized by the USDA for use in federally inspected meat and poultry plants

Applications

- Perfect for cracked and spalled concrete, setting anchors, and filling cracks, gaps, holes, etc.



PHYSICAL PROPERTIES:

Work Life	4-7 minutes
Shelf Stability @ 75°F	24 months (minimum)
Hardness (Shore D) (full cure 1 hour)	75-85 (ASTM D2240)
Lap Shear Tensile Strength	(ASTM D1002)
On Steel (1" x 1" x 1/16")	500-800 lbs
On Concrete	Concrete failure
Compressive Strength	12,000 lbs/in ² (ASTM D695)
Density	2.005 gm/cm ³ (16.72 lb/gal.)
Prox. 5/16" Bolt Pullout	>2 tons (Dennison Block Test)
Shrinkage	<1% (ASTM D2566)
Non-Volatile Content	100%
Upper Temperature Limit	
Continuous	250°F
Intermittent	300°F
Chemical Resistant to hydrocarbons, ketones, alcohols, esters, halocarbons, aqueous salt solutions and dilute acids and bases.	

DESCRIPTION	PART
E-Z Pox™ Concrete (4 oz.)	74526

ADHESIVES AND SEALANTS

E-Z POXY™ COPPER

Hardens Like Metal to Form a Copper Repair

A hand-kneadable, copper reinforced epoxy putty that hardens to an extremely tough and durable substance with exceptional adhesion. It can be drilled, tapped, filed, machined, etc. High pressure hot water pipes, tanks and radiators can be restored to service after just 60 minutes!

Features

- No measuring, mess or waste
- Fast – cures in less than 60 minutes
- Contains real copper
- Certified to NSF/ANSI Standard 61 for use in contact with potable water
- Authorized by the USDA for use in federally inspected meat and poultry plants

Applications

- Perfect for high pressure hot water pipes, sealing leaks in pipes, elbows, joints, sleeves, sink traps, drains, etc.
- Can also be used as an adhesive.



PHYSICAL PROPERTIES:

Density..... 15.8 lb./gal. (1.9 gm/cm³)
 Compression Strength..... 18,000 psi
 Tensile Strength..... 6,000 psi
 Modulus of Elasticity..... 6×10^5 psi
 Adhesive Strength 700 psi
 Izod Impact 0.3 ft.-lb./in. (notched)
 Hardness (Shore D)..... 85
 Maximum Use Temp..... 300°F (149°C)

ELECTRICAL PROPERTIES:

Volume Resistance..... 5×10^{15} ohm-cm
 Dielectric
 Strength 400 volts/mil @ 0.125 in.

DESCRIPTION	PART
E-Z Poxy™ Copper (4 oz.)	74501

E-Z POXY™ CUPS

Pre-Measured, Single Use, Fast Setting Epoxy

Unique, pre-measured epoxy cups contain both resin and hardener in one convenient package. Self-package mixing eliminates measuring, squeeze tubes and weighing scales. Components are color-coded to assure complete mixing.

Features

- Fast cure mixer cups
- Convenient self-package mixing
- Superior strength epoxy bonds almost anything
- No mess, no waste
- Bonds virtually any material

Applications

- Bonds wood, ceramic, glass, marble, metal, plastic, concrete, stone, brick and much more.

TECHNICAL DATA:

Parts fixture in 5-15 minutes, full cure in 24 hrs
 Creep Strength excellent
 Peel Strength..... good
 Working Life..... 5 minutes @ 70°F
 Chemical Resistance..... excellent
 Temperature 180°F



DESCRIPTION	PART
E-Z Poxy™ Cups (1.2 oz.)	74514

ADHESIVES AND SEALANTS

1

E-Z POXY™ FAST SET

Strong, Permanent Epoxy Adhesive

Provides a durable repair resistant to solvents, moisture and impact. Bonds various materials.

Features

- Easy-to-use dual piston dispenser
- Clear
- Sets in just 5 minutes
- Waterproof and solvent resistant

Applications

- Wood
- Metal
- Plastic
- Ceramic
- Glass
- China
- Tile
- Fiberglass
- Laminates



DESCRIPTION	PART
E-Z Pox™ Fast Set (1 fl. oz.)	74530

E-Z POXY™ PLASTIC

Restore, Rebuild and Repair ABS, CPVC and PVC Plastic

A patented, hand mixable epoxy putty that forms a durable bond to all major plastic types except polyolefins (polyethylene/polypropylene). When mixed together, the materials combine to form a polymer compound that can be molded into shapes, wrapped around or used to build up and repair just about anything made from rigid or semi-flexible plastics. After 2-3 hours, it can be drilled, sawed, carved, sanded or painted. Contains a fading blue dye and becomes white after mixing.

Features

- No measuring, mess or waste
- Fast – sets in 10 minutes
- Adheres to damp surfaces
- Hardens under water

Applications

- Perfect for rebuilding rigid and semi-flexible plastics
- Repairing automotive trim, appliance parts, outdoor furniture and more
- Sealing leaks in plastic plumbing pipe



PHYSICAL PROPERTIES:

Work Life (Minimum)	20-25 Minutes
Shelf Stability	24 months (min. @ 75°F)
Shore D Hardness (full cure 24 hrs.)	60-70
Lap Shear Tensile Strength (1" x 1" x 1/16")	500-800 on pvc
Compression Strength lbs./in. ²	12,000
Density	1.6, 13/4 (gm/cm ³ , lb.gal.)
Shrinkage	<1%
Non-Volatile Content	100%
Electrical Resistance	30,000 megohms
Dielectric Strength	300 volts/mil
Temperature	250°F continuous, 300°F intermittent

Chemical Resistance: Resistant to hydrocarbons, ketones, alcohols, esters, halocarbons, aqueous salt solutions and dilute acids and bases.

DESCRIPTION	PART
E-Z Pox™ Plastic (4 oz.)	74527

ADHESIVES AND SEALANTS

E-Z POXY™ WOOD

Restore, Rebuild and Repair All Types of Wood

Repairs wood with an epoxy compound many times stronger than the wood itself. Simply knead putty and apply to damaged surface. It can be drilled, nailed, sanded, stained or painted – all within 60 minutes! Also eliminates the need to replace expensive damaged molding, trim, door jambs & furniture.

Features

- No measuring, mess or waste
- Fast – cures in 45 minutes
- Will not dry out like conventional putties
- Simplifies wood repairs

Applications

- Perfect for repairing damaged furniture, rebuilding or fabricating wood parts, repairing stripped screw holes.
- Can also be used as an abrasive.



PHYSICAL PROPERTIES:

Density..... 6.7 lb./gal. (0.8 gm/cm³)
 Compression Strength..... 18,000 psi
 Tensile Strength..... 6,000 psi
 Modulus of Elasticity..... 6 x 10⁵ psi
 Adhesive Strength 700 psi
 Izod Impact 0.3 ft.-lb./in. (notched)
 Hardness (Shore D)..... 75 after 90 min.
 Maximum Use Temp. 250°F (121°C)

ELECTRICAL PROPERTIES:

Volume Resistance..... 5 x 10¹⁵ ohm-cm
 Dielectric
 Strength 400 volts/mil @ 0.125 cm

DESCRIPTION	PART
E-Z Poxy™ Wood (1.94 fl. oz.)	74503

ADHESIVES AND SEALANTS

FAST-FIX™ EPOXY PATCH KIT

Pre-Measured, Single Use, Fast Setting Fiberglass Epoxy Patch

Repairs cracks and holes in pipe and hose. Pre-measured fiberglass patch is ideal for repairing cylindrical surfaces (hose, pipe, etc.) and for flat surfaces such as watertanks. Just blend the components together in the package and apply to any clean surface. It will cure in approximately 20 minutes – even on wet surfaces!

Features

- Unique pre-measured package contains 4" x 12" patch and rubber gloves
- Permanently repairs virtually any surface
- Withstands 600°F and 150 psi pressure
- Safe for drinking water systems
(Tested for potability using EPA approved standard testing methods.)
- Paintable



Part #74506

Applications for #74506 & #74507

- Oil Pipelines
- Gas Pipelines
- Off-Shore and Petroleum Refineries
- Steam Lines
- Plant Piping Systems
- Tanks
- Container Linings
- Industrial Irrigation Systems
- Commercial Irrigation Systems
- Underwater Cable Encapsulation
- Underwater Piling Encapsulation
- Underground Piping Structures
- Waste Water Treatment Plants
- Pneumatic Hoses and Lines
- Piping for Hydronic Heating
- HVAC Systems
- Kitchen and Bath Plumbing
- Underground Sprinklers
- Irrigation Systems
- Pool and Spa Piping
- RV Water Piping Systems
- Marine Water Piping Systems
- Boat Hulls
- Automobile Radiator Hoses
- Automobile Exhaust Systems
- Farm Machinery and Equipment
- Marine Exhaust Systems

FAST-FIX™ PIPE & HOSE REPAIR KIT

Pre-Mixed, Air Activated, Single Use, Fast Setting Fiberglass Epoxy Wrap

Resin impregnated fiberglass tape sealed in a foil pouch. Once opened, the tape is simply wrapped around any hose or pipe, and will set as hard as steel in just 30 minutes. It is ideal for stopping leaks and keeping on hand as an emergency repair kit.

Features

- Unique pre-measured package contains 2" x 60" impregnated patch and rubber gloves
- Air activated resin
- Permanently repairs virtually any surface
- Withstands 600°F and 150 psi pressure
- Safe for drinking water systems
(Tested for potability using EPA approved standard testing methods.)
- Paintable



Part #74507

TECHNICAL DATA:

Number of Piles.....	9
Fabrication Method.....	Wet Lay-up
Cure Time at 75°F.....	30 Minutes
Barcol Hardness.....	53
Dielectric Strength.....	16,060 Volts
Heat Resistance.....	1,100°F

CHEMICAL RESISTANCE:

Immersion Chemical	Total Immersion Time	Effect
Acetone.....	30 Days	Softened
Diesel Fuel.....	30 Days	No Effect
Ethyl Alcohol.....	30 Days	Soft, Rubbery
Gasoline.....	30 Days	No Effect
30% HCL.....	30 Days	Softened
Toluene.....	30 Days	Softened
MEK.....	30 Days	Soft, Rubbery
Chlorine.....	30 Days	No Effect

MECHANICAL PROPERTIES:

Structure	Method	PSI
Flexural Strength.....	ASTM D 709-71	16,100
Tensile Strength.....	ASTM D 638	24,900
Compression Strength....	ASTM D 695-77	26,600
Bond Strength.....		98
4 Layers to Total Obliteration		
Spray Penetration Test (4 layers recycled from 50°F-90°F)		
Temperature Cycle Test (with no delamination or loss of bond)		

DESCRIPTION	PART
Fast-Fix™ Epoxy Patch Kit	74506
Fast-Fix™ Pipe & Hose Repair Kit	74507

ADHESIVES AND SEALANTS

FAST WELD ADHESIVE & WELDING POWDER

Double Bond Performance

The Adhesive bonds most materials instantly. These materials are rubber, glass, copper, aluminum, steel and most plastics. The Welding Powder is used to repair all types of holes, cracks, gaps and can produce a strong weld seam to support the repair, just like solder or welded joints.

Features

- **Beyond Super Glue**
 - A combination of instant adhesive plus a welding powder.
- **An Incredible Tool**
 - Repairs almost anything.
- **Save Time & Money**
 - An advanced polymer adhesive that can bond quickly, sometimes instantly.
- **Double Bond Performance**
 - The welding powder enables even stronger bonds!

Benefits

- High strength, bonds in seconds
- Can bond almost any material to itself or to another material
- Will not dry out in the container
- Adhesive dries crystal clear

Applications

- Use on rubber, glass, copper, aluminum, steel and most plastics
- Repair holes, cracks, and gaps
- Can be filed, drilled, sanded, and painted almost immediately

Adhesive - 28 g



Welding Powder - 40 g



DESCRIPTION	PART
Fast Weld Adhesive (28 g) & Welding Powder (40 g)	74489

ADHESIVES AND SEALANTS

1

INSTANT ADHESIVE

Instant, High Strength, Cyanoacrylate Adhesive for Non-Porous Surfaces

Ultra-high performance, versatile adhesive bonds metal, rubber, plastic and glass instantly.

Red Lion Instant Adhesive works where others fail, providing the strongest bond on hard-to-bond surfaces.

Features

- Permanent, super strength bond
- Easy to use
- Bonds instantly
- Saves time, money, labor and mess

Applications

- Bonds metal, rubber, plastic and glass

TECHNICAL DATA:

Color Clear
 Gap Fill004"
 Viscosity cP 40
 Tensile Shear Strength PSI 2,500
 Temperature
 Range -65°F to 180°F (-54°C to 82°C)
 Cure Speed
 Fixture 20-40 seconds
 Full 24 hours



DESCRIPTION	PART
Instant Adhesive (1/3 fl. oz.)	74516

INSTANT ADHESIVE GEL

Instant, High Strength, Cyanoacrylate Adhesive for Porous Surfaces

Ultra-high performance, versatile adhesive bonds wood, paper, leather, fabric, metal, rubber, plastic and glass instantly. Red Lion Instant Adhesive Gel works where others fail, providing the strongest bond on hard-to-bond surfaces. Particularly suited for bonding porous or absorbent materials such as wood, paper, leather or fabric.

Features

- Permanent, super strength adhesive
- Bonds instantly – no waiting for product to cure
- Easy application – no mixing required
- Saves time, money, labor and mess

Applications

- Bonds wood, paper, leather, fabric, metal, rubber, plastic and glass

TECHNICAL DATA:

Color Clear
 Viscosity cP Gel
 Tensile Shear Strength PSI 1,000 to 3,200
 Temperature
 Range -65°F to 180°F (-54°C to 82°C)
 Cure Speed
 Fixture/Full 20-40 seconds
 Full 24 hours



DESCRIPTION	PART
Instant Adhesive Gel (.10 oz.)	74525

ADHESIVES AND SEALANTS

JUST FOR COPPER

Solderless Copper Bonding

Solderless copper bonding, bonds rigid copper pipes and standard fittings without heat. Changes from a liquid to a polyacrylic solid to provide maximum strength between tube and fitting. Works even when pipes are wet. No mixing, just shake, squeeze and apply. Is an insulator and will not conduct electricity.

Features

- Easy to use, permanent cold weld for installing and repairing rigid copper pipe in potable hot and cold water
- Provides same permanent weld as hot solder
- Temperature range from -40°F to 245°F
- Holds 200psi 7 seconds after bonding; holds 500psi 4 hours after bonding
- Sets in 5 seconds; cures in 7 minutes
- 50g bottle makes up to 200 welds
- Approved for potable water and EPA National Drinking Water Standards

Applications

- For use on pipes up to 2 diameters
- Use on copper pipe and copper and brass fittings



DESCRIPTION	PART
Just for Copper (1.85 oz.)	74553

POW-R-BOND™ ADHESIVE

Spray Adhesive

High strength, fast setting, permanent adhesive for all heavy duty general purpose bonding applications. Lace-like pattern sets up quickly for high contact strength. Dries in minutes. High temperature resistance to 140°F (60°C).

Features

- Superior strength – handles heavy duty applications
- Permanent bond – assures durability
- Fast assembly – minimizes downtime
- Multi-purpose – provides versatility
- Heat resistant – for high temperature applications

Applications

- Ideal for laminates, trim, signs, kick plates, wood working, maintenance and asbestos removal
- Adheres to most surfaces including wood, metal, glass, plastic, etc.



DESCRIPTION	PART
Pow-R-Bond™ Adhesive (13.25 oz.)	74187

ADHESIVES AND SEALANTS

SPRAY ADHESIVE

Multi-Purpose, Permanent, Fast Setting

A multi-purpose light-duty spray adhesive that works on virtually any surface where an adhesive is needed. Remains tacky for several minutes to allow for repositioning.

Features

- Strong permanent bond – assures effective repairs and secure assembly
- 3-position valve – allows proper dispensing of product
- General purpose – covers virtually any light-duty applications
- Temperature Range: 120°F continuous, 200°F intermittent

Applications

- Ideal for gaskets, trim, foam, ceramics, ferrous and no-ferrous metals, cardboard, etc.



DESCRIPTION	PART
Spray Adhesive (13.25 oz.)	74130

3M™ SPRAY ADHESIVE

Multi-Purpose 27 Spray Adhesive, P/N 74605

Extremely versatile adhesive is ideal for bonding paper, cardboard, fabrics, soft foams and many other lightweight materials.

- Fast tack
- Lightweight applications
- Mist spray pattern

Foam & Fabric 24 Spray Adhesive, P/N 74606

Fast-tack adhesive bonds foam to metal, wood and many other substrates (ideal for upholstery).

- Aggressive tack
- Foam-tearing strength
- Variable width lace spray pattern ensures precise placement.

Woodworking 20 Spray Adhesive, P/N 74607

High strength, fast-grabbing adhesive forms powerful, permanent bonds.

- Fast grab
- Bonds wood, laminates, metals, plastics and more
- Variable width lace spray pattern ensures precise placement

P/N 74606



P/N 74607

P/N 74605

DESCRIPTION	PART
3M™ Multi-Purpose 27 Spray Adhesive (13.8 oz.)	74605
3M™ Foam & Fabric 24 Spray Adhesive (13.8 oz.)	74606
3M™ Woodworking 20 Spray Adhesive (13.8 oz.)	74607

ADHESIVES AND SEALANTS

CPVC CEMENT – ORANGE

Cement for CPVC Pipe and Fittings

Medium-bodied cement for use on CPVC pipe and fittings up to 6" diameter.

Features

- Exceeds new environmental requirements and meets various California district rules
- Low V.O.C.
- Apply at temperatures 40°F to 90°F
- Exceeds ASTM D-2846, F-493
- NSF and UPC listed

Applications

- For C.T.S. (copper tube size) and Schedule 80, potable water pressure pipe



PVC-ABS-CPVC CEMENT

Multi-Purpose Cement

Medium-bodied clear cement for ABS, PVC or CPVC up to 6" diameter.

Features

- Apply at temperatures 40°F to 100°F
- Exceeds performance requirements of ASTM D-2564, D-2846, D-2235 and F-493

Applications

- Recommended for pipe Schedule 40 and Schedule 80 potable water, pressure pipe, gas, conduit and DWV



DESCRIPTION	PART
CPVC Cement – Orange (16 oz.)	74552

DESCRIPTION	PART
PVC-ABS-CPVC Cement (16 oz.)	74550

PVC AND CPVC PRIMER – PURPLE

All-Purpose Primer/Cleaner

Removes surface dirt, grease and grime as well as softens pipe in preparation for solvent cement.

Features

- Exceeds new environmental requirements and meets various California district rules
- Less aggressive than clear and standard purple primers
- Purple tint for verification for code
- Low V.O.C.
- Apply at temperatures 40°F to 100°F

Applications

- For PVC and CPVC pipe and fittings



PVC CEMENT – CLEAR

Cement for PVC Pipe and Fittings

Medium-bodied clear cement for use on PVC pipe and fittings up to 6" diameter for Schedule 40 and Schedule 80.

Features

- Exceeds new environmental requirements and meets various California district rules
- Low V.O.C.
- Apply at temperatures 40°F to 100°F
- Exceeds ASTM D-2564
- NSF and UPC listed

Applications

- Recommended for gas, conduit, drain, waste and vent pipe



DESCRIPTION	PART
PVC and CPVC Primer – Purple (16 oz.)	74549

DESCRIPTION	PART
PVC Cement – Clear (16 oz.)	74551

ADHESIVES AND SEALANTS

1

SUPER ADHESIVE SEALANT

Multi-Purpose, Flexible, High Strength Adhesive

A versatile, high-performance industrial adhesive and sealant which provides exceptional mechanical and chemical bonding in plant, fleet, commercial and contractor applications. Adheres to and seals all woods, metals, concrete, masonry, ceramics, rubber, fiberglass, glass and plastics.

Features

- Superior strength
- Extremely flexible
- Abrasion resistant
- Paintable
- Waterproof
- Self-leveling

Applications

- Plant and Building Maintenance
- Transportation
- Marine
- Electrical
- Rubber Goods and Plastics
- Tools and Fasteners
- Construction and Carpentry

TECHNICAL DATA:

Temperature Range..... -40°F to 150°F
Tensile
Strength..... 3500 lb/in.² (ASTM D-412)
Elongation..... 900% (ASTM D-412)
Dielectric Strength 400 volts/mil
Dry Time Tack: 5 minutes
Paintable: 24 hours



DESCRIPTION	PART
Super Adhesive Sealant (3.7 fl. oz.)	74510

SUPER ADHESIVE SEALANT UV

Multi-Purpose, Ultra-Violet Light Resistant High Strength Adhesive

This multi-purpose, clear adhesive is formulated for use in applications that may be exposed to ultra-violet light. Adheres to wood, metal, rubber, glass and most plastics. It is not for use on Styrofoam™. Its flexible bond resists cold temperatures, yellowing, cracking and embrittlement. Can be submerged in fresh and salt water after complete cure. Great for bonding objects subject to wear and to vibration. Safe for applications exposed to dilute acids and dilute caustics. Recommended for all industrial applications where UV resistance is required.

Features

- UV resistant formula
- Industrial strength
- Extremely flexible
- Waterproof
- Paintable
- Self-leveling

Applications

- Plant and Building Maintenance
- Transportation
- Marine
- Electrical
- Rubber Goods & Plastics
- Tools and Fasteners
- Construction & Carpentry

TECHNICAL DATA:

Full Cure Time Thin film 24 hours,
..... Thick film 48-72 hours
Tensile Strength..... 3500 lb./in.
Elongation..... 900% (ASTM D-412)
Service Temperature Range... -40°F to 150°F
Paint-Over Time..... 24 hours
Dielectric Strength 400 V/mil



DESCRIPTION	PART
Super Adhesive Sealant UV (10.2 fl. oz.)	74554

LIQUID ELECTRICAL TAPE (BRUSH APPLICATOR CAP)

Forms a protective dielectric coating on electrical connections to seal out moisture and prevent corrosion. Will not peel or unravel. Flame retardant. Service temperature range is -30°F to +255°F. Completely waterproofs connections and can be applied to irregular shaped or hard-to-reach conditions.

Features

- Seals and protects electrical connections
- Adheres to all metal, plastic, vinyl, rubber and composite surfaces
- Stops terminal screws from loosening from vibration
- Safe and easy to use
- Fast drying
- Dielectric strength 1000-1500 volts/mil

Applications

- Bilge pumps, outdoor exposed wiring, sprinkler pumps, timers, underground wiring, outdoor lighting fixtures, instruments, computers... anywhere a weatherproof and dependable connection is needed.



DESCRIPTION	PART
Liquid Electrical Tape (Brush Applicator Cap) (4 fl. oz.)	74547

ADHESIVES AND SEALANTS

RTV GASKET MAKER

Tough Silicone Adhesive Sealer/Gasket Maker

The ultimate gasket maker and sealer in an easy to use dispenser. It adheres to and bonds natural and synthetic fibers, metal, glass, wood, rubber, ceramic, painted and plastic surfaces. Seals against water, air, chemicals, oils and grease. Fills crevices and irregularities in joints. Waterproofs porous materials. Perfect for weather-stripping. Insulates against shock and vibration and a great electrical insulator. A perfect gasket maker for just about anything. When fully cured and washed, this product meets the following specifications: FDA Regulation No. 21 CFR 177.2600, MIL-A-46106, per current revision and type, and TT-S-001543A. This product is suitable for use in federally inspected meat and poultry plants.

Features

- One-part silicone adhesive sealant
- Temperature range -80°F to +500°F (450°F continuous)
- Insulates and weatherproofs

Applications

- For use on gasketing pumps, oil pans, valve covers, gear boxes, compressors, etc.
- Seals windows, pipe joints and parts
- Bonds gaskets, appliance parts, sign letters
- Caulks joints, duct work, equipment housings

NOTE: Do not use in direct contact with fuel oil, gasoline, acid or caustic materials. Not for use on head gaskets or carburetor base.



RTV TUBE EXTENSION TIP

Part #16065

Screws on RTV dispensers for precision application of sealer



DESCRIPTION	PART
RTV Gasket Maker - White (8 oz.)	74128
RTV Gasket Maker - Black (8 oz.)	74131
RTV Gasket Maker - Blue (8 oz.)	74132
RTV Gasket Maker - Clear (8 oz.)	74133

RTV GASKET MAKER (HI-TEMP RED)

High Temperature Resistant, Tough Silicone Adhesive

The ultimate gasket maker and sealer features the most advanced technology in an easy to use dispenser, giving a uniform bead of any size or shape. It meets O.E.M. low volatile specifications for use with oxygen sensor equipped engines. Meets GM specs.

Features

- Ultimate gasket maker
- Low odor
- Low volatile and non-corrosive
- Temperature range -60°F to +600°F (500°F continuous)
- Insulates and weatherproofs

Applications

- For use on gasketing pumps, oil pans, valve covers, gear boxes, compressors, etc.
- Seals windows, pipe joints and parts
- Bonds gaskets, appliance parts, sign letters
- Caulks joints, duct work, equipment housings

NOTE: Do not use in direct contact with fuel oil, gasoline, acid or caustic materials. Not for use on head gaskets or carburetor base.



DESCRIPTION	PART
RTV Gasket Maker (Hi-Temp Red) (8 oz.)	74153

ADHESIVES AND SEALANTS

RTV GASKET MAKER/SEALER (TUBE)

Tough Silicone Adhesive in a Caulking Gun Cartridge

The ultimate gasket maker and sealer in a caulking gun cartridge. Ideal for use wherever a strong, permanently elastic weatherproof adhesive sealant is needed. This product has excellent adhesion characteristics, high chemical resistance and will not sag or shrink from severe temperature extremes. As an instant gasket maker, this product replaces a wide range of cork, paper, asbestos, felt and metal gaskets. Reduces inventory – eliminates need to stock conventional gaskets. Reduces downtime – gets equipment back in operation fast. (Use with P/N 8253 Caulking Gun).

Features

- 100% silicone rubber
- Permanently flexible
- Withstands temperatures -85°F to 450°F (-51°C to 232°C)
- Adheres to most surfaces
- Insulates
- For interior and exterior use

Applications

- Use for sealing cracks in machinery, heating and ventilating duct work, plumbing fixtures, electrical connections, low pressure water and drain pipes.
- Bonds nameplates, machinery flanges, glass, signs and electrical insulation.
- Ideal for caulking windows, doors, walls, ceiling cracks and crevices.



10.3 oz. Cartridges

DESCRIPTION	PART
RTV Gasket Maker/Sealer - White (10.3 oz.)	74542
RTV Gasket Maker/Sealer - Black (10.3 oz.)	74548
RTV Gasket Maker/Sealer - Blue (10.3 oz.)	74543
RTV Gasket Maker/Sealer - Clear (10.3 oz.)	74541

RTV GASKET MAKER/SEALER (HI-TEMP RED)

High Temp Resistant, Tough Silicone Adhesive in a Caulking Gun Cartridge

The ultimate gasket maker and sealer in a caulking gun cartridge. Ideal for use wherever a strong, permanently elastic weatherproof adhesive sealant is needed. This product has excellent adhesion characteristics, high chemical resistance and will not sag or shrink from severe temperature extremes. It can be used in a wide temperature range of -85°F to 600°F (500°F continuous). As an instant gasket maker, this product replaces a wide range of cork, paper, asbestos, felt and metal gaskets. Reduces inventory – eliminates need to stock conventional gaskets. Reduces downtime – gets equipment back in operation fast. (Use with P/N 8253 Caulking Gun).

Features

- 100% silicone rubber
- Permanently flexible
- Withstands temperatures -85°F to 600°F (-51°C to 315°C)
- Adheres to most surfaces
- Insulates
- For interior and exterior use

Applications

- Use for sealing cracks in machinery, heating and ventilating duct work, plumbing fixtures, electrical connections, low pressure water and drain pipes.
- Bonds nameplates, machinery flanges, glass, signs and electrical insulation.
- Ideal for caulking windows, doors, walls, ceiling cracks and crevices.



DESCRIPTION	PART
RTV Gasket Maker/Sealer (Hi-Temp Red) (10.3 oz.)	74544

ADHESIVES AND SEALANTS

RAPID SEAL

Rubberized Sealant – Petroleum Asphalt Resin

Rapid Seal rubberized sealant seals leaks in gutters, flashings, roofs, and skylights. It is excellent as sealer after pruning trees, and also can be used as a sealant on pails, planters and trash cans.

Features

- Tough
- Flexible Elastic Barrier
- Temporary or Permanent
- Works On a Variety of Surfaces
- Seals Out Moisture
- Fast Dry
- Can Be Top Coated
- Deadens Sound
- Resists Temperature Extremes
- Resists Rust, Road Salts, Alkali and Acids

Applications

- Skylights
- Flashings
- Air Vents
- Gutters
- Antenna Installations
- Small Cracks / Holes in Driveways
- Tree Shrub Pruning



DESCRIPTION	PART
Rapid Seal - Black (18 oz.)	74572

SEAL-IT

Thermoplastic Elastomer Resin

A unique spray product that leaves a firm coating which stays flexible. Will not sag or drip. The coating is impervious to water. The film will not freeze or crack in cold, is abrasion resistant and won't peel. Economical, quick and easy to use. Seals out rust and corrosion.

Features

- Unique Spray Product
- Leaves a Flexible Firm Coating
- Will Not Sag or Drip
- Impervious to Water
- Will Not Freeze or Crack in Cold
- Abrasion Resistant
- Does Not Peel
- Economical
- Quick and Easy
- Seals Out Rust and Corrosion

Applications

- Flashings / Skylights
- Windows / Doors
- Air vents
- Concrete
- PVC
- Gutters
- Shingles / Siding
- Semi Trailers
- Roofs on Campers



DESCRIPTION	PART
Seal-It - Black (15 oz.)	74573
Seal-It - Clear (15 oz.)	74574
Seal-It - White (15 oz.)	74578
Seal-It - Silver (15 oz.)	74579

ADHESIVES AND SEALANTS

INSULATING EXPANDABLE FOAM SEALANT

A Unique One Part Urethane Foam Which Expands as it Dries and Solidifies

Sprays as a liquid then expands and cures to a durable semi-rigid closed cell foam insulation. Each can dispenses over 800 linear feet of product when sprayed in a 3/8" cured bead. Great for sealing headers, outlets, door frames, outside faucets, and around air vents. Fills cracks and plugs holes that caulk won't. Plug the entrance of insect or rodent holes. Seals out Radon Gas. Deadens sound when applied to sheet metal.

Features

- Forms a water-resistant, weather-resistant and airtight bond on masonry, wood, metal, glass, & most plastics
- Keeps pollutants out as well as noise
- Dries tack free in 10 minutes
- Cures completely in 8 to 24 hours
- Easy to use, conforms to any shape as it expands
- Foam expands 2 to 3 times in size

Applications

- Energy conservation
- Air Conditioning
- Ventilation Ducts
- Heating Ducts
- Plumbing
- Window A/C Units
- Spas
- Hot Tubs
- Boats
- RVs
- Electrical Equipment
- Appliances
- Refrigeration Units
- Carpentry
- Masonry
- Auto/Truck Doors



DESCRIPTION	PART
Insulating Expandable Foam Sealant (12 oz.)	74575

COOLING SYSTEM SEALANT

Seals Leaks Quickly and Conveniently

Cooling System Sealant quickly stops minor radiator leaks, seals hairline cracks in engine blocks and heads and stops seeping around gaskets and hoses. Contains ultra small refined organic fibers, an organic buffer to deter rust and corrosion, and a suspension thickener.

Features

- Stops minor radiator leaks quickly
- Seals hairline cracks in the block or head
- Stops seeping around gaskets and hose connections

Applications

- Automotive dealerships, independent automotive shops, service stations, automotive retailers, farm and construction equipment repair, school auto shops



DESCRIPTION	PART
Cooling System Sealant (11 oz.)	74557

ADHESIVES AND SEALANTS

THREADLOCKER

Strong, Temporary Lock for Threaded Fasteners

This medium-strength, general purpose thread locking compound is ideal for all nut and bolt applications and eliminates self-loosening. It is suitable for temperatures up to 300°F, prevents threads from rusting and is removable with hand tools.

Features

- Covers all threadlocking applications
- "Capillary action" gap fill – prevents movement of screw threads and eliminates self-loosening
- Anti-corrosion formulas prevent rusting of thread
- Fast cure without cracking or shrinking – enables quick assembly with minimum downtime
- Easy application – no mixing required
- Authorized by USDA for use in federally inspected meat and poultry plants
- Saves time, money, labor and mess

Applications

- Can be used with all metals, glass, ceramics and many thermoset plastics

TECHNICAL DATA:

Gap Fill005"
Viscosity cP 1200/5000 Thixotropic
Torque in. lbs. (Break/Prevail) 80/50
Temperature
Range -65°F to 300°F (-54°C to 149°C)
Cure Speed
(Fixture/Full) 20 min. / 24 hours



Part #74490



Part #74513

DESCRIPTION	PART
Threadlocker (0.338 fl. oz.)	74490
Threadlocker (1.20 fl. oz.)	74513

THREADLOCKER GELS

Formulated to Provide "Liquid Reliability"

The gel twist threadlockers will not drip or run like traditional liquid threadlockers and is easily portable. Threadlocker gels stay on the part which reduces waste and makes it great for use in vertical applications. No more liquid drips or solid stick globs to deal with. No more mess to clean or costly waste to worry about. The extended nozzle allows for easy application in "hard-to-reach" locations.

Features

- Locks and seals while preventing parts from loosening due to vibration
- Protects threads from corrosion
- No drips, runs, spills or leaks
- Patent-pending formulation & pin-point applicator
- Gel stays where you want it on the part
- Applies clean and package stays clean
- Great for "hard-to-reach" and vertical applications
- Easily portable
- No mess and no waste – time and cost savings!

All-Purpose Medium Strength Blue –

Ideal for all nut and bolt applications 1/4" to 1" (6mm to 25mm). Great for hard-to-reach and vertical applications. Removable with hand tools for easy disassembly.

High Strength Red – Ideal for heavy-duty applications 3/8" to 1" (10mm to 25mm) and greater. Well suited for permanently locking studs. Requires heat or special tools for removal.

Part #74567



Part #74568

Applications

DESCRIPTION	PART
Threadlocker Gels - Medium Strength Blue (10 gm)	74567
Threadlocker Gels - High Strength Red (10 gm)	74568

ADHESIVES AND SEALANTS

STUD LOCK & BEARING MOUNT

High Temperature Resistant Adhesive for Locking Studs and Bearings

A very high-strength adhesive for locking and sealing all fasteners up to 1" diameter and bearings. Ideal where high viscosity, shear strength and rapid cure speed are necessary. It is also ideal for tamper proofing where a difficult removal is desired. Stud Lock and Bearing Mount is suitable for temperatures up to 300°F, prevents rusting of threads and is removable with heat and hand tools.

Features

- Covers all threadlocking applications
- Extremely versatile – can be used with all metals, glass, ceramics and many thermoset plastics
- "Capillary action" gap fill – prevents movement of screw threads and eliminates self-loosening
- Anti-corrosion formulas prevent rusting of thread
- Fast cure without cracking or shrinking – enables quick assembly with minimum downtime
- Easy application – no mixing required
- Authorized by USDA for use in federally inspected meat and poultry plants
- Saves time, money, labor and mess

Applications

- Can be used with all metals, glass, ceramics and many thermoset plastics

TECHNICAL DATA:

Gap Fill007"
Viscosity cP	500
Torque in. lbs. (Break/Prevail)	160/320
Temperature Range	-65°F to 300°F (-54°C to 149°C)
Cure Speed (Fixture/Full)	20 min. / 24 hours

Part #74491



Part #74515

DESCRIPTION	PART
Stud Lock & Bearing Mount (0.338 fl. oz.)	74491
Stud Lock & Bearing Mount (1.20 fl. oz.)	74515

THREAD SEALANT HYDRAULIC/PNEUMATIC

Seals and Locks Hydraulic and Pneumatic Fittings

Specially formulated for both hydraulic and pneumatic systems. Designed to seal and lock hydraulic and pneumatic fittings, servomechanisms and fine-filtration systems. It contains no fillers and will not foul valves or fluid filtering systems. It is suitable for temperatures up to 300°F and rated for sealing pressures to 10,000 psi.

Features

- Medium strength for high pressure fluid power systems
- "Capillary action" gap fill – prevents movement of threads and eliminates self-loosening
- Fast cure without cracking or shrinking – enables quick assembly with minimum downtime
- Easy application – no mixing required
- Saves time, money, labor and mess

Applications

- Hydraulic and pneumatic fittings, servomechanisms and fine-filtration systems

TECHNICAL DATA:

Viscosity cP	14,000
Breakaway Torque N.m. (lb./in.)	2 to 3 (8 to 24)
Temperature	-65°F to 300°F
Range	(-54°C to 149°C)
Cure Speed (Fixture/Full)	20 min. / 24 hours



NOTE: Not recommended for use in pure oxygen and/or oxygen rich systems and should not be selected as a sealant for chlorine or other strong oxidizing materials.

DESCRIPTION	PART
Thread Sealant Hydraulic/Pneumatic (1.69 fl. oz.)	74524

ADHESIVES AND SEALANTS

LOCTITE® THREAD TREATMENT STICKS

Solid Performance in a Semi-Solid Stick Formula

- 248 Medium Strength Threadlocker
- 268 High Strength Threadlocker
- PST® 561 Thread Sealant
- C5-A® Copper Anti-Seize
- Silver Grade Anti-Seize

These patented new stick products offer great flexibility for tough applications, especially overhead, under or around machinery and on components that cannot be moved. They prevent rust and corrosion on various fastener sizes, easing disassembly and reducing inventory carrying costs. The semi-solid formula also means they won't spill or leak.

Features

- Convenient – small enough to be "pocket friendly"
- No leaks, drips or spills
- Keeps toolboxes, workbenches and hands clean
- Fast and easy to apply
- Solid formula – great for overhead use
- Functional for a full range of uses
- Color-coded caps for easy application identification

Applications

- For threadlocking – completely fill the root of the threads at the area of engagement
- For thread sealing – 360° coverage is recommended
- Advance stick only as deep as the threads you are applying to



DESCRIPTION	PART
Loctite® Thread Treatment Sticks (5-Piece Box Set)	17931

248 MEDIUM STRENGTH THREADLOCKER STICK – BLUE

Features

- Eliminates loosening from vibration, shock and thermal expansion
- More reliable and cost effective than conventional mechanical fasteners
- Prevents rust and corrosion while sealing and protecting threads
- Removable with hand tools

Applications

- Machine tools and presses • Pumps and compressors • Mounting bolts • Gear boxes



DESCRIPTION	PART
248 Medium Strength Threadlocker Stick – Blue (0.67 oz. / 19 g)	74561

268 HIGH STRENGTH THREADLOCKER STICK – RED

Features

- Eliminates loosening from vibration, shock and thermal expansion
- More reliable and cost effective than conventional mechanical fasteners
- Prevents rust and corrosion while sealing and protecting threads
- Requires localized heat and hand tools for removal

Applications

- Heavy equipment • Suspension bolts • Motor, transmission and pump mounts
- Bearing cap bolts and studs • Formulated for heavy-duty applications



DESCRIPTION	PART
268 High Strength Threadlocker Stick – Red (0.67 oz. / 19 g)	74563

ADHESIVES AND SEALANTS

PST® 561 THREAD SEALANT STICK – WHITE

Features

- Immediate low pressure sealing to 100 psi
- Controlled lubricity prevents galling
- Protects threaded areas from rust and corrosion
- Provides exceptional fluid compatibility and chemical resistance
- Will not contaminate or clog lines
- Eases disassembly

Applications

- Seals all types of metal tapered threads and fittings to NPT specs
- Ideal for use in a broad range of industries including chemical processing, waste water treatment and automotive



DESCRIPTION	PART
PST® 561 Thread Sealant Stick - White (19 g)	74564

LOCTITE® QUICKSTIX™ 548™ GASKET ELIMINATOR® FLANGE SEALANT

Features

- Designed for rigid flange assemblies
- Forms a flexible, solvent resistant seal
- Offers excellent oil resistance on rigid flange sealing
- Seals up to 300°F (149°C)
- Fills gaps to 0.010"
- Sealing time: >3 hours with or without primer

Applications

- Formulated with excellent oil resistance for rigid flange sealing, for example on transmissions and cast metal housings
- Ideal for on-the-spot repairs or when a conventional gasket is not available
- For use on a variety of metal surfaces, including aluminum



DESCRIPTION	PART
548™ Gasket Eliminator® Flange Sealant (18 g)	74569

LOCTITE® QUICKSTIX™ 534™ HI-TACK GASKET DRESSING

Features

- Allows a precut gasket to be positioned holding it in place for assembly
- Holds aggressively yet still allows for repositioning of the cut gasket
- Seals up to 300°F (149°C)
- Offers added control and ease of use
- Sealing time: 5 minutes to set

Applications

- Seals and bonds rubber, cork, paper, felt and metal gaskets
- Ideal for use in applications requiring oil resistance



DESCRIPTION	PART
534™ Hi-Tack Gasket Dressing (19 g)	74570

LOCTITE® QUICKSTIX™ 668™ RETAINING COMPOUND, HIGH TEMPERATURE

Features

- Bonds non-threaded, cylindrical metal assemblies with gaps up to 0.005" diameter
- Provides typical shear strength of 1,870 psi after 24 hours
- Prevents fretting and corrosion of metal assemblies up to 400°F (204°C)
- Set-up time / full strength: 30 minutes / 24 hours

Applications

- Fills the inner voids in close-fitting press fits, keyways and splines
- Mounts bearings and bushings
- Makes press fits even stronger



DESCRIPTION	PART
668™ Retaining Compound, High Temperature (19 g)	74571

ADHESIVES AND SEALANTS

TEFLON® PIPE SEALANT

Superior Performance, Pipe Fitting Sealant with Brush Applicator Cap

Superior grade, non-hardening, easy-to-apply, heavy duty pipe thread sealant. It is formulated to a thick paste consistency and contains pure Teflon® powders and other PTFE resins to ensure a positive seal with less effort. Withstands pressure to 10,000 p.s.i. (liquid), 2000 p.s.i (gas) and temperatures from -250°F to +500°F (-157°C to +260°C) and is non-toxic. It remains flexible to allow easy disassembly of connections.

Features

- Prevents corrosion, seizing and galling
- Seals most threaded connections
- Resists chemicals, caustics and acids
- Non-staining and non-dripping

Applications

- Designed for all pipe fitters, fabricators, plumbers and mechanical contractors.
- Recommended for pipe thread connections servicing chemicals, petroleum products, natural and LP gas, solvents, refrigerants, water, steam, caustics and acids.
- Can be used on all pipe and threaded connections with cast iron, malleable, brass, copper, stainless steel, PVC, CPVC, ABS and polypropylene.



Part
#74546

Part
#74545

DESCRIPTION	PART
Teflon® Pipe Sealant (1/2 pint)	74545
Teflon® Pipe Sealant (1 pint)	74546

TEFLON® PIPE SEALANT

Superior Performance, Food Grade, Paste Pipe Fitting Sealant

Specially formulated for rapid cure on stainless steel, carbon steel, monel and aluminum threads and fittings. High lubricity allows easier assembly on worn or damaged threads and prevents galling. Will not shred to clog or contaminate systems. Parts are easily disassembled with a pipe wrench. Suitable for use with hydrocarbons (aromatics), halocarbons [Freon®, perchloroethylene, trichloroethylene, organic acids (citric and acetic), alcohols, mild mineral acids and bases (diluted and cold)]*. USDA accepted for use in federally inspected meat and poultry plants.

Features

- Superior lubrication
- Seals all stainless steel and other metal fittings
- Outperforms all pipe dopes and tapes
- Temperature range -65°F to 400°F (-54°C to 204°C)
- Pressure resistance to 10,000 psi

Applications

- Designed for all pipe fitters, fabricators, plumbers and mechanical contractors.
- Recommended for pipe thread connections servicing chemicals, petroleum products, natural and LP gas, solvents, refrigerants, water, steam, caustics and acids.
- Can be used on all pipe and threaded connections with cast iron, malleable, brass, copper, stainless steel, PVC, CPVC, ABS and polypropylene.

SPECIFICATIONS:

Color	White
Viscosity	550,000 cP
Pressure Resistance	10,000 psi
Seal to Operating Pressure	Stainless Steel 3 hours Carbon Steel 30 minutes
Temperature Range	-65°F to 400°F (-54°C to 204°C)



CAUTION: Not for use on plastic pipe. May attack some thermoplastics. Airspace in tube keeps contents liquid.

*Not recommended for oxygen systems. Freon and Teflon are registered trademarks of DuPont.

DESCRIPTION	PART
Teflon® Pipe Sealant (1.20 fl. oz.)	74511

ADHESIVES AND SEALANTS

SCREW GRAB®

Screw Grab® is a friction gel that helps remove or tighten all types of fasteners - damaged or rusted screws, nuts, and bolts. A single dab creates a positive grip between metal surfaces (new tests have shown as high as 800%), that virtually eliminates tool wear and the stripping, rounding, or deforming of fasteners.

Features

- NOT a Glue
- Works Instantly
- Wipes CLEAN after use
- Non-corrosive
- Unlimited shelf-life
- Screw Grab is approved for use on US Military jets, and by the United Kingdom RAAF

Applications

- Stripped, rounded, deformed bolt heads/nuts
- Seized, rusted, or hard-to-reach spots
- Stops drill bits from turning in chuck
- Sloppy or mismatched sockets
- Removal of headlight frames, car moldings
- Apply to power driver for drywall or deck screws



DESCRIPTION	PART
Screw Grab® (0.5 fl. oz. / 15 ml)	74562

ADHESIVES AND SEALANTS

3M™ FIRE BARRIER SEALANT, CP 25WB+

Premium, Intumescent Latex-Based Sealant

3M CP Sealant 25WB+ offers outstanding fire performance plus a non-halogen formula.

- **Water base** – easy cleanup, no special handling, routine disposal
- **Intumescent** – expands when heated to choke and seal around items consumed by fire
- **Endothermic** – releases chemically bound water to cool exposed surfaces
- **Fast-dry** – tack-free in approximately 10-15 minutes
- **Red color** for easy inspection



* Stock item (most widely used). Please call for delivery on other 4 items.

DESCRIPTION	PART
3M™ Fire Barrier Sealant, CP 25WB+ (10.1 fl oz Cartridge*)	74580
3M™ Fire Barrier Sealant, CP 25WB+ (27 fl oz Cartridge)	74581
3M™ Fire Barrier Sealant, CP 25WB+ (20 fl oz Sausage)	74582
3M™ Fire Barrier Sealant, CP 25WB+ (5 Gallon Pail)	74583
3M™ Fire Barrier Sealant, CP 25WB+ (2 Gallon Pail)	74584

3M™ FIRE BARRIER MOLDABLE PUTTY

Restores the Integrity of Fire-rated Building Construction

Designed for use as a one-part,
100% solids intumescent firestop.

- Ideal for construction gaps, cable, insulated pipe, electrical conduit and metal pipe
- Designed to provide up to a 4-hour fire rating
- UL-classified for telecommunications applications (interduct, fiber optic and cables)
- Remains pliable and flexible
- Won't dry out or crumble
- Convenient pad and stick form
- Non-halogen formula
- Reenterable
- Adheres to all common building surfaces including metal and plastic electrical boxes
- Provides draft and cold smoke seal even before temperature increases
- Intumescent and expands to form a hard char – prevents the transmission of hot gases & fire
- Great for building maintenance applications



DESCRIPTION	PART
3M™ Fire Barrier Moldable Putty (Stick – 1.5" x 6")	74585
3M™ Fire Barrier Moldable Putty (Pad – 4"x 8" x 1/8")	74586

ADHESIVES AND SEALANTS

3M™ FIRE BARRIER FOAM FIP 1-STEP

Foam-in-place Firestop – Finally, a UL listed alternative to mineral wool, bricks and runny, ineffective foams.

- A smoke and firestopping foam for wall and floor penetrations.
- Used in mechanical, electrical, data and plumbing applications.
- Premium two-part, easy-to-handle formulation.
- Expands during installation and bonds to concrete, metal, wood, plastic and cable jacketing.
- Dries to a flexible solid.

This Foam Won't Roam.

It's like no firestop foam you've used before — it works. It's not runny, so it stays in place and expands at a controlled and consistent pace. Installs in vertical and horizontal applications without running down the opening or sagging. Similar to many two-part epoxy sealants, but with just one step — saving you trips up and down the ladder.

Key Features

- Firestop tested up to 2 hours in accordance with ASTM E 814 (UL 1479) and CAN/ULC S115.
- Meets the International Building Code for Passive Fire Protection.
- Expands up to 5X when dispensed. One cartridge FIP 1-Step equals up to 6 tubes 10.1 oz caulk.
- Intumescent. Expands in a fire.
- Expansive UL systems for blank openings, metal pipe, cables, cable trays, combos, insulated pipe.
- UL systems require no mineral wool.
- Remains pliable after installation for easy installation of new cables/conduit in existing opening.
- Excellent adhesion. Can be installed in wall or floor applications with no backing material.
- STC rating of 57 when tested in STC 57 rated wall assembly.
- Air leakage less than 1 CFM/Sq Ft.
- Shelf life is 12 months in original unopened containers from date of packaging.

Typical Applications

- Conduit banks
- Cables
- Cable trays
- Combos
- Busways
- Metal pipes
- Plastic pipes
- Insulated pipes
- HVAC duct penetrations
- Blank openings in floors and walls



Items are non-stock. Please allow 1 to 2 weeks for delivery (3M factory stock). For urgent requirements, please call.



P/N 9572
HandyMax® HMS-G4C2
Manual Gun



P/N 9573
PowerMax® HPS-4C2
Battery-Powered Gun

SOUND BARRIER In STC 57-rated wall assembly	SMOKE SEAL Meets Air Leakage Requirements
FIRE BARRIER UP TO 2 HOUR	TEMPERATURE UP TO 1 HOUR

PLEASE SEE APPROPRIATE UL SYSTEM FOR ASSOCIATED RATING.

CLASSIFIED FILL, VOID OR CAVITY MATERIAL FOR USE IN THROUGH-PENETRATION FIRESTOP SYSTEMS SEE UL FIRE RESISTANCE DIRECTORY SOLG	ULC LISTED FILL, VOID OR CAVITY MATERIAL
--	--

IMPORTANT:
Products do not achieve ratings, systems do. Consult your UL directory for specific information regarding your application.

DESCRIPTION	PART
3M™ Fire Barrier Foam FIP 1-Step, 12.85fl oz.	74588*
Nozzle (2 pack)	74588N
HandyMax® HMS-G4C2 Manual Gun	9572
PowerMax® HPS-4C2 Battery-Powered Gun	9573

*Includes 2 nozzles



See FIP 1-Step in action! Scan the QR Code to go to the video.

BULK CHEMICALS

2



BULK CHEMICALS

ALUMINUM BRITE™

Concentrated, Deep Cleaning Metal Cleaner

A fast-acting, deep cleaning solution for removing dirt, oxide and carbon stains from aluminum, stainless steel, copper, magnesium and other similar metals. Cleans and brightens.

Features

- Concentrated
- Deep cleaning and fast acting
- Easy to use – requiring no scrubbing, buffing or polishing
- Economical – saving time, money and labor

Applications

• Truck Bodies • Wheels • Buses • Aircraft • Equipment • Machinery

Instructions*

Light Duty Application: Mix (1) part cleaner with up to (10) parts water

Heavy Duty Carbon Stains: Mix (1) part cleaner with (5) parts water



DESCRIPTION	PART
Aluminum Brite™ (55 Gallon Drum)	74240
Aluminum Brite™ (30 Gallon Drum)	74241
Aluminum Brite™ (5 Gallon Pail)	74243
Aluminum Brite™ (1 Gallon Container) (Buy 4 x 1 Gal)	74244

BIG JOB™ TRUCK WASH

Concentrated, Water-Based, Biodegradable, Manual or Auto Wash

A highly concentrated liquid cleaning compound designed for autos, trucks, buses and planes where minimum surface agitation is required. It's easy to use manually or in automatic equipment and it's economical.

Features

- Super-concentrated
- Dissolves road film
- Biodegradable
- Manual or automatic washing

Applications

• Autos • Trucks • Buses • Planes • Railroad Cars
• Vans • Trailers • Tractors • Box Cars

Instructions*

Light Duty Application: Dilute (2-3) ounces per gallon of water

Heavy Duty Soils: Dilute (4-8) ounces per gallon of water

Automatic / Mechanical Washers: Dispense at a 1 to 50 dilution rate



DESCRIPTION	PART
Big Job™ Truck Wash (55 Gallon Drum)	74235
Big Job™ Truck Wash (30 Gallon Drum)	74236
Big Job™ Truck Wash (5 Gallon Pail)	74238
Big Job™ Truck Wash (1 Gallon Container) (Buy 4 x 1 Gal)	74239

*NOTE: Always test product on an inconspicuous area before using. Since conditions of use are outside our control, we can assume no liability for results obtained or damages incurred through the application of this product.

BULK CHEMICALS

CITRUS GREASE DIGESTER™

2

Unclogs, Degreases, Deodorizes

Revitalizes sluggish disposal systems and quickly reduces buildup of grease and slime in sewage treatment equipment without affecting bacterial activity. Effectively controls odor. Will not harm metal pipes. Eliminates heat generation. Non-acid, non-caustic and non-corrosive.

Features

- Unclogs, deodorizes and degreases
- Extremely effective in drains, grease traps, septic systems, dry wells and cesspools
- Environmentally safe
- Natural citrus base

Applications

- Waste Disposal Facilities
- Maintenance of Drains
- Garbage Areas
- Refuse Trucks and Cans

Instructions*

Drain Cleaner: To open drains clogged by grease and slime, pour in 8 oz. (1/2 pint). Allow to stand for 1 hour. Flush with hot tap water. In garbage disposals, allow to stand 5-10 minutes. Flush with hot tap water. **CAUTION:** *Do not use in plastic pipes.*

Drain Grease Trap Maintenance: Pour in a solution of 8 oz. per gallon of water. Allow to stand 1 hour. Flush with hot tap water. **CAUTION:** *Do not use in plastic pipes.*

General Cleaning, Degreasing and Odor Control: Dilute (4) oz. to (1) gallon of warm water. *Not for use on synthetic or resilient tile floors.*

Sewage Plants, Septic Tanks and Drainfields: Add (1) quart to (1,000) gallons of capacity or dispense through a drip device as required for maximum odor control.
CAUTION: *Contains powerful organic compounds and may damage some plastic or painted surfaces.*



DESCRIPTION	PART
Citrus Grease Digester™ (55 Gallon Drum)	74250
Citrus Grease Digester™ (30 Gallon Drum)	74251
Citrus Grease Digester™ (5 Gallon Pail)	74253
Citrus Grease Digester™ (1 Gallon Container) (Buy 4 x 1 Gal)	74254

*NOTE: Always test product on an inconspicuous area before using. Since conditions of use are outside our control, we can assume no liability for results obtained or damages incurred through the application of this product.

BULK CHEMICALS

CLEAR VIEW™**

Concentrated, Biodegradable, Glass and Hard Surface Cleaner

Provides deep cleaning power for all glass and hard surface applications. A special blend of detergents, drying accelerators and ammonia dissolve dirt, dust and fingerprints. Leaves a gleaming, streak-free shine. Safe for most surfaces. Will not leave oily or soapy film. Repels dirt, dust and fingerprints.

Features

- Removes dirt, grease and fingerprints
- Fast-drying
- Non-streaking
- Non-abrasive

Applications

- Glass • Mirror • Porcelain • Formica
- Stainless Steel • Aluminum • Chrome
- Tile • Painted Surfaces • Plastic

Instructions*

Light Duty Application: Dilute with up to (2) parts water

Heavy Duty Soils: Use full strength

****Also available in "Ready-to-Use" pre-diluted formula (Part #74601).**
(Packaged in 32 oz. bottle with trigger sprayer).



DESCRIPTION	PART
Clear View™** (55 Gallon Drum)	74350
Clear View™** (5 Gallon Pail)	74353

COIL AND FILTER CLEANER

HVAC Multi-Purpose, Coil and Filter Cleaner

A non-caustic, non-acid cleaner designed to remove the build-up of dirt and grime on all HVAC and refrigeration coils and filters. Also works well as a filter adhesive, providing a viscous, tacky film to catch dirt, dust and pollen too small for retention by the filter.

Features

- Cleans HVAC/refrigeration coils and filters
- No rinsing necessary
- Easy-to-use
- Non-flammable

Applications

- Coils • Filters • Condensers
- Air Conditioning Systems
- Heating Units • Refrigeration Systems

Instructions*

Light Duty Application: Dilute (1) part cleaner to (1-3) parts water

Permanent Type Filters: Dilute (1) part cleaner to (3) parts water and place filter in dip tank solution

As Filter Adhesive: Use full strength by spraying directly on the filter



DESCRIPTION	PART
Coil and Filter Cleaner (55 Gallon Drum)	74340
Coil and Filter Cleaner (30 Gallon Drum)	74341
Coil and Filter Cleaner (5 Gallon Pail)	74343
Coil and Filter Cleaner (1 Gallon Container) (Buy 4 x 1 Gal)	74344

*NOTE: Always test product on an inconspicuous area before using. Since conditions of use are outside our control, we can assume no liability for results obtained or damages incurred through the application of this product.

BULK CHEMICALS

DIESEL FUEL ADDITIVE**

2

Injector Cleaner, Rust Inhibitor, Smoke Reducer

Cleans injectors, screens, fuel pumps and filters result in more even burning and easier starting. Improves combustion by its catalytic action, resulting in more power and greater mileage. Improves performance in all diesel engines and when used in diesel fuel storage tank, greater fuel stability is achieved.

Features

- Increases mileage
- Reduces "smoking"
- Improves performance
- Extends fuel life
- Reduces downtime

Applications

- Diesel Trucks / Buses
- Bulk Fuel Storage Tanks
- Engines
- Fuel Tanks

Instructions

Combine (1) quart to (100) gallons of diesel fuel. Add directly to fuel. Give special attention to the crankcase oil in engines with heavy deposits of varnish, carbon or sludge. If large volumes of deposits are released quickly, change oil and filters to rid the engine of these deposits.

****Also available in "Ready-to-Use" pre-diluted formula (Part #74604).**

(Packaged in 32 oz. bottle with trigger sprayer).



DESCRIPTION	PART
Diesel Fuel Additive** (55 Gallon Drum)	74245
Diesel Fuel Additive** (30 Gallon Drum)	74246
Diesel Fuel Additive** (5 Gallon Pail)	74248
Diesel Fuel Additive** (1 Gallon Container) (Buy 4 x 1 Gal)	74249

BULK CHEMICALS

EQUIPMENT CLEAN™

Emulsifiable, Solvent-Based, Engine/Equipment Cleaner/Degreaser

Unique, emulsifiable formulation instantly dissolves the toughest caked-on grease, dirt, oil and wax and washes off with water. Exceptionally versatile, cleaning everything from small parts, to engines, to concrete floors – and will not harm most painted surfaces. Easy to use and economical – can be diluted with common petroleum solvents.

Features

- Cleans on contact
- Heavy duty degreasing power
- Dilutes with petroleum solvents
- Emulsifiable
- Leaves no residue

Applications

- Equipment • Machinery • Engines • Small Parts
- Bearings • Wheels • Chassis • Running Gear
- Concrete Floors • Transmissions • Fork Lifts
- Fifth Wheels • Parts Cleaners

Instructions*

Dilute with up to (8) parts kerosene, diesel fuel, mineral spirits or naptha as per chart below.

Caution: If using with a pressure sprayer, Equipment Clean must be diluted with at least (8) parts solvent.

Insufficient dilution may cause spray hose to deteriorate and fail, causing possible injury or property damage.



Dilution Rates (1-Part Equipment Clean)

PARTS SOLVENT		PARTS SOLVENT	
Equipment / Machinery.....	4 - 6	Chassis.....	6 - 8
Engines – Normal.....	4 - 6	Running Gears	4
Engines – Heavy Grease.....	1 - 2	Cold Tank Degreaser.....	4
Small Parts / Bearings.....	4 - 6	Concrete Floors.....	3
Wheels.....	6 - 8	Wax Coatings	2

**NOTE: Always test product on an inconspicuous area before using. Since conditions of use are outside our control, we can assume no liability for results obtained or damages incurred through the application of this product.*

DESCRIPTION	PART
Equipment Clean™ (55 Gallon Drum)	74305
Equipment Clean™ (30 Gallon Drum)	74306
Equipment Clean™ (5 Gallon Pail)	74308
Equipment Clean™ (1 Gallon Container) (Buy 4 x 1 Gal)	74309

BULK CHEMICALS

4-WAY PLUS**

Multi-Purpose Lube and Penetrant with High Dielectric Strength

An outstanding effective rust preventive and water displacing compound for ferrous and non-ferrous substrate. The protective film left on the metal after evaporation of the solvent is ultra thin and highly protective against corrosive effects of the elements.

Features

- Long lasting
- Removable coating
- Corrosion prevention
- Protects from elements
- Water displacement
- Phosphate free

Applications

- Rust preventative for metal parts in machine shops
- Tools • Equipment • Tractors • Bicycles
- Cranes • Vehicles • Electrical Systems
- Generators • Alternators • Starters

Instructions:

For Small Parts: Immerse parts into the compound for full strength for a few seconds. Remove and allow to air dry until all the solvent is evaporated.

For Equipment: Brush, spray or simply apply with a cloth dampened with the chemicals. Allow to dry.

Removing: Use mineral spirits or similar solvent or alkaline cleaner (where applicable) to wash down parts.

****Also available in "Ready-to-Use" pre-diluted formula (Part #74603).**

(Packaged in 32 oz. bottle with trigger sprayer).



DESCRIPTION	PART
4-Way Plus** (55 Gallon Drum)	74200
4-Way Plus** (30 Gallon Drum)	74201
4-Way Plus** (5 Gallon Pail)	74203
4-Way Plus** (1 Gallon Container) (Buy 4 x 1 Gal)	74204

BULK CHEMICALS

FLOOR GLO™

Transparent, High Gloss Durable Floor Finish

A durable, long-lasting, high gloss floor finish that withstands the toughest traffic conditions. Its transparent sheen will not darken or yellow and provides waterproof protection against damp mopping and spray buffing. One gallon covers 1,500 to 2,000 square feet.

Features

- Tough thermoplastic coating
- Scuff resistant
- Superb durability
- Withstands high traffic and repeated detergent washings

Applications

- All Types of Resilient Flooring
- Asphalt • Tile • Vinyl • Rubber
- Terrazzo • Linoleum • Masonry
- Varnished, Painted or Sealed Wood

Instructions

Preparation: Strip other polishes from the floor using an abrasive pad and **Red Lion Super Stripper** solution. Pick up with a wet vac, mop or autoscrubber. Rinse the floor thoroughly (at least twice) with clean water. Repeat the operation if all polish is not removed. Allow floor to dry.

Application: Using a clean synthetic mop, apply 3 coats of **Floor Glo** allowing a minimum of 30 minutes between coats. Additional coats of finish may be applied, provided adequate dry time (at least one hour) is allowed between coats. Temperature, humidity and air movement affect curing time.

Burnishing: The thermoplastic properties of the floor finish are enhanced by the heat of high speed burnishing equipment (1500-2000 RPM) producing the desirable "ultra wet look." Burnish with any high speed machine using procedure as outline by the machine manufacturer in conjunction with the proper high speed burnishing pad.

Maintenance: The floor may be maintained by damp mopping with a free rinsing neutral detergent followed by high speed burnishing or high speed spray buffing with a suitable spray buffing compound or mop-on restorer. Additional coat may be applied after thoroughly scrubbing floors. If stripping becomes necessary, use **Red Lion Super Stripper**. If floor is exposed to heavy traffic of sand or other abrasive soils, frequent dust mopping is recommended. **Do not pour unused finish back into original container or contaminate with other finishes.**



2

DESCRIPTION	PART
Floor Glo™ (55 Gallon Drum)	74345
Floor Glo™ (30 Gallon Drum)	74346
Floor Glo™ (5 Gallon Pail)	74348
Floor Glo™ (1 Gallon Container) (Buy 4 x 1 Gal)	74349

BULK CHEMICALS

H.D. CITRUS CLEANER/DEGREASER™**

Concentrated, Citrus-Based, Biodegradable Cleaner/Degreaser

A highly concentrated cleaner and degreaser. This powerful water soluble cleaner derives its strength from d-limonene, a natural citrus solvent. Instantly dissolves greasy, oil soils from virtually any surface and it deodorizes while it cleans. Extremely concentrated – can be diluted up to 100 to 1.

Features

- Highly concentrated
- Extremely powerful
- Natural citrus extract
- Instantly dissolves greasy, oil soils
- Biodegradable

Applications

- Porcelain
- Formica
- Tiles
- Enamel Surfaces
- Tools
- Equipment
- Oil and Tar Stains
- Vinyl Tops
- Floor Mats
- Tubs
- Sinks
- Appliances
- Printing Presses
- White Wall Tires

Instructions*

Spray with hand sprayer or low or high pressure equipment, steam, mop, brush or wipe on any water safe surface. Wipe or rinse off with clear water.

Lightly Soiled: 1 to 4 oz. per gallon

Medium Soiled: 4 to 10 oz. per gallon

****Also available in "Ready-to-Use" pre-diluted formula (Part #74600).**

(Packaged in 32 oz. bottle with trigger sprayer).



DESCRIPTION	PART
H.D. Citrus Cleaner/Degreaser™** (55 Gallon Drum)	74215
H.D. Citrus Cleaner/Degreaser™** (30 Gallon Drum)	74216
H.D. Citrus Cleaner/Degreaser™** (5 Gallon Pail)	74218
H.D. Citrus Cleaner/Degreaser™** (1 Gallon Container) (Buy 4 x 1 Gal)	74219

*NOTE: Always test product on an inconspicuous area before using. Since conditions of use are outside our control, we can assume no liability for results obtained or damages incurred through the application of this product.

BULK CHEMICALS

LIFT-OUT™ LIFT STATION DEGREASER

Water Insoluble, Grease Dissolving, Biodegradable

This powerful and efficient emulsifying agent liquifies animal fats and garbage grease in lift stations, greasetraps and drain lines for maximum performance. It maintains facilities in top operating condition while eliminating odors, overflowing and unsanitary conditions resulting from poor draining caused by slime and grease. Harmless to most plumbing.

Features

- Liquifies
- Deodorizes
- Degreases
- Extremely effective in drains, grease traps, septic systems, dry wells and cesspools

Applications

- Lift Stations
- Sewage Treatment Plants
- Landfills
- Waste Disposal Facilities
- Drain Maintenance
- Refuse Trucks and Cans
- Garbage Areas

Instructions*

Lift Stations: To add a one inch cap on liftstation, pour in four times the diameter (in feet) as the number of gallons. For rectangular lift stations, multiply the length times the width (in feet) by 0.625. Use this as the number of gallons.

Drain Cleaner: To open drains clogged by grease and slime, pour in 8 oz. (1/2 pint). Allow to stand for 1 hour. Flush with hot tap water. In garbage disposals, allow to stand 5-10 minutes. Flush with hot tap water. **Do not use in plastic pipes.**

Drain and Grease Trap Maintenance: Pour in a solution of 8 oz. per gallon of water. Allow to stand 1 hour. Flush with hot tap water.

Sewage Plants, Septic Tanks, Drainfields, etc.: Add (1) quart of product to (1000) gallons of capacity or dispense through a drip device as required for maximum odor control.



2

DESCRIPTION	PART
Lift-Out™ Lift Station Degreaser (55 Gallon Drum)	74280
Lift-Out™ Lift Station Degreaser (30 Gallon Drum)	74281
Lift-Out™ Lift Station Degreaser (5 Gallon Pail)	74283
Lift-Out™ Lift Station Degreaser (1 Gallon Container) (Buy 4 x 1 Gal)	74284

*NOTE: Always test product on an inconspicuous area before using. Since conditions of use are outside our control, we can assume no liability for results obtained or damages incurred through the application of this product.

BULK CHEMICALS

N-ZYME™ DRAIN MAINTENANCE

2

Liquid Waste Digester

This liquid waste digester prevents blocked drains by biologically degrading organic wastes, grease, fats, oil cellulose, protein and starch residues. Contains no acids or caustics to damage drains or interfere with septic tanks, ponds and lagoons. The bacterial culture establishes colonies which remain in the system and reactivate each time waste is introduced.

Features

- Non-toxic
- Non-corrosive
- No fumes
- Extremely concentrated
- Excellent preventive maintenance tool

Applications

- Sinks
- Drains
- Grease Traps
- Interceptors
- Drain Fields
- Septic Tanks
- Sewers

Instructions

Stir before initial use. For best results, treat waste systems at night or during the lowest use period. Just before adding, flush sinks, drains or other areas of entry with warm water to remove any residue, disinfectants, bleach or other harsh chemicals that may harm bacterial cultures.

Grease Traps: When possible, clean out grease trap prior to beginning of treatment. Add 1 to 3 oz. per cubic foot of trap capacity. Use drain close to trap. To maintain, add 2 to 3 oz. each night.

Drain Lines: Use 1 to 3 oz. per drain, diluted with warm water. Pour into sinks, floor drains, garbage disposals, toilets and urinals once a week.

Septic Tanks, Dump Stations: For slow systems, use 1 pint (16 oz.) for each 500 gallons of capacity. Mix into 2 gallons of warm water and flush through toilet furthest from tank. To maintain, apply 1 quart per month or as needed.

Sludge Lagoons and Ponds: During first 3 to 7 days, add 1/2 gallon daily for each million gallons of wastewater. To maintain, add 1 quart weekly at inlet ditch.

Setting Tanks: Add 1 quart for each 1,000 cu. ft. (8,000 gals.) capacity. Add weekly for 4 weeks. To maintain, add 1 quart per 1,000 cu. ft. per month.

Recreational Vehicles, Boats, Portable Toilets: Add 8 oz. for each 5 gallons of holding tank capacity.

NOTE: Disinfectants, chlorinated products and extra-hot water (over 160°F) will kill off some of the live bacteria. Always store below 120°F. Avoid storing in car trunk in summer time.



DESCRIPTION	PART
N-Zyme™ Drain Maintenance (55 Gallon Drum)	74285
N-Zyme™ Drain Maintenance (30 Gallon Drum)	74286
N-Zyme™ Drain Maintenance (5 Gallon Pail)	74288
N-Zyme™ Drain Maintenance (1 Gallon Container) (Buy 4 x 1 Gal)	74289

BULK CHEMICALS

ODOR ELIMINATOR™**

Encapsulates & Destroys Toughest Odors, Biodegradable, Lemon-Lime Scent

A concentrated product, scientifically formulated to eliminate any and all odors safely and effectively. Odor Eliminator does not "mask" odors, it neutralizes them by chemically bonding with the odor carrying molecules and encapsulating them, thereby stopping odor formation. It is non-flammable, non-staining and non-corrosive.

Features

- Chemically "neutralizes" and eliminates odors
- Does not mask odors
- Use as an air or surface spray
- Refreshing lemon scent
- Non-flammable

Applications

All Airborne Odors in:

- Rendering Plants
- Slaughter Houses
- Zoos
- Kennels
- Public Rest Rooms
- Transportation Industry
- Locker Rooms
- Garbage Areas
- Sewage Areas
- Smoke Filled Rooms
- Mortuaries
- Hotels
- Air Conditioning Filters

Instructions

Use full strength or dilute with water as an air or surface spray.

****Also available in "Ready-to-Use" pre-diluted formula (Part #74602).**

(Packaged in a 32 oz. bottle with trigger sprayer).



2

DESCRIPTION	PART
Odor Eliminator™** (55 Gallon Drum)	74360
Odor Eliminator™** (30 Gallon Drum)	74361
Odor Eliminator™** (5 Gallon Pail)	74363
Odor Eliminator™** (1 Gallon Container) (Buy 4 x 1 Gal)	74364

BULK CHEMICALS

ODOR ELIMINATOR SC™

2

Super Concentrated Odor Eliminator Formula

A super-concentrated product, scientifically formulated to eliminate any and all odors safely and effectively. It does not "mask" odors, it neutralizes them by chemically bonding with the odor carrying molecules and encapsulating them, thereby stopping the odor formation. It's non-flammable, non-staining and non-corrosive.

Features

- Super-concentrated formula
- Chemically "neutralizes" and eliminates odors
- Does not mask odors
- Use as an air or surface spray
- Refreshing lemon scent
- Non-flammable

Applications

All Airborne Odors in:

- Rendering Plants
- Slaughter Houses
- Zoos
- Kennels
- Public Rest Rooms
- Transportation Industry
- Locker Rooms
- Garbage Areas
- Sewage Areas
- Smoke Filled Rooms
- Mortuaries
- Hotels
- Air Conditioning Filters

Instructions

Dilute (1) part Odor Eliminator SC to (3) parts water. This provides concentration equal to standard Odor Eliminator product. May be diluted further for lighter duty applications.



DESCRIPTION	PART
Odor Eliminator SC™ (55 Gallon Drum)	74270
Odor Eliminator SC™ (30 Gallon Drum)	74271
Odor Eliminator SC™ (5 Gallon Pail)	74273
Odor Eliminator SC™ (1 Gallon Container) (Buy 4 x 1 Gal)	74274

BULK CHEMICALS

PLEASANT SCENT™

Chemically Destroys Toughest Odors

A highly refined blend of chemicals designed to destroy odors of putrefaction, defecation, regurgitation, urination and many other malodors. It is easy to apply with a trigger sprayer or fogging unit and is biodegradable, phosphate free and non-flammable.

Features

- Chemically destroys the toughest malodors
- Does not mask odors
- Easy to use as an air or surface spray
- Biodegradable

Applications

- Hospitals /Laboratories
- Mortuaries
- Motels
- Factories
- Rest Rooms
- Kennels
- Airplanes

Instructions

Use full strength or dilute with water. Dilutes up to 10:1.



2

DESCRIPTION	PART
Pleasant Scent™	
Lemon-Lime Scent (55 Gallon Drum)	74230
Green Apple Scent (55 Gallon Drum)	74225
Lemon-Lime Scent (30 Gallon Drum)	74231
Green Apple Scent (30 Gallon Drum)	74226
Lemon-Lime Scent (5 Gallon Pail)	74233
Green Apple Scent (5 Gallon Pail)	74228
Lemon-Lime Scent (1 Gallon Container) (Buy 4 x 1 Gal)	74234
Green Apple Scent (1 Gallon Container) (Buy 4 x 1 Gal)	74229

BULK CHEMICALS

SAFETY SOLV 2000™

2

Non-Chlorinated, Fast Acting, High Flash Point Cleaner/Degreaser

A fast acting, non-corrosive cleaning and degreasing solvent for removing dirt, grease, oil, lubricants, ink, adhesive, tar, soot, wax and many other contaminants from mechanical and electrical equipment.

Features

- Superior degreasing properties
- Equipment / machinery
- Fast-acting
- Non-corrosive
- High flash point (142°F)
- Mild odor

Applications

- Metal • Plastics • Fiberglass • Motors
- Pressure Tanks • Rubber • Molds
- Paint Masks • Printing Equipment
- Meters • Pre-Welding Applications

Instructions

General Cleaning/Degreasing: Apply directly to material using brush, dip, spray or wiping action. Wipe dry or blow with compressed air.

Motors: Turn power off and remove all loose material, lint and dust by air blowing motor. Replace all worn and arcing brushes. Resurface commutator if arcing continues. Spray into motor with a heavy stream. Blow motor with air until dry. Relubricate before using.

Disassembled Equipment: Immerse parts in solvent for 5-10 minutes. Dipping, ultrasonics or any method of agitation will hasten cleaning action. Wipe dry or blow dry with compressed air upon removal.



DESCRIPTION	PART
Safety Solv 2000™ (55 Gallon Drum)	74275
Safety Solv 2000™ (30 Gallon Drum)	74276
Safety Solv 2000™ (5 Gallon Pail)	74278
Safety Solv 2000™ (1 Gallon Container) (Buy 4 x 1 Gal)	74279

BRAKE CLEAN

Contains No Chlorinated Solvents, Hexane Free Cleaner/Degreaser

Specially formulated to work quickly and effectively to remove brake fluid, grease, dirt and other contaminants from brake linings, disc brake pads, brake drums, springs, wheel cylinders, etc. Stops disc brake squeal, leaves no residue and is an excellent cleaner for other dirty, greasy parts.

Features

- Cleans and degreases all brake parts and instantly removes dirt, grease and brake fluid
- Improves brake performance

Applications

- For use on brake linings, disc brake pads, brake drums, springs, wheel cylinders and other brake parts

Instructions

Spray brake parts liberally and allow to run off. Allow to air dry or use a soft wipe.

Repeat if necessary. Do not spray on hot or warm surfaces. Protect rubber and plastic parts from spray.



DESCRIPTION	PART
Brake Clean (55 Gallon Drum)	74257
Brake Clean (30 Gallon Drum)	74256

BULK CHEMICALS

STEAM CLEAN™

All Purpose, Deep Cleaning, Free-Rinsing

A special formulation of surfactants and cleaners provide the most effective and versatile steam cleaning product available. Use for cleaning and degreasing painted surfaces, metals, concrete, chrome, rubber and glass. Steam solubilizes, emulsifies and penetrates grease, dirt and oil, so it can be easily flushed off the surface being cleaned. This special formula prevents clogging of coils and is very effective on aluminum, steel and other metal surfaces. Leaves no scale or residue.

Features

- Deep cleaning formula
- Free rinsing
- Controlled foam
- Biodegradable
- Non-flammable

Applications

- Engines
- Walls
- Floors
- Drive Line Components
- Chains
- Cables

Instructions

Always follow the manufacturer's instructions for the steam cleaning equipment. For steam cleaners that feed directly into the coils, use (1) quart of Steam Clean per (20) gallons of water. Steam cleaners that premix cleaner with water before going through the coils use (1) gallon of Steam Clean for (20) gallons of water.

Proper flow is determined by the sudsing action at the nozzle. If too much cleaner is added to the solution, adjust the flow to the point where sudsing just begins at the spray nozzle. Although normally used in steam cleaning machines, Steam Clean may also be used as a soak solution. Use 6-10 oz. per gallon of warm or hot water.

NOTE: Steam Clean may be used on glass and aluminum. However, it should not be allowed to dry directly on these surfaces. Rinse thoroughly with clear water immediately after cleaning.



2

DESCRIPTION	PART
Steam Clean™ (55 Gallon Drum)	74310
Steam Clean™ (30 Gallon Drum)	74311
Steam Clean™ (5 Gallon Pail)	74313
Steam Clean™ (1 Gallon Container) (Buy 4 x 1 Gal)	74314

BULK CHEMICALS

STEAM CLEAN HD™

2

All Purpose, Deep Cleaning, Free-Rinsing

An extremely powerful steam cleaner, containing special cleaners and surfactants that plate out on the surface to remove dirt and grease. Powerful enough to clean 5th wheels. A concentrated emulsifier dissolves greasy, oily and waxy soils and deodorizes as it cleans. Through emulsification, soils are removed from surfaces and suspended through the cleaning solution. Redeposition of soils is minimized, enabling quick and complete rinsing. For use on all surfaces.

Features

- Extremely powerful formula
- Free rinsing
- Controlled foam
- Biodegradable
- Non-flammable

Applications

- Engines
- Walls
- Floors
- Drive Line Components
- Chains
- Cables

Instructions

This is a concentrate and must be diluted prior to use. Dilution ratios will vary depending upon the degree and nature of the soil and should be adjusted as experience dictates. For trucks, buses or airplanes, use (1) part concentrate (20-40) parts water. The solution may be applied by brushing, wiping or spraying. After cleaning, rinse thoroughly with clear water. Do not allow solution to dry on surface.

NOTE: Steam Clean HD should not be used on aluminum, glass or painted surfaces. All surfaces should be rinsed immediately after use with clear water.



DESCRIPTION	PART
Steam Clean HD™ (55 Gallon Drum)	74315
Steam Clean HD™ (30 Gallon Drum)	74316
Steam Clean HD™ (5 Gallon Pail)	74318
Steam Clean HD™ (1 Gallon Container) (Buy 4 x 1 Gal)	74319

BULK CHEMICALS

SUPER CLEAN™

Highly Alkaline, Water Soluble Concentrated Solvent

It's unique formulation provides the ultimate versatility in an industrial cleaner. Use on metal, plastic, rubber, concrete, iron, steel and aluminum (except anodized aluminum). Emulsifies dirt, grease, oil, wax, creosote and many other stubborn stains. There's no need for scrubbing because Super Clean's emulsifying action floats dirt away. Just rinse with clear water to leave a bright clean surface with no oily residue.

Features

- Heavy duty degreaser
- Versatile
- Economical
- Free-rinsing
- Non-flammable
- Biodegradable

Applications

- Machinery
- Equipment
- Concrete
- Walls
- Floors
- Filters
- Ventilator Screens
- Any surface where a fireproof cleaner is needed

Instructions*

Dilute with up to (30) parts water as per dilution chart.

Caution: Super Clean contains solvents which may cause etching of glass and discoloration of anodized aluminum. In case of contact, rinse immediately with water.

<u>Dilution Rates (1-Part Super Clean)</u>	<u>PARTS</u>
<u>WATER</u>	
Machinery, Equipment, Metal Parts, Concrete Floors	5
General Cleaning of Floors, Asphalt, Linoleum, Vinyl, Composition, Wood, Terrazzo, etc.	20
General Light Cleaning of Walls, Woodwork, etc.	30
Removing Oil, Grease, Carbon or Common Soil in General Cleaning, Hoods, Flues, Vents, etc.	5
Splash Boards: Aluminum, Chrome, Stainless	6
Conveyors, Stoves, Stove Parts, Ovens, Grills, Fat Fryers....	2
Walls.....	12
Floors, Floor Boards.....	8

**NOTE: Always test product on an inconspicuous area before using. Since conditions of use are outside our control, we can assume no liability for results obtained or damages incurred through the application of this product.*

DESCRIPTION	PART
Super Clean™ (55 Gallon Drum)	74300
Super Clean™ (30 Gallon Drum)	74301
Super Clean™ (5 Gallon Pail)	74303
Super Clean™ (1 Gallon Container) (Buy 4 x 1 Gal)	74304



BULK CHEMICALS

SUPER GLOSS™ WASH-N-WAX

High-Foaming, Concentrated, Water-Based, Biodegradable, Leaves Glossy Shine

A super-concentrated, high-foaming, biodegradable detergent specially formulated for auto, truck, van, motor home and boat washing. It dissolves dirt and grime, leaving a superior high gloss, spotless appearance. The powerful emulsifiers of Super-Gloss Wash-N-Wax actually lift embedded dirt, grime, bug and tar stains off surfaces. The high-foaming action keeps it in suspension for easy rinsing.

Features

- Highly concentrated
- Leaves a high gloss finish
- Will not streak or spot
- Biodegradable

Applications

- Autos • Trucks • Vans
- Motor Homes • Boats

Instructions

Pour (1 to 3) oz. of Super Gloss in a bucket for each gallon of warm water.



DESCRIPTION	PART
Super Gloss™ Wash-N-Wax (55 Gallon Drum)	74220PF
Super Gloss™ Wash-N-Wax (30 Gallon Drum)	74221PF
Super Gloss™ Wash-N-Wax (5 Gallon Pail)	74223PF
Super Gloss™ Wash-N-Wax (1 Gallon Can)	74224PF

SUPER STRIPPER™

Concentrated, Non-Ammoniated Floor Finish Remover

This concentrated formula safely and easily removes all types of waxes, finishes and soils. Special wetting agents help to emulsify dirt for easy rinsing. Extremely effective on multiple coats of waxes, polymers and acrylic coatings on all types of floors.

Features

- Concentrated
- Fast-acting
- Removes all types of waxes, finishes and soils

Applications

- Tile • Terrazzo • Concrete • Marble • Asphalt • Vinyl • Linoleum • Composition

Instructions*

Mix (1) part Super Stripper to (15) parts water. If wax or finish is especially heavy or old, increase recommended amount to fit the type and amount of soil to be removed.



DESCRIPTION	PART
Super Stripper™ (55 Gallon Drum)	74355
Super Stripper™ (30 Gallon Drum)	74356
Super Stripper™ (5 Gallon Pail)	74358
Super Stripper™ (1 Gallon Container) (Buy 4 x 1 Gal)	74359

**NOTE: Always test product on an inconspicuous area before using. Since conditions of use are outside our control, we can assume no liability for results obtained or damages incurred through the application of this product.*

BULK CHEMICALS

SYNTHETIC/SOLUBLE CUTTING FLUID

Concentrated Water Soluble Lubricant

A concentrated synthetic coolant for metal working applications. Can be used "as is" or diluted with up to 40 parts water.

Features

- Clear concentrated water soluble lubricant
- Prevents corrosion
- Use for machining, cutting and grinding of ferrous and non-ferrous metals

Applications

Effective and suitable for use in working:

- Carbon Steel • Stainless Steel • Vanadium • Chrome • Molybdenum • Nitralloy • Titanium
- Bronze • Copper • Boron Carbide and many other specialty alloys

Instructions*

May be used with or without dilution depending upon the job requirements. Dilutes clear in all proportions for complete job visibility. It is suggested that more difficult job trials be made with fluid full strength. If the results are satisfactory, further dilution up to 40 parts water to 1 part product can be tested to determine the most economical dilution.



DESCRIPTION	PART
Synthetic/Soluble Cutting Fluid (55 Gallon Drum)	74320
Synthetic/Soluble Cutting Fluid (30 Gallon Drum)	74321
Synthetic/Soluble Cutting Fluid (5 Gallon Pail)	74323
Synthetic/Soluble Cutting Fluid (1 Gallon Container) (Buy 4 x 1 Gal)	74324

X-TRA CLEAN NB™

Concentrated, All Purpose Water Soluble Cleaner/Degreaser

This highly concentrated non-butyl formulation of high grade synthetic surfactants yields the ultimate in cleaning performance. It is free rinsing and works equally well in hot, cold, hard or soft waters. It penetrates, loosens and emulsifies all types of oil, grease and soil – leaving an exceptionally clean surface. Safe on most every water washable surface.

Features

- Highly concentrated • Heavy duty
- Water soluble • Non-flammable
- Biodegradable

Applications

- Basins • Bilges • Concrete • Dies
- Equipment • Fans • Floors • Hoods
- Machinery • Metal • Plastic • Porcelain
- Rubber • Sinks • Steel • Sumps • Terrazzo
- Toilets • Tooling • Vinyl Upholstery
- Vitreous Ware • Walls • Wood



Dilution Rates (1-Part X-tra Clean NB)

	PARTS WATER
Degreasing	10
Heavy General Cleaning	20
Light General Cleaning	60
Deodorizing	60
Wax and Finish	10

Adjust dilutions according to type and amount of soil.

Instructions*

Apply manually or with sprayer. Allow to work for a few minutes, then wipe, mop or rinse off. See dilution chart.

Steam Cleaning: Dilute (4-14) oz. cleaner with (1) gallon of water. Adjust solution according to desired results.

DESCRIPTION	PART
X-tra Clean NB™ (55 Gallon Drum)	74335
X-tra Clean NB™ (30 Gallon Drum)	74336
X-tra Clean NB™ (5 Gallon Pail)	74338
X-tra Clean NB™ (1 Gallon Container) (Buy 4 x 1 Gal)	74339

*NOTE: Always test product on an inconspicuous area before using. Since conditions of use are outside our control, we can assume no liability for results obtained or damages incurred through the application of this product.

BULK CHEMICALS


Handles Cleaning and Maintenance in a Brand New Way!

- **Super Concentrated Chemical Cartridges** ~ *Dilutes 100 to 1*
- **Strong, Fast-Acting Formulas** ~ *Provide Exceptional Performance*
- **Easy-to-Use** ~ *No Complicated Mixing Equipment Necessary*
- **Saves Space** ~ *Hundreds of Cartridges Fit on a Small Storage Shelf*
- **Less Expensive** ~ *QX1 Cartridges Weight 1/50 of Ready-to-Use Products, Dramatically Reducing Shipping Costs*
- **Environmentally Friendly** ~ *Bottles and Sprayers are Reusable and Refillable*
- **Safer** ~ *No Contact with Concentrated Chemicals*
- **Color Coded Labels** ~ *Bottles and Cartridges are Color-Coded for Instant Recognition*
- **Meets All Safety Requirements** ~ *OSHA and EPA Compliant Prelabeled Bottles*



QX1 . . . Easy as 1, 2, 3!

- 1. FILL Bottle With Water**
- 2. INSERT QX1 Cartridge**
- 3. ATTACH Trigger Sprayer**



FILL WITH WATER



INSERT CARTRIDGE



ATTACH TRIGGER SPRAYER TO BOTTLE

NOTE: Bottle, Cartridge and Sprayer are proprietary designs and cannot be used with other components. They must be used with the QX-1 System to work properly.

BULK CHEMICALS

QX1 GLASS CLEANER WITH ANTI-STAT

For Glass, Plastic and CRT Screens

A specially formulated glass, plastic and CRT cleaner designed for use on glass, Lexan®, Lucite®, mirrors, menu boards and other surfaces not harmed by water. This fresh blue formula utilizes a special combination of soil-suspending detergents, and wetting agents to quickly remove soil smudges, grease and finger prints without streaking. Quickly cleans and shines surfaces. Anti-static to repel airborne dirt.

Features

- Safe on all thermoplastics
- Safe on anti-glare window coverings
- Streak-free, anti-static formula


Applications

- Glass
- Mirrors
- Appliances
- Lexan®
- Lucite®
- Plexiglass
- Computer Monitors
- Other hard surfaces

Directions

Insert one (1) cartridge with fresh clean water in the 32 oz. plastic bottle. Using a trigger sprayer P/N 1815, apply directly to surface. Hold 6-8 inches from surface and spray lightly. Wipe dry with lint-free towel or cloth. When cleaning computer screens, do not spray directly on equipment, spray on wiping cloth and then clean screen.

**Bottle and Trigger designs are proprietary and must be used for the QX-1 System to work properly.*



*Empty Bottle:
Part #74710B

*Trigger Sprayer:
Part #1815

DESCRIPTION	PART
QX1 Glass Cleaner with Anti-Stat (.33 fl. oz. cartridge)	74710

BULK CHEMICALS

QX1 MULTI-PURPOSE CLEANER

2

Powerful Spray And Wipe Cleaner/Degreaser

Combines powerful grease cutting and cleaning agents to eliminate problem soils and stains. Removes grease, grime, oil and dirt buildup from work stations, table tops, countertops, walls, etc. Leaves surfaces squeaky clean and residue free.

Features

- Concentrated spray and wipe formula
- Removes soil and ink from non-porous surfaces
- Residue-free
- Heavy duty grease cutting
- Non-flammable • Biodegradable
- Pleasant fragrance


Applications

- Schools
- Universities
- Child Care/Day Care
- Hospitals
- Institutions
- Nursing Homes
- Prisons
- Offices
- Gas Stations
- Restaurants
- Manufacturing Facilities
- Motel/Hotels

Directions

Hold container with trigger sprayer attached 6-8 inches from surface and lightly spray surface. Wipe dry with lint-free towel or cloth.

**Bottle and Trigger designs are proprietary and must be used for the QX-1 System to work properly.*



*Empty Bottle:
Part #74711B

*Trigger Sprayer:
Part #1815

DESCRIPTION	PART
QX1 Multi-Purpose Cleaner (.33 fl. oz. cartridge)	74711

BULK CHEMICALS

QX1 DISINFECTANT CLEANER

No-Rinse Cleaner and Disinfectant

An extremely effective cleaner, deodorizer and disinfectant specifically designed for use in hospitals, nursing homes, schools, hotels and food service establishments. Provides broad spectrum effectiveness against gram-positive and gram-negative bacteria including Staphylococcus Aureas (Methicilin Resistant), viruses (including HIV-1 the AIDS virus) and pathogenic fungi including T. mentagrophytes (the athlete's foot fungus) in the daily struggle to control cross-contamination and reduce the spread of infection.

Features

- One-step cleaner / disinfectant
- Kills VRE, MRSA and HIV-1 virus
- Concentrated
- Cleans tough soils
- Fresh pleasant fragrance

Applications

- Schools
- Universities
- Child Care/Day Care
- Hospitals
- Institutions
- Nursing Homes
- Prisons
- Offices
- Gas Stations
- Manufacturing Facilities
- Motels and Hotels
- Restaurants

Directions

Insert one (1) cartridge with fresh clean water in the 32 oz. plastic bottle. Using a trigger sprayer P/N 1815, apply directly to surface. Hold container with trigger sprayer attached 6-8 inches from surface and lightly spray surface. Treated surface must remain wet for 10 minutes. Wipe dry with with lint-free towel or cloth.



***Empty Bottle:**
Part #74712B

***Trigger Sprayer:**
Part #1815

DESCRIPTION	PART
QX1 Disinfectant Cleaner (.33 fl. oz. cartridge)	74712

QX1 ODOR ELIMINATOR

Encapsulates and Destroys Toughest Odors

Our concentrated liquid malodor counteractant eliminates odors, leaving behind a fresh, pleasant scent. This product has no color dies and may be utilized on a variety of surfaces such as fabrics, carpets, upholstery, waste receptacle interiors, toilets and urinals.

Features

- Counteracts the most pungent odors
- Will not harm most fabrics
- Atomize or apply directly to odor source
- Eliminates cigarette and other smoke odors fast

Applications

- Toilets and Urinals
- Carpets
- HVAC Ducts
- Fabrics
- Institutions
- Waste Cans
- Drains

Directions

Insert one (1) cartridge with fresh clean water in the 32 oz. plastic bottle. Using a trigger sprayer P/N 1815, apply directly to surface. Hold container with trigger sprayer attached 6-8 inches from surface and lightly spray surface. Wipe dry with with lint-free towel or cloth.

For Counteracting Airborne Odors: Using a trigger sprayer, discharge into the air an appropriate amount of formula allowing 5 to 20 seconds for the fresh scent to counteract unwanted odors.

For Fabric Treatment: Discharge an appropriate amount of product to fabric, upholstery, curtains, etc. Hold sprayer approx. 10 to 15 inches from surface. Apply product evenly to affected areas. Always test on inconspicuous area first.


Guest Accommodations: Apply proper amount of product approximately 5 inches above carpet level to entire perimeter of room or until odor is eliminated.

** Bottle and Trigger designs are proprietary and must be used for the QX-1 System to work properly.*



***Empty Bottle:**
Part #74713B

***Trigger Sprayer:**
Part #1815



DESCRIPTION	PART
QX1 Odor Eliminator (.33 fl. oz. cartridge)	74713

CLEANERS AND DEGREASERS

FOAMING COIL CLEANER

HVAC Multi-Purpose Equipment Maintenance

The no rinse formula reaches all areas of coils and the inverted spray allows for easy access to all areas of unit.

Features

- Thick foam lifts out and holds dirt and grime in suspension until it is rinsed or condensation washes away the dirt and soil
- Pleasant scent
- For indoor and outdoor use
- Non-caustic and non-acid formula make for safe use
- Saves time and labor

Applications

- Hotels
- Industrial plants
- Automotive
- Hospitals
- Roof top units
- Window units



DESCRIPTION	PART
Foaming Coil Cleaner (18 oz.)	74268

COIL AND FILTER CLEANER

HVAC Multi-Purpose Equipment Maintenance

A non-caustic, non-acid cleaner designed to remove a build-up of dirt and grime on coils and filters. Also works well as a filter adhesive, providing a viscous tacky maze of lattice work to catch dirt, dust or pollen too small for retention by the filter.

Features

- Removes dirt and grime on coils and filters
- No rinsing
- Non-flammable
- No corrosive residue

Applications

- Can be used to renovate all types of coils, filters and condensers used in heating plants, air conditioning systems, refrigeration plants and other heat exchange equipment.



DESCRIPTION	PART
Coil and Filter Cleaner (17 oz.)	74165

CLEANERS AND DEGREASERS

BRAKE CLEAN N.C.

Non-Chlorinated Cleaner and Degreaser

Specially formulated to work quickly and effectively to remove brake fluid, grease, dirt and other contaminants from brake linings, disc brake pads, brake drums, springs, wheel cylinders and other brake parts. An excellent cleaner for other dirty, greasy parts.

Features

- Cleans and degreases all brake parts
- Instantly removes dirt, grease and brake fluid
- Improves brake performance
- Stops disc brake squeal
- Leaves no residue

Applications

- For use on brake linings, disc brake pads, brake drums, springs, wheel cylinders and other brake parts



3

DESCRIPTION	PART
Brake Clean N.C. (12.25 oz.)	74147

CHOKE AND CARB CLEANER

Fast-Drying Carburetor Cleaner

Specifically formulated to clean, lubricate and protect chokes, carburetors, PCV systems, manifold heat valves, linkages and butterfly valves.

Features

- Removes carbon, dirt, gum and varnish deposits
- Cleans, frees and renews automatic chokes, carburetors, linkages, PCV valves, manifold heat controls
- Dries fast, leaving no oily film

Applications

- For use on chokes, carburetors, PCV systems, manifold heat valves, linkages and butterfly valves



DESCRIPTION	PART
Choke and Carb Cleaner (14.75 oz.)	74115

CLEANERS AND DEGREASERS

BATTERY ACID CLEANER/NEUTRALIZER WIPES

Heavy Duty Color-Changing Treated Sheet For Lead Acid Batteries

Wipe the surface, removing deposits. The blue wipe will turn pink in the presence of the acidic corrosion. Continue scrubbing the area until the wipe turns back to its original blue color. This will indicate that the acid has been neutralized.

Features

- Formulated to clean, remove corrosion, and neutralize battery acid
- If heavily corroded - after using wipes, a light scrubbing with a plastic bristle brush will remove corrosion with no messy foam
- Contains acid neutralizing agents
- Color changing system lets you know when the acid is neutralized

Applications

- Car & Truck Batteries
- Golf Cart Batteries
- Terminals
- Connectors
- Trays



DESCRIPTION

Battery Acid Cleaner/Neutralizer Wipes (30 Wipes)

PART

74098

BATTERY PROTECTOR & CLEANER

Protective Coating for Batteries and Battery Terminals

Excellent for use on batteries, terminals, cables, brackets, and housings. It is great for vehicle fleets, golf carts, airplanes, boats, tractors, forklifts, construction equipment, floor scrubbers, and more. This advanced formulation serves four applications in a single product! It cleans, detects acid, neutralizes acid, and protects against corrosion.

NOTE: Do not allow this can to come into contact with battery cables or terminals, electrical wiring or other electrical components. This can will conduct electricity and may cause an electrical spark resulting in serious injury from can rupture, flash fire or electrical shock.

Features

- Prevents terminal corrosion
- Assures continued high-voltage output
- Prolongs battery life

Applications

- Battery Terminals
- Cable Connectors
- Casing
- Frames
- Housings



DESCRIPTION

Battery Protector & Cleaner (15 oz.)

PART

74106

CLEANERS AND DEGREASERS

INSTA-SHINE TRUCK/BUS PROTECTANT

Fast Polish and Shine for Painted/Chrome Surfaces

Instantly cleans, polishes and protects painted surfaces, chrome, fiberglass and plastic. It cuts through grease, bugs, tar and road film without water, leaving a durable, water-repellent protective finish.

Features

- Cleans, polishes and protects
- For use on exterior and interior surfaces
- Simple "spray and wipe" application
- Leaves a high gloss water repellent finish

Applications

- Produces a professional shine on
 - Trucks
 - Buses
 - Autos
 - Vans
 - Boats



3

DESCRIPTION	PART
Insta-Shine Truck/Bus Protectant (16 oz.)	74169

CLUB CLEAN

Foaming Golf Equipment Cleaner

Club Clean is a "technologically advanced" formula that safely and effectively cleans all types of golf equipment.

Features

- For solid, booming drives and accurate iron shots
- Create more ball spin on wedges and short irons
- Studies show that cleaner balls lead to fewer putts

Applications

- Drivers
- Irons
- Shoes
- Balls



DESCRIPTION	PART
Club Clean (3 oz.)	74199

CLEANERS AND DEGREASERS

A/C FLUSH

For Use in Flush Guns

Red Lion™ A/C Flush Solution is an excellent tool for retrofitting R12 systems to R134a as mineral oil will be removed from components being flushed. For best results, use with A/C Flush Gun (P/N 78047).

Features

- Simple to use Premium Solvent-Based Solution
- Compatible with R-12, R-134a & R-22 Systems
- Removes debris and sludge from A/C components
- Evaporates quickly and leaves no residue



DESCRIPTION	PART
A/C Flush (1 Quart / 946 ml)	74382

A/C FLUSH (NON-FLAMMABLE)

For Use in Flush Machines and Flush Guns

Red Lion™ Non-Flammable A/C Flush is a premium solvent-based flushing agent for use in closed loop flushing machines and pressurized flush guns for mobile A/C systems. It is an excellent replacement for R141b refrigerant when used to clean and degrease mobile A/C systems and components. Non-flammable A/C Flush is an excellent product to use during the retrofit process from R12 to R134a and for repair of R134a systems.

Features

- Simple To Use Premium Non-Ozone Depleting Solution
- Compatible with R-12, R-134a & R-22 Systems
- Removes debris and sludge from A/C components



Part #74384

Part #74385

DESCRIPTION	PART
A/C Flush (Non-Flammable) (1 Quart / 946 ml)	74384
A/C Flush (Non-Flammable) (1 Gallon / 3.78 L)	74385

CLEANERS AND DEGREASERS

SURFACE DISINFECTANT

Disinfects on Hard, Nonporous Inanimate Environmental Surfaces

Disinfects on such bacterial and viral-carrying surfaces as toilet seats, telephones, garbage and refuse cans, urinals, athletic equipment, light switches, bed pans, empty hampers and other out of the way places. Disinfects hard, non-porous surface of shoes and slippers. Controls mold and mildew on mattresses, awnings, shower curtains, leather goods. Controls mildew and mold growth on painted or finished walls, ceilings and woodwork in closets, basements, attics, storage areas, summer cottages, damp and musty corners. Deodorizes and reduces annoying odors. Use to control odors in hospitals and nursing homes. Effectively suppresses odors caused by mold and mildew.

Features

Kills the following:

- Influenza A2/Hong Kong Virus
- Influenza A(H1N1)
- Aspergillus niger (ATCC 16404)
- Human Herpes Simplex Virus Type 1 (ATCC VR-733F) and Type 2 (ATCC VR-540)
- Human Immunodeficiency Virus Type 1 [HIV-1 (AIDS virus)]
- Methicillin Resistant Staphylococcus aureus (MRSA) (ATCC 33591)
- Mycobacterium tuberculosis var bovis (BCG)
- Polio Virus Types 1 and 2
- Pseudomonas aeruginosa (ATCC 15442)
- Salmonella choleraesuis (ATCC 10708)
- Staphylococcus aureus (ATCC 6538)
- Trichophytonmentagrophytes (ATCC 9972)
- Vancomycin Resistant Enterococcus faecalis (VRE) (ATCC 51299)



3

DESCRIPTION	PART
Surface Disinfectant (15.5 oz.)	74261

DIS-N-CLEAN™

Foaming Disinfectant Cleaner

Designed for general cleaning and deodorizing. Cleans and disinfects against micro-organisms. Non-abrasive. Prevents and controls mold and mildew and the odors they cause on hard non-porous surfaces.

Features

- Multi-purpose cleaner – cleans, shines, disinfects and deodorizes
- Industrial strength formula – tough on soap scum
- Easy-to-use – no scrubbing or rinsing necessary
- Non-abrasive "surface safe" – won't scratch fiberglass
- Fresh clean scent – leaves pleasant odor
- Kills HIV on pre-cleaned environmental surfaces
- Contains no CFCs – won't harm ozone

Applications

- Designed for general household cleaning in hospitals, institutions, nursing homes, offices, schools, motels and hotels
- For use on non-porous hard surfaces such as fiberglass, chrome, plastic, baked enamel and glazed porcelain



DESCRIPTION	PART
Dis-N-Clean™ (16 oz.)	74188

CLEANERS AND DEGREASERS

CLEANER/DEGREASER

A Thick, Heavy-Duty Spray & Wipe Cleaner/Degreaser

Destroys grease and grime on contact leaves a pleasant lemon/lime fragrance.

Features

- THIX' -O- TROP'IC: The phenomenon exhibited by certain gels of becoming thick when shaken and returning to a fluid liquid upon standing
- Cuts through tough oils with ease
- Leaves a clean residue free surface
- Stays and works where you spray it

Applications

- For use on all hard surfaces
- Will not affect paint, glass or mirrors
- Works great on grout
- Simply spray and wipe away grease, grime, oil, carbon, soot, smoke film, magic marker, crayon, lipstick and more



DESCRIPTION

Cleaner/Degreaser (32 fl. oz.)

PART

74265

GLASS & SURFACE CLEANER

Non-Ammoniated, Thick, Ready To Use Cleaner With Sprayer

Designed to quickly and effectively remove dirt, grease, grime and other contaminants from a variety of hard surfaces without the possibility of streaking or leaving behind an unsightly film.

Features

- THIX' -O- TROP'IC: The phenomenon exhibited by certain gels of becoming thick when shaken and returning to a fluid liquid upon standing
- Formulated with the revolutionary detergent system LS2
- Lifts away the toughest soils on all glass surfaces
- Wipes off quickly, without streaks or rainbows
- Cleans, restores, shines
- Will not cause build-up on surfaces
- Pleasant citrus crème fragrance helps deodorize while it cleans

Applications

- Mirrors, windows, automotive glass, tile, porcelain, chrome, stainless steel and white boards
- Will easily remove (without streaking) the heavy film left from cigarette, cigar and pipe smoke on the inside of the glass



DESCRIPTION

Glass & Surface Cleaner (32 fl. oz.)

PART

74264

CLEANERS AND DEGREASERS

GLASS CLEANER

Strong, Non-Ammoniated Glass and Surface Cleaner. A modern professional formula that cuts through the toughest kinds of dirt with little effort.

Features

- Removes dirt and grime
- Foam on and wipe dry
- Leaves no film
- Streakproof
- Cleans and restores
- Shines

Applications

- Windows
- Mirrors
- Windshields
- Stainless steel
- Formica
- Sinks
- Tile
- Chrome



3

DESCRIPTION	PART
Glass Cleaner (19 oz.)	74120

CLEANERS AND DEGREASERS

PVA WIPES

Paint, Varnish and Adhesive Pre-Moistened Cleaning Towels

Convenient, multi-purpose towels eliminate the need for water or other cleaners and are designed to absorb soil and not transfer back on hands. Conditions hands with aloe, vitamin E and emollients. Hands will be clean, dry and non-sticky. Cleans most surfaces quickly and easily.

3

Features

- Convenient, multi-purpose towels
- Eliminate the need for water or other cleaners
- Fast, effective non-shredding, gentle on skin
- Non-flammable
- 9" x 12" wipes

Removes

- Paint
- Varnish
- Adhesives
- Grease
- Grime
- Tar
- Ink
- Scuff marks
- Permanent marker
- Nail polish
- Counter stains
- Carpet stains
- Many types of soils

Applications

- Hands
- Tools
- Equipment
- Leather tennis/sports shoes
- Recreational items

IMPORTANT: Pre-test plastic surfaces for compatibility. Do not use on polished brass or fine furniture. May not be suited for certain clear plastics such as plexiglass or styrene.



DESCRIPTION	PART
PVA Wipes (80 count)	74528

CLEANERS AND DEGREASERS

AIR TOOL CONDITIONER

Solvent-Based, Air Tool Cleaner and Lubricant

Cleans and lubricates all air operated tools such as grinders, drills, polishers, impact wrenches, sanders, air motors and jackhammers. Instantly removes sludge, varnish and carbon deposits – restoring tool to normal power and RPM's. Improves operation and reduces maintenance. Saves costly repairs and can be used on the job for instant results.

Features

- Removes build-up of calcium, varnish, sludge and water
- Cleans and lubricates
- Increases tool life
- Instant action

Applications

- For use on all pneumatic tools such as grinders, drills, polishers, impact wrenches, sanders, air motors and jackhammers



3

DESCRIPTION	PART
Air Tool Conditioner (15.25 oz.)	74136

STAINLESS STEEL CLEANER WIPES

Cleans, Shines and Protects Surfaces in One Step

When stainless steel becomes soiled with fingerprints, dirt and residue, these wipes quickly remove heavy soils and restore a brilliant shine. Stainless Steel Cleaner Wipes are pre-moistened with a powerful, VOC-compliant solution that effectively removes grime yet won't harm stainless steel.

Features

- Cleans, polishes and brightens stainless steel surfaces
- Leaves a protective barrier to prevent water marks and corrosion
- Formulated for more even coverage and can be buffed out if desired
- Leaves a pleasant citrus fragrance
- 9.5" x 12" wipes

Applications

- Cooking/refrigeration equipment
- Vending machines
- Beverage dispensers
- Laundry machines
- Elevator doors and walls
- Escalator walls
- Restroom stall partitions



DESCRIPTION	PART
Stainless Steel Cleaner Wipes (40 count)	74610

CLEANERS AND DEGREASERS

QUIK-SHINE™ METAL POLISH

Metal Polisher and Cleaner

Cleans and polishes all metal surfaces. Removes rust and corrosion instantly. Leaves no deposits in the crevices of metal work.

Features

- Cleans and polishes
- For use on all metal surfaces
- Instantly removes rust and corrosion

Applications

- Silver • Gold • Brass • Nickel • Copper
- Pewter • Steel • Aluminum • Chromium
- Zinc • Wheels • Boat Fittings • Tools
- Fishing Gear • Sinks • Showers • Campers



DESCRIPTION	PART
Quik-Shine™ Metal Polish (5 oz.)	74173

METAL CLEANER & TARNISH REMOVER

Polishes and Protects, Leaving a Lustrous Shine

This unique chemical action formula removes tarnish and soil quickly and easily. Use on brass, bronze, copper and nickel. No need to wait for product to dry. Polishes and protects while leaving a lustrous shine. Polished surface also resists tarnishing.

Features

- Unique chemical action formulated to remove tarnish and soil quickly and easily
- Polishes and protects
- Leaves a lustrous shine

Applications

- Hand Rails • Kick Plates • Plaques
- Door and Furniture Hardware
- Statues • Light Fixtures



DESCRIPTION	PART
Metal Cleaner & Tarnish Remover (16 oz.)	74537

CLEANERS AND DEGREASERS

INSTA-CLEAN™

Rubber and Vinyl Cleaner and Protectant

Cleans and shines all rubber, vinyl and other synthetic surfaces without washing or wiping — just spray on and walk away! Its unique self-cleaning foaming action quickly removes caked-on dirt while leaving a long lasting, high gloss shine. Protects surfaces from discoloration and oxidation. Will not harm aluminum or painted surfaces.

Features

- Powerful foaming action
- No washing or wiping necessary
- Leaves a high gloss protective shine

Applications

Ideal for use on rubber and vinyl components of machinery and equipment; vinyl and plastic furniture; and truck/auto tires and plastics – It makes them look showroom new!



3

DESCRIPTION	PART
Insta-Clean™ (12.75 oz.)	74121

BASEBOARD/STRIPPER CLEANER

Superior Cleaning Due to Stability on Vertical Surfaces

Specially formulated with powerful cleansers which allow soiled areas to be treated while keeping them looking clean and attractive. Removes scuff marks, wax build-up, grease and grime.

Features

- Heavy duty jelled formula clings to vertical surfaces for complete penetration and removal
- No phosphates
- No caustics
- Liquifies finish in minutes
- No harmful residues
- No harmful vapors

Applications

- Baseboard, floors, and ceramic wall tile



DESCRIPTION	PART
Baseboard/Stripper Cleaner (18 oz.)	74174

CLEANERS AND DEGREASERS

CONTACT CLEANER P.S.

Plastic Safe Industrial Strength Cleaning Solvent

This non-flammable, fast drying industrial strength cleaning solvent is specifically formulated for precision cleaning and degreasing of electrical contacts, switches, relays and controls in electromechanical assemblies. It is non-corrosive, non-conductive, safe for sensitive metals and most plastics. Can also be used on energized equipment. Powerful spray stream removes dust, dirt, oil, grease and oxides – leaving no residue after evaporation.

Features

- Instantly removes grease, oils and dirt
- Safe for use on energized equipment
- Safe on most plastics
- Non-corrosive / non-conductive / non-flammable
- Adjustable spray nozzle – low / medium / high

Applications

- For use on electrical contacts, switches, relays and controls in electromechanical assemblies



DESCRIPTION	PART
Contact Cleaner P.S. (13 oz.)	74704

DEGREASER

Kerosene-Based Degreaser

Specially formulated to clean all mechanical engines, machinery, tools and even greasy floors. Removes dirt, grease and varnish deposits by simply spraying on and flushing off with water. Best cleaning results are obtained when engine is at normal operating temperature.

Features

- Non-corrosive
- Low odor
- Penetrates through grease and grime
- Easy to use
- Water soluble

Applications

- For use on all mechanical engines, machinery, tools, floors, equipment, trucks, forklifts, chains and cables



DESCRIPTION	PART
Degreaser (15.75 oz.)	74111

CLEANERS AND DEGREASERS

HIGH PERFORMANCE SAFE-ACID CLEANER

Non-Toxic, Non-Corrosive, Non-Fuming, Biodegradable Cleaner

This liquid multipurpose cleaner generates the heavy duty cleaning power of an acid, yet it is safe and mild like liquid dish soap. Remarkable formula contains a special blend of surfactants, organic salts and proprietary additives to create an acid-replacement cleaner that is environmentally safe and biodegradable. Effective against rust, hard water stains, calcium, scale and lime deposits, beer stone, milk stone, soap scum, scuff marks, stains and soils, grease.

Features

- Biodegradable, multifunctional high-performance cleaner.
- Contains a special blend of surfactants and proprietary organic additives.
- Concentrated formula offers multiple dilution rates.

For Use On

- Stainless Steel • Copper • Brass • Aluminum • Concrete • Terrazzo • Stone • Ceramic
- Porcelain • Fiberglass • Brick • Appliances • Food Surfaces* • Steam Tables
- Coffee makers • Humidifiers • Toilets • Urinals • Tile and Grouting • Showers • Tubs
- Sinks • Floors • Walls • Fish Tanks • Vents

* Potable water rinse required.



3

* Non-stock item. Please call for delivery.

DESCRIPTION	PART
High Performance Safe-Acid Cleaner (1 Quart)	74615
High Performance Safe-Acid Cleaner (1 Gallon)	74616*
High Performance Safe-Acid Cleaner (5 Gallon)	74617*
High Performance Safe-Acid Cleaner (55 Gallon)	74618*

CITRUS GREASE DIGESTER

Powerful Citrus Base, Biodegradable Cleaner

Revitalizes sluggish disposal systems, quickly reducing buildup of grease and slime in sewage treatment equipment without affecting bacterial activity. Effectively controls odor. Will not harm metal pipes. Eliminates heat generation. Non-acid. Non-caustic. Non-corrosive.

Features

- Unclogs, deodorizes and degreases
- Extremely effected in drains, grease traps, septic systems, dry wells and cesspools
- Environmentally safe
- All natural citrus base

Applications

- Used in sewage treatment plants, landfills, waste disposal facilities and for the maintenance of drains, refuse trucks and cans, and garbage areas.



DESCRIPTION	PART
Citrus Grease Digester (1 Quart)	974250

CLEANERS AND DEGREASERS

PRO-TEX

Anti-Static Cleaner and Protector

An excellent brightener and protector which resists scratches, marks, smudges and water spots. Use on glass, mirrors, chrome, tile and laminated plastics. Formulated to keep automobile interiors and exteriors cleaner and brighter with less maintenance.

Features

- Anti-static cleaner and protector
- Resists scratches and finger smudges
- Excellent CRT screen cleaner
- Long lasting – requires infrequent cleaning

Applications

- Use for protect CRT screens, glass, mirror, chrome, paint finishes, vinyl, tile, leather and laminated plastics



DESCRIPTION	PART
Pro-Tex (17.75 oz.)	74152

ELECTRONIC EQUIPMENT WIPES

Eliminates Static To Avoid Electronic Data Loss

Wiping down electronic equipment with these wipes, protects devices from static electricity and avoids dust. Premoistened with a special formula that neutralizes the effects of static electricity. This avoids the loss of important data stored on computer equipment such as hard drives.

Features

- Special formula eliminates static to protect the loss of data
- Eliminating static keeps dust from collecting on equipment
- Cleans and sanitizes surfaces
- Towels can be used on almost any electronic equipment

Applications

- LCD screens
- Telephone ear & mouth piece
- Copiers
- Office equipment
- Keyboards
- Printers
- Computer terminals
- Fax machines
- Televisions



DESCRIPTION	PART
Electronic Equipment Wipes (30 Count - 7" x 9" Towels)	74456

CLEANERS AND DEGREASERS

DUST BLASTER MAX

Inert, Dry Gas Duster

Instantly removes dust, lint and particulates from equipment and delicate electronic assemblies. Cleans with a dry blast without risk of scratching or damaging surfaces. Ultra-pure, non-flammable formula is safe to use on energized equipment.

Features

- Instantly removes dust / particulates
- Cleans delicate materials
- Safe for most surfaces
- Ultra-pure, filtered to 0.2 Microns

Applications

- For use on hard-to-reach areas, "touch-sensitive" surfaces (internal components of TV sets, cameras, camcorders, VCRs, computers, audio equipment, CD players, etc.) and coated glass or plastic lenses



DESCRIPTION	PART
Dust Blaster Max (10 oz.)	74175

CLEANERS AND DEGREASERS

EASY-OUT STAIN REMOVER

Non-Hazardous, Water-Based, Carpet and Upholstery Stain Remover

Quickly and easily removes the following stains from carpet, upholstery and other fabrics: blood, candle wax (break up first), catsup, chocolate, coffee, cosmetics, crayon, food, fruit juice, grass, grease, grime, iodine, latex paint, liquor, mildew, oil, pet stains, shoe polish, tea, urine, washable ink, wine and many more.

Features

- Quickly and easily removes stains from carpet and upholstery
- Contains no solvents or hazardous ingredients
- Leaves fabrics clean and fresh

Applications

- For carpet, upholstery and other fabrics

NOTE: Dyes, indelible ink or stains set by heat may not be possible to remove.



DESCRIPTION	PART
Easy-Out Stain Remover (32 fl. oz.)	74176

CARPET/UPHOLSTERY SPOT REMOVER

General Purpose Water & Oil-Based Stain Remover

This handy aerosol spray quickly dissolves away tough stains like grease, oil and lipstick from fabric or fibrous material without heavy scrubbing. Its powerful formula removes both water-based and oil-based stains and even removes stubborn, dried-on stains.

Features

- For use on carpets, upholstery, curtains, drapes
- Effectively removes both water and oil-based stains
- Safe for use on most fabrics
- Use as a pre-spotter prior to carpet extraction

Applications

Removes:

- | | |
|---------------|--------------|
| • Ink | • Cola |
| • Grease | • Coffee |
| • Tar | • Lipstick |
| • Oil | • Wine |
| • Shoe Polish | • Pet Stains |



DESCRIPTION	PART
Carpet/Upholstery Spot Remover (17 oz.)	74262

CLEANERS AND DEGREASERS

CARPET SPOT DIRECT

Powerful Carpet Stain and Spot Remover

Quickly and easily removes protein based stains due to dirt, ink, grease, oil, mud, ketchup, urine, vomit, coffee, tea, alcoholic beverages, soft drinks and bloods.

Features

- Pinpoint stream sprays upside down onto stains without heavy overspray
- Quickly saturates materials for instant cleaning
- Leaves no residue behind
- Cleans and degreases with water soluble solvents, will not soften carpet backings
- Contains an odor modifier which destroys odor due to urine and vomit through oxidation catalysis
- Leaves a pleasant fragrance

Applications

- Use to remove stains due to dirt, ink, grease, oil, mud, ketchup, urine, vomit, coffee, tea, alcoholic beverages, soft drinks and blood.



3

DESCRIPTION	PART
Carpet Spot Direct (18 fl. oz.)	74258

QUICK CLEAN

General Purpose Foaming Cleaner

Quickly and easily removes protein based stains due to dirt, ink, grease, oil, mud, ketchup, urine, vomit, coffee, tea, alcoholic beverages, soft drinks and bloods.

Features

- Removes dirt, soil and grime
- Safe on most surfaces
- Quick-acting and easy-to-use
- Spray on and wipe off

Applications

- For use on equipment, walls, plastic, vinyl, rugs, drapes, wood surfaces, fixtures, furniture and painted surfaces



DESCRIPTION	PART
Quick Clean (17.75 fl. oz.)	74105

CLEANERS AND DEGREASERS

QUICK-SOLV™

Non-flammable, Fast-Evaporating Cleaner/Degreaser

A non-flammable, fast-evaporating cleaner that penetrates instantly to remove dirt, oil, grease and wax. Increases the life of electrical components by removing foreign materials that can cause costly downtime. High dielectric strength of 26,000 volts per mil. Degreases more thoroughly and several times faster than alkaline cleaners. Equipped with high-delivery valve for cleaning efficiency and 5" extension tube for hard-to-reach areas.

Features

- Strong solvent formulation quickly removes grease, dirt and oil
- High dielectric strength prevents shorting of electrical and electronic equipment
- No flash or fire point – eliminates fire and explosion hazards
- Fast evaporation speeds clean-up and downtime
- Non-corrosive, non-conductive and non-staining for safer application

Applications

- Cleaning and degreasing of all parts, equipment and machinery
- Excellent for cleaning sheet and strip steel prior to galvanizing
- Ideal for degreasing bearings and engine components



DESCRIPTION	PART
Quick-Solv™ (19 oz.)	74186

CITRUS BLAST - H.D.

Heavy Duty Industrial Foaming Degreaser

Citrus Blast - H.D is a heavy duty industrial degreaser with a foaming jet stream spray pattern. It is a very effective degreaser without the use of harmful caustics or solvents.

Features

- Strong solvent formulation quickly removes grease, dirt and oil
- High dielectric strength prevents shorting of electrical and electronic equipment
- No flash or fire point – eliminates fire and explosion hazards
- Fast evaporation speeds clean-up and downtime
- Non-corrosive, non-conductive and non-staining for safer application

Applications

- Powerful foaming spray dissolves grease, oil, grime and more
- Excellent for accumulations of grease or tar and asphalt on engines or engine parts
- For use on coils, fins and filters

Use On

- Machinery • Tools • Industrial equipment • Walls • Concrete • Protective coatings



DESCRIPTION	PART
Citrus Blast - H.D. (16 oz.)	74142

CLEANERS AND DEGREASERS

FACILITY WIPES (ALL-SURFACE CLEANING WIPES)

Facility Wipes

Designed to clean and deodorize any surface, anywhere. They are excellent for quick and easy cleaning of equipment, furniture and facilities. Wipe down surface with fresh towel and throw towel away when finished. Good for cleaning metal, glass, tiles and ceramic.

Features and Benefits

- 800 wipes per roll
- Cleans and deodorizes surfaces on contact
- Fast and easy to use towel, one step cleaning
- Wall mounted dispenser allows convenient individual use

Use With Center-Pull Dispenser (P/N 1789)

- Single-sheet release requires only one hand to tear off
- Made of tough impact resistant materials
- One of the most vandal-proof, break resistant, chemical and flame resistant products
- For heavy use applications

Applications

• Athletic clubs • Schools • Hospitals • Nursing homes • Restaurants • Health clubs • Offices

P/N 28235



P/N 1789



3

DESCRIPTION	PART
Facility Wipes (800 Wipes Per Roll - 8" x 10")	28235
Center-Pull Dispenser	1789

SHOP WIPES (HIGH-POWERED VERSATILE CLEANER)

Designed for use in industrial and manufacturing settings, each towel is pre-moistened with a powerful cleaning formula capable of cleaning hard-working hands, as well as non-porous surfaces. Made from an abrasive, yet non-scratching fabric that helps lift away heavy deposits of grime and dirt off hands and surfaces as well as leaving behind a fresh citrus scent. Scrub surfaces with abrasive side of towel until the dirt is loosened, then use the smooth side to wipe surfaces clean and discard.

Features and Benefits

- 400 wipes per roll
- High powered multipurpose cleaner
- Effective against tar, paint, wax, grease, adhesives and ink
- Abrasive, yet non-scratching fabric aids in cleaning
- Natural oils and emollients, safe for hands & skin

Use With Center-Pull Dispenser

- Offers single-sheet release
- Requires only one hand to tear off
- Made of tough impact resistant materials
- One of the most vandal-proof, break resistant, chemical and flame resistant products
- For heavy use applications

Applications

• Auto shops • Work benches • Maintenance areas • Offices • Plumbing sites • Marinas
• Break rooms & kitchens • Construction sites • Printing & painting areas • Manufacturing

P/N 28236



P/N 1789



DESCRIPTION	PART
Shop Wipes (400 Wipes Per Roll - 8" x 12")	28236
Center-Pull Dispenser	1789

SKIN CARE

STOKO® XTREME CARE CREAM

Xtreme Skin Conditioner

Use on hands, face and any other at-risk areas exposed to extreme conditions. Temporarily protects against the drying effects of harsh, cold environments, outdoors or indoors.

Features and Applications

- Contains Allantoin, Panthenol and Glycerin to strengthen the skin's natural defenses
- Helps protect skin from natural elements such as very low temperatures and lack of humidity
- Use on hands, face and any other at-risk areas exposed to extreme conditions
- Promotes healing of very dry, irritated skin
- Can also provide relief for severely dry skin
- Does not freeze
- Will dispense easily even at lower temperatures
- Passed Lineman's Glove Testing
- Silicone-free



DESCRIPTION	PART
Stoko® Xtreme Care Cream (3.38 fl. oz.)	74454

STOKOLAN® SKIN CARE CREAM

Concentrated Skin Conditioner

Frequent hand washing can lead to dry, chapped, cracked skin causing employees to avoid proper hand washing. With Stokolan® Skin Care Cream, employees are able to achieve the proper balance between effective cleansing and skin compatibility and help reduce the incidence of dermatitis in the workplace.

Features and Applications

- Concentrated conditioning cream replaces lost moisture after washing hands (silicone-free)
- Replaces the oils and lipids the skin loses in the course of a hard day's work
- Ideal for chapping, chafing and irritated skin
- Keeps skin feeling healthy and smooth
- Ideal for use in any industrial setting, as well as many other workplace environments
- Particularly necessary when skin is exposed to cold and/or dry climates or harsh working conditions



DESCRIPTION	PART
Stokolan® Skin Care Cream (3.38 fl. oz.)	74453

SKIN CARE

HANDI-SANI

Instant Hand Sanitizer

Red Lion™ Handi-Sani instant hand sanitizer is a light and refreshing hand sanitizing spritz, enhanced with moisturizers.

Features

- Active ingredient: 62% Ethanol
- pH: 7.5
- Helps reduce cross-contamination
- Kills 99.99% of E. coli, Salmonella enterica and Staphylococcus aureus (MRSA) in 15 seconds
- FDA registered
- Provides convenience and portability
- Fast-drying
- Conditions skin
- Requires no water
- FDA Approved

Applications

- Hospitals, nursing homes and physical therapy rooms
- Schools (buses, locker rooms)
- Health clubs and spas
- Daycare centers
- Transportation (airports, buses, subways, trains, etc.)



4

DESCRIPTION	PART
Handi-Sani (4 oz.)	74487

SANI-SMOOTH

Hand Sanitizing Foam

Red Lion™ Sani-Smooth foaming aerosol hand sanitizer is alcohol based and allows you to sanitize your hands when hand washing is not possible. Contains a unique blend of emollients and conditioners that leaves your hands silky smooth and soft. Using a foaming aerosol hand sanitizer is the preferred method by hospitals over the liquid variety. Sani-Smooth is a more efficient way for employees to frequently clean their hands and thus cut down on the spread of infection.

Features

- Active ingredient: Ethyl Alcohol 62%
- pH: 7.6
- Preferred by hospitals over liquid hand sanitizing products
- Non-Allergenic sanitary foam
- Removes dirt and bacteria without the need of water
- Provides convenience and portability
- Over 600 estimated uses per can
- Mounting hardware included with dispenser
- FDA Approved

Applications

- Hospitals, nursing homes and physical therapy rooms
- Schools (buses, locker rooms)
- Health clubs and spas
- Daycare centers
- Transportation (airports, buses, subways, trains, etc.)

P/N 74486



P/N 1819 –
Dispenser

DESCRIPTION	PART
Sani-Smooth (16 oz.)	74486
Dispenser	1819

SKIN CARE

MAGIC HAND SOAP

All Natural Industrial Hand Cleaner

Red Lion™ Magic Hand Soap contains walnut shell scrubbers to clean the toughest soils. It cleans the dirtiest hands like magic! Contains the anti-microbial "PCMX".

Features and Benefits

- Fortified with supreme skin conditioners and biodegradable scrubbers
- Non-solvent formula eliminates drying and cracking
- Contains superior skin emollients and skin conditioners
- Cleans the dirtiest hands like magic
- No phosphates, dyes or perfumes
- Contains natural walnut shell scrubbers
- Thick concentrated formula reduces hand soap use by up to 75%
- Washes away completely with no greasy residue
- Brown color, mild citrus scent
- 120 fl. oz. dispenser sold separately (shown, P/N 1830)



DESCRIPTION	PART
Magic Hand Soap, 120 fl. oz.	74458
Magic Hand Soap, 18 fl. oz.	74459
Soap Dispenser, for 120 fl. oz. Bottles, Color: gray	1830

ANTIMICROBIAL HAND CLEANER AND SANITIZER

A Thick One-step Hand Cleaner and Sanitizer that conforms to the E-2 Designation Requirements of the USDA

Red Lion™ Antimicrobial Hand Cleaner and Sanitizer is powered by Benzalkonium Chloride, which is effective against a broad spectrum of gram positive and gram negative bacteria.

Features and Benefits

- Approved for use in all USDA and federally inspected plants
- Fragrance and dye free advanced skin care formula
- Rich, mild lather that is pH balanced (5.5-7.0)
- 100% biodegradable
- Industrial size
- Industrial grade
- 85 fl. oz. dispenser sold separately (shown, P/N 1832)

Applications

- Suitable for use in all food manufacturing and processing facilities which require the highest levels of personal sanitation as part of their GMP
- Ideal for use in meat and poultry processing industries
- Use in other food handling environments such as restaurants and supermarkets



DESCRIPTION	PART
Antimicrobial Hand Cleaner and Sanitizer, 85 fl. oz.	74629
Soap Dispenser, for 85 fl. oz. Bottles, Color: black	1832

SKIN CARE

HEAVY DUTY SCRUB HAND SOAP

Concentrated Industrial Hand Cleaner

Fortified with leading edge skin conditioners and free floating polymer scrubbers, Red Lion™ Heavy Duty Scrub Hand Soap tackles the toughest dirt, grease and grime. Leaves hands clean and conditioned.

Features and Benefits

- Environmentally friendly formula
- Enriched with multiple emollients
- Promotes healthy skin care
- Contains no harsh petroleum solvents
- New age polymer scrubbers float away
- Green color, mild citrus scent
- 120 fl. oz. dispenser sold separately (shown, P/N 1830)



4

DESCRIPTION	PART
Heavy Duty Scrub Hand Soap, 120 fl. oz.	74630
Heavy Duty Scrub Hand Soap, 18 fl. oz.	74633
Soap Dispenser, for 120 fl. oz. Bottles, Color: gray	1830

H.D. CITRUS HAND SOAP

A Liquid, Heavy-duty Hand Cleaner

Red Lion™ H.D. Citrus Hand Soap is a formulation based on a synergistic blend of detergents, emulsifiers, solvents, and emollients. It works equally well with or without rinse water. This soap rinses easily, gently replaces the skin's oils, and leaves hands feeling clean and soft. Contains no pumice.

Features and Benefits

- Multiple emollient package
- Leaves skin soft and moisturized
- After cleaning, a small amount may be used as a hand lotion to recondition skin
- Orange color, citrus scent
- 120 fl. oz. dispenser sold separately (shown, P/N 1830)

Applications

- Easily removes dirt, grease, oil, grime, tar, asphalt, ink, paint & adhesive
- Can be used "on-the-job" because it easily wipes away with paper towels or cloths anywhere water is not available
- Also works wonderfully when rinsed with water



DESCRIPTION	PART
H.D. Citrus Hand Soap, 120 fl. oz.	74631
H.D. Citrus Hand Soap, 18 fl. oz.	74632
Soap Dispenser, for 120 fl. oz. Bottles, Color: gray	1830

SKIN CARE

CHERRY IMPACT HAND SOAP

Industrial Hand Cleaner with Cherry Fragrance

Red Lion™ Cherry Impact hand soap was developed specifically for professional technicians. Its super thick concentrate contains scrubbing particles, and stays on your hands during washing. Contains superior emollients to reduce drying and cracking.

Features and Benefits

- Medicated to promote healthy skin care
- Low solvent content formula
- Removes stubborn grease and oil
- Leaves hands feeling conditioned
- Red color, pleasant cherry scent
- 120 fl. oz. dispenser sold separately (shown, P/N 1830)



DESCRIPTION	PART
Cherry Impact Hand Soap, 120 fl. oz.	74471
Cherry Impact Hand Soap, 18 fl. oz.	74472
Soap Dispenser, for 120 fl. oz. Bottles, Color: gray	1830

POW-R-SCRUB HAND CLEANER

Fast Acting Hand Cleaner with Pumice Scrubbers

Professional strength pumice hand cleaner immediately goes into action to power out the worst grease and grime. Instantly attacks grease, grime, soils, resins, epoxies, paint, glue and rubber gasket, plus any other soil you can get your hands into. This convenient squeeze bottle, with its easy-to-use self-dispensing cap, eliminates the need for wall mounted dispensers.

Features

- Professional strength pumice hand cleaner
- Instantly attacks grease, grime, soils, resins, epoxies, paint and glue
- Contains fine pumice scrubbers
- Softens and protects skin with aloe and lanolin

Applications

- Removes grease/grime, inks, paint, rubber gaskets, epoxies/glue, soil and resins



DESCRIPTION	PART
Pow-R-Scrub Hand Cleaner (15 fl. oz.)	74416

SKIN CARE

H.D. CITRUS SCRUB

Strong, Citrus-Based Hand Cleaner with Pumice Scrubbers & Conditioners

This citrus-based hand cleaner scrubs your hands clean quickly and naturally. Pumice scrubbers gently remove the toughest dirt, grease, grime, soils, resins, printer's ink, paint, glue, rubber gasket and tile cements. Contains lanolin, aloe and jojoba to moisturize skin. Regular use helps keep hands clean and conditioned. H.D. Citrus Scrub is pH balanced and biodegradable*.

(Use with P/N 1806 Hand Cleaner Dispenser Pump).

*Biodegradable according to OECD-301E.

Features

- Industrial strength citrus formula
- Fine pumice scrubbers
- Removes the toughest grease, dirt and grime



4

DESCRIPTION	PART
H.D. Citrus Scrub (128 fl. oz.)	74521

H.D. MULTI-PURPOSE CITRUS TOWELS

Industrial Degreaser for Hands, Tools, and Surfaces

Multi-Purpose Citrus Towels are pre-moistened with a high-powered, grease-cutting formula that lifts away grease, tar, adhesives, wax, ink, paint and lubricants from hands and other non-porous surfaces.

The superior grease-grabbing performance is ideal for use on tools, equipment, and hands. Natural oils and an emollient are safe for hands and skin, and will not cause drying, unlike similar products. Non-scratching towel is abrasive on one side and smooth on the other.

Features

- Won't scratch hands or surfaces
- No rinsing, no residue
- Fresh citrus scent
- Powerful grease removal on a convenient pre-moistened wipe
- Abrasive towel material provides tough scrubbing action
- Fortified with an emollient so they won't dry hands and skin, unlike similar products
- Ideal as a point-of-use waterless cleaner
- 50-state VOC compliant
- P/N 74609: 8" x 12" towels
- P/N 74609MINI: 6" x 8" towels



DESCRIPTION	PART
H.D. Multi-Purpose Citrus Towels (90 count)	74609
H.D. Multi-Purpose Citrus Towels, Mini Pack (15 count)	74609MINI

SKIN CARE

PVA HAND CLEANER

Paint, Varnish and Adhesive Hand Cleaner

Safely and effectively removes paints, urethanes, sealants, adhesives, stains, plastic fillers, putty and more. Fortified with 8 skin care ingredients and micrograin scrubbers for extra cleaning power. Rinses thoroughly with no unpleasant odor or sticky afterfeeling. Complies with VOC Consumer Product Rules. Rub a small amount into the hands, add a little water and rub hands vigorously. Rinse hands and dry thoroughly. Environmentally friendly with no greasy residue. Leaves a fresh, clean scent.

Features

- Unique DBE Solvent Formula
- Protects silicone-sensitive accessories
- Skin-friendly formula – Helps ensure healthy hands
- With Vitamin C antioxidant
- Helps protect skin from UV-related damage
- With Vitamin E moisturizer
- Helps improve elasticity and smoothness of the skin
- Cuts Through Paint, Varnish, Adhesives and Other Tough Soils Without Damaging Hands
- Softens and Shields Skin with Aloe, Provitamin B5 and Jojoba

Applications

Removes stain/varnish, urethane paints, primers, silicones, resins, enamels, oil paints, lacquers, adhesives/sealants, clear coats, body fillers and grease/grime.



DESCRIPTION

PVA Hand Cleaner (15 oz.)

PART

74512

CITRUS CLEAN GF

Waterless Hand Cleaner

A powerful hand cleaner formulated with d-Limonene to safely dissolve and remove heavy soils from skin.

Features

- This effective grit-free (no pumice) hand cleaner is formulated with natural orange peel extracts
- Extracts dig deep down into the skin's pores to remove even the toughest dirt and grease
- Contains lanolin and other special emollients to prevent hands from becoming red and chapped
- An easy and convenient way to keep hands clean
- Contains no petroleum solvents
- Does not need to be rinsed with water

Applications

Waterless hand cleaner that digs deep down into the skin's pores to remove even the toughest dirt and grease.



DESCRIPTION

Citrus Clean GF (1 Pint)

PART

74427

SKIN CARE

PROTECTIVE SKIN CREAM

USDA Rated E-4 Skin Protectant

Protective Skin cream provides an “all-day” invisible greaseless film of protection on the skin against irritating materials. Its excellent emollient quality is ideal for chapped cracked skin. Clean-up with just soap and water to wash away the protective coating, dirt and irritating materials.

Features

- Easy On...Easy Off!
- USDA rated E-4

Applications

Protects Against Paints, Grease, Inks, Oils, Solvents, Gasoline, and Cement Burns



4

DESCRIPTION	PART
Protective Skin Cream (18 oz.)	74449

HAND SANITIZING WIPES (WITH ALOE AND VITAMIN E ANTISEPTIC)

Formulated with aloe and antioxidant Vitamin E to moisturize the skin. This effective formula cleans hands while killing bacterial. Towels are made from a non-abrasive fabric that is gentle to the skin. Wipes are easy to use and not messy like sanitizing gels.

Features

- Kills 99.9% of bacteria
- Leaves a fresh wintergreen fragrance
- Leaves hands feeling fresh
- Quick and easy to use, wipe and discard

Applications

- For handwashing to decrease bacteria on the skin, only when water is not available
- Before contact with a person under medical care or treatment



DESCRIPTION	PART
Hand Sanitizing Wipes (With Aloe and Vitamin E Antiseptic - 70 Count)	74539

INSECTICIDES

BUG BE GONE WIPES

Powerful, Fast-Acting Wipe-On Insect Repellent

Repels mosquitoes, chiggers, ticks, deer flies, stable flies, black flies, gnats and fleas on exposed skin surfaces. Contains 25% DEET, one of the most effective insect repellents available. Just wipe onto exposed skin, and throw the wipe away.

Features

- Water-Based
- Non-VOC Formula
- No Strong/Offensive Odor
- Leaves No Sticky Residue
- Provides up to 4 hours of protection
- Convenient, easy to use
- Quick & thorough
- Contains 25% DEET

Repels

- Mosquitoes
- Chiggers
- Ticks
- Deer flies
- Stable flies
- Black flies
- Gnats
- Fleas

Applications

- Construction
- Utility Work
- Road Work
- Sanitation Crews
- Farming
- Gardening
- Camping
- Fishing
- Boating
- Hunting



DESCRIPTION

Bug Be Gone Wipes (40 Wipes - 6" x 8" Towels)

PART

74263

INSECT REPELLENT WRISTBANDS

For Maintenance, Repair and Operations Personnel – Commercial/Military

Vapors from the insect repelling wristband form a protective shield around the immediate area, keeping insects a safe distance away. Natural & Effective, made with naturally derived geraniol. Use just enough repellent to cover exposed skin and/or clothing. Do not use under clothing.

Features

- DEET Free
- Water Resistant – The wristband just keeps working, up to 120 hours
- Packaged in a reusable plastic “pod” to store the wristband, it can be sealed between uses to preserve the active life of the product

Applications

- Repels mosquitoes, flies, gnats, and no-see-ums
- A good choice for recreational and lighter-duty applications
- Can be worn on belt loops, hatbands, fastened in tents, or applied to other areas
- Designed with a patented break-away strap that snaps if it becomes entangled



DESCRIPTION

Insect Repellent Wristbands - Green (3 Pack)

Insect Repellent Wristbands - Glow-in-the-Dark (3 Pack)

Insect Repellent Wristbands - Pink (3 Pack)

Insect Repellent Wristbands - Red (3 Pack)

Insect Repellent Wristbands - Yellow (3 Pack)

Insect Repellent Wristbands - Blue (3 Pack)

PART

85085

85086

85087

85088

85089

85090

INSECTICIDES

WASP AND HORNET KILLER

Powerful, Fast-Acting Insecticide

Triple action formula kills wasps, hornets and yellow jackets. Instant knockdown. Kills with residual action as wasps and hornets return to the nest. Sprays up to 20 feet. Dielectric breakdown voltage of 33,000 volts.

Features

- Instant knockdown
- Triple action formula
- Kills wasps, hornets and yellow jackets
- Dielectric breakdown voltage of 33,000 volts
- Accurate stream penetrates deep into hard-to-reach nests

Applications

For use in the home and non-food areas of:

- Schools • Warehouses • Office Buildings
- Theatres • Garages • Hotels • Motels
- Kennels • Hospitals and Other Listed Areas

NOTE: Do not use in commercial food/feed handling establishments, restaurants or other sites where food/feed is commercially prepared or processed. Do not apply to pets or contaminate feed, foodstuffs, dishes or utensils.



5

DESCRIPTION	PART
Wasp and Hornet Killer (12 oz.)	74161

FIRE ANT & INSECT DEHYDRATOR

Powerful, Long-Lasting Insecticide

Red Lion™ Fire Ant & Insect Dehydrator contains the quick-killing botanical insecticide, pyrethrum, an extract of the chrysanthemum flower. Kills insects on contact.

Features

- Provides effective control of insects upon direct contact with an added benefit of flushing these insects to aid in a more complete kill
- Silicon dioxide provides long term control through a desiccating (drying) action
- Kills insects up to 6 months from initial application

Kills

- | | | |
|--------------------------|-------------------|-----------------|
| • Ants | • Cockroaches | • Palmetto Bugs |
| • Carpenter Ants | • Carpenter Bees | • Scorpions |
| • Fire Ants | • Centipedes | • Silverfish |
| • Pharaoh Ants | • Crickets | • Spiders |
| • Bedbugs | • Earwigs | • Ticks |
| • Beetles | • Firebrats | • Termites |
| • Confused Flour Beetles | • Fleas | • Waterbugs |
| • Carpet Beetles | • Hornets / Wasps | • Weevils |
| • Red Flour Beetles | • Lice | |
| | • Dust Mites | |



DESCRIPTION	PART
Fire Ant & Insect Dehydrator (3.5 oz.)	74269

INSECTICIDES

ANT AND ROACH SPRAY

Fast Acting, Long-Lasting Indoor / Outdoor Use

Provides rapid control of houseflies, mosquitos, small flying moths (millers), gnats, wasps and accessible stages of roaches, ants, water bugs, silverfish, flour beetles, weevils, grain mites and spiders. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated two hours after spraying. Do not return patients to room until after ventilation.

Features

- Evercide® insecticide
- For rapid control of common pests and insects
- For indoor and outdoor use
- Can be used on bedding and carpeting
- Lasts up to 42 days

Applications

For use in the home and food and non-food areas of:

- Food Processing Plants • Schools • Warehouses
- Office Buildings • Theatres
- Garages • Hotels • Motels • Kennels
- Hospitals and Other Listed Areas



5

DESCRIPTION	PART
Ant and Roach Spray (11.75 oz.)	74163

LUBRICANTS

4-WAY PLUS

Multi-Purpose Lube and Penetrant With High Dielectric Strength

Specially formulated to displace moisture on wet ignition systems, electric motors and equipment. (electrical power must be off). Frees frozen parts, protects metal prior to storage and prevents rust and corrosion.

Features

- Displaces moisture
- Dries wet ignitions
- Frees rusted parts
- Prevents rust
- Stops squeaks
- Provides moisture barrier
- Meets government specifications MIL-C-16173D and W-L-800C

Applications

- Rust preventative for metal parts in machine shops: tools, equipment and similar surfaces
- Tractors, bicycles, cranes and vehicles
- Electrical systems, generators, alternators and starters



DESCRIPTION	PART
4-Way Plus (18 oz.)	74107

6

BLUE GREASE

Calcium Sulfonate Complex Industrial Grease

Premium grade, calcium sulfonate complex industrial grease is designed for extended service life and is recommended for multi-application usage in even the most severe applications across all industries. Due to Blue Grease's completely shear stable thickener it has superior rust, corrosion and oxidation resistance while offering the highest level of EP and load carrying performance obtainable. Blue Grease meets and exceeds the highest automotive service classification (GC-LB) and makes an excellent grease for extended service life in all types of high temperature, extreme pressure agricultural, construction, hauling, mining, logging, and steel mill applications.

Features

- Superior quality Calcium Sulfonate Complex grease
- Unmatched EP Protection 65 Timken, 620 Weld Point
- Longest re-lubrication intervals will not harden, thin or washout
- Considered waterproof by industry standards
- Maximum operating temps -30°F to 425°F
- Completely heavy metal free and harmful additive free, contains no antimony, barium, chlorine, lead, or zinc

Applications

- Electric Motor Bearings
- Ball and Roller Bearings
- Gear Motors
- Anti-Friction Bearings
- King Pins
- Pillow Blocks
- Wheel Bearings
- Kiln Cars
- Fifth Wheel
- Universal Joints
- Bucket Pins
- Slides & Ways
- Shakers
- Marine Applications
- Power Plants
- Soot Blowers
- Exhaust Fan Bearings
- Truck Chassis



DESCRIPTION	PART
Blue Grease (5 Gallon Pail)	74436
Blue Grease (15 Gallon Pail)	74437
Blue Grease (50 Gallon Drum)	74438

LUBRICANTS

CABLE & CHAIN LUBE

Full-Service, Multiple-Application, Chain and Cable Lubricant

This product is an outstanding, full-service, multiple-application, chain and cable lubricant. Fortified with both molybdenum disulfide and PTFE, the formula will provide superior lubricity, protection, and longevity. Very water and acid resistant. In addition, the special aerosol valving system allows for precise control of material delivery with minimal splashing and/or overspray. This next generation product is formulated without chlorinated solvents or ozone depleters.

Features

- Fortified with Moly and PTFE
- Penetrates for fast set up and resist throw off
- Ideal for chains, cables and moving assemblies
- Lubricates and reduces friction
- Non-chlorinated

Applications

- Use this product on chains, cables, wire ropes, sprockets, drive chains, hoist chains, drag chains and conveyor chains to prevent metal to metal contact and reduce friction, heat, stress, and wear during operation.



DESCRIPTION

Cable & Chain Lube (12 oz.)

PART

74151

CHAIN LUBE

Penetrating Lubricant

Unique foaming formula allows for super penetration without "sling off", even at high speeds. Affords full protection for metal-to-metal moving parts. Material will not fly off or break down and is recommended for any climatic conditions.

Features

- Lubricates and penetrates
- Withstands high and low temperature changes
- Repels dirt and sand
- Extends chain life by reducing friction
- Resists "sling off"

Applications

- Excellent for use on chain saws, sprockets, cutter bars, clippers, link and roller chains, etc.
- Increases chain and sprocket life by reducing friction.



DESCRIPTION

Chain Lube (17.75 oz.)

PART

74119

DIELECTRIC GREASE

Hi-Temp
7500
DIELECTRIC GREASE

- 1. Superior dielectric properties
- 2. Excellent thermal stability
- 3. High temperature resistance
- 4. Excellent electrical insulation
- 5. Excellent mechanical strength

100g 100g

6

RED LION
THE HEAVEN

**7882
CLEAR LUBE**

- 1. Temperature flexibility
- 2. Maximum superior lubrication
- 3. High efficiency strength
- 4. Resists "wash-out"
- 5. Non-toxic spray-on dry lube

89

LUBRICANTS

ZOOM SPOUT® OILER

Premium Grade, All Purpose, Turbine Grade, Lubricating Oil
The finest all purpose oil. Telescoping spout reaches everywhere.

Features

- Flexible telescoping spout with 7" extension for difficult to reach areas

Applications

- Rotating equipment
- Reciprocating equipment
- Bearings
- Motors
- Slides



DESCRIPTION

Zoom Spout® Oiler (4 fl. oz.)

PART

74255

LITHIUM GREASE WHITE – CARTRIDGE

Premium Grade Industrial Grease

Specially designed to meet the ever-increasing requirements for high film strength, higher operating temperatures, greater stability and longer lubricant life. The tough protective film ensures superior lubrication and extended lubrication intervals. This shear stable, non-corrosive, extreme pressure, water resistant lubricant is used for both plain and anti-friction bearings, gears, cams and slides. It is also highly recommended as a bearing lubricant for electrical motors, spindles and other mechanical devices when low torque, moderate speeds and long life are essential.

Features

- Anti-Corrosive • Non-Staining • Water Resistant
- Superior Performance at Temperatures of 0°F to 325°F
- Extreme Pressure 65 Lb. Timken Load • EP Additives

Applications

Ideal for use on:

- Wheel Bearings • Chassis Points • Ball Joints
- Slides • Rollers • Hinges • Small Gears
- Overhead Tracks • Construction Equipment • Mining
- Logging • Marine Applications • Industrial Applications

SPECIFICATIONS:

Drop Point (ASTM D-2265) ... 390°F (199°C)
Specific Gravity.....0.95
Density (lb./gal.).....8.1
Temp. Range .0°F to 325°F (-18°C to 163°C)
Timken EP Test
(ASTM D-2509) 65 lbs., Typical
Base Oil Viscosity ISO 220, Typical
NLGI Rating.....2
Meets or exceeds requirements of U.S. Military Specification MIL-G-18458B (SH).



DESCRIPTION

Lithium Grease White – Cartridge (14 oz.)

PART

74428

LUBRICANTS

HIGH-TEMP GREASE – CARTRIDGE

High Temperature, High Purity, Synthetic Lubricant

A superior quality, high-performance synthetic grease specially formulated for extremely high temperature applications. Assures minimal friction and maximum corrosion protection. Ideal for all high temperature applications requiring superior lubricity and long service life. USDA accepted for use in federally inspected meat and poultry plants. USDA accepted Classification H1.

Features

- High-purity synthetic grease
- Extremely effective in high temperatures
- Resists water, acids, alkalis and salts
- USDA accepted
- Waterproof

Applications

- Ideal for all high temperature applications requiring superior lubricity and long service life

SPECIFICATIONS:

Temp. Range	-65°F to 500°F (-54°C to 260°C) Continuous
	-65°F to 550°F (-54°C to 288°C) Intermittent
NLGI Grade (ASTM D1092)	2
Timken OK Load (ASTM 2509)	40 lbs.
Dropping Point (ASTM D566)	Non-melt
Shelf Life	>10 years
Color	Translucent White
Odor	None
Penetration, Unworked (ASTM D217)	280mm/10
Four Ball EP Test (ASTM D2596)	
Load Wear Index	42.53 kg
Weld Point	200 kg
Four Ball Wear Test (ASTM D2266) Scar Dia.	0.50mm
Salt Spray Test (ASTM B117)	Pass
Dielectric Loss (ASTM D924)	1.2 x 10 ¹²
Dielectric Resistivity (ASTM D1169)	1.7 x 10 ¹⁴
Dielectric Constant (ASTM D924)	2.5
Oil Separation (ASTM D1402)	None
Evaporation Loss (ASTM D972) 22 hrs @ 212°F (100°C) <1%	
Oxidation, Stability 100 hours (ASTM D942)	Pass



6

DESCRIPTION	PART
High-Temp Grease – Cartridge (14.5 oz.)	74422

LOW-TEMP GREASE – CARTRIDGE

Low Temperature, High Purity, Synthetic Lubricant

A superior quality, high-performance synthetic grease specially formulated for extremely low temperature applications. Assures minimal friction and maximum corrosion protection. Ideal for all bearing, chassis and equipment applications in low to medium temperatures. Also excellent for use in and on refrigeration / freezer units. USDA accepted Classification H1.

Features

- High-purity synthetic grease
- Effective in extremely low temperatures
- Resists water, acids, alkalis and salts
- USDA accepted
- Waterproof

Applications

- Ideal for all bearing, chassis and equipment applications in low to medium temperatures
- Also excellent for use in and on refrigeration / freezer units

SPECIFICATIONS:

Temp. Range	-65°F to 300°F (-54°C to 149°C) Continuous
	-65°F to 400°F (-54°C to 204°C) Intermittent
NLGI Grade (ASTM D1092)	2
Timken OK Load (ASTM 2509)	40 lbs.
Dropping Point (ASTM D566)	Non-melt
Shelf Life	>10 years
Color	Translucent White
Odor	None
Penetration, Unworked (ASTM D217)	280mm/10
Four Ball EP Test (ASTM D2596)	
Load Wear Index	42.53 kg
Weld Point	200 kg
Four Ball Wear Test (ASTM D2266) Scar Dia.	0.50mm
Salt Spray Test (ASTM B117)	Pass
Dielectric Loss (ASTM D924)	1.2 x 10 ¹²
Dielectric Resistivity (ASTM D1169)	1.7 x 10 ¹⁴
Dielectric Constant (ASTM D924)	2.5
Oil Separation (ASTM D1402)	None
Evaporation Loss (ASTM D972) 22 hrs @ 212°F (100°C) <1%	
Oxidation, Stability 100 hours (ASTM D942)	Pass



DESCRIPTION	PART
Low-Temp Grease – Cartridge (14.5 oz.)	74420

LUBRICANTS

DRY LUBE PLUS

A Greaseless, High Performance Lubricant That Dries to a Non-Oily Film

Ideal for use on delicate mechanisms; will not build up and resists attracting dust and dirt.

Features

- 4-in-1 action makes it highly versatile - Penetrates, lubricates, displaces moisture and prevents light corrosion
- The next generation chemistry contains no chlorinated solvents or ozone depleters
- Flash point 175°F with CO2 propellant and a 360° spray valve for easy use in any position
- Non-aggressive formula is safe for use on most plastics and painted surfaces
- Non-conductive to 38,000 volts for use around live equipment
- Meets or exceeds MIL-C-23411A - Paragraph 3.1.1, and 3.2-3.11

Applications

- Excellent choice for virtually any general-purpose need
- Additional uses include high heat environments (up to 500°F) including use as a release agent in molding processes



DESCRIPTION

Dry Lube Plus (12 oz.)

PART

74099

MOLY DRY LUBE

High Temperature, High Pressure, Dry Film Lube

A thin, quick drying film gives long lasting protection to all moving and sliding parts. Reduces friction at all contact points preventing galling, seizing and metal-to-metal wear. Protects surfaces from moisture, rust, corrosion and also resists attack by oil, grease, water, most chemicals and acids.

Features

- Lubricate and protects
- High pressure lube 200,000 psi
- Wide temperature range -100°F to +700°F
- Waterproof and dustproof
- Super slick
- Non-corrosive

Applications

- Used to protect all moving and sliding parts
- Use when lubrication is essential in tight fitting, high temperature and high pressure applications



DESCRIPTION

Moly Dry Lube (14 oz.)

PART

74123

LUBRICANTS

PENETRATING OIL WITH GRAPHITE

Frees rusted parts

Penetrates deeply to free countersunk threads and prevent breakage of frozen parts. Cuts rust, red or white lead, tar, dirt, grease, deposits of carbon, graphite, etc. Will not harm basic metals, rubber or paint.

Features

- Frees rusted nuts and bolts in seconds
- Prevents oxidation
- Resists salt water corrosion
- No water wash-out
- All position valve

Applications

- Used for freezing frozen metal parts, lubricating air driven tools, dismantling equipment and removing broken taps and dies.



DESCRIPTION	PART
Penetrating Oil with Graphite (14.75 oz.)	74101

6

PNEUMATIC TOOL ANTI-SEIZE LUBRICANT

Superior Lubricant for Oilers in Pneumatic Lines

Formulated to meet the special requirements of industrial, household and agricultural tools. It absorbs water and eliminates ice buildup and frost in air tools. A blend of rust and corrosion inhibitors and a special base fluid oil minimizes tool wear and allows operation of air tools at temperatures as low as -40°F. Works on all types of pneumatic equipment and gives worn tools new life.

Features

- Wide temperature range -40°F to 350°F
- Prevents rust and corrosion
- Less friction, wear, heat and noise
- Protects against corrosion
- Absorbs moisture, eliminates ice buildup and frost in air tools

Applications

Ideal for use on:

- Air Impact Tools • Drills • Grinders • Screwdrivers
- Sanders • Percussion Tools • Household Shop Tools
- Air Line Lubricators • All Air Tools Using Oil Lubrication



DESCRIPTION	PART
Pneumatic Tool Anti-Seize Lubricant (32 fl. oz.)	974375

LUBRICANTS

PRO PULL™ WIRE PULLING LUBE

Superior Lubrication for Wire and Cable Pulling, Dries Clean, Food Grade

An exclusive formulation that provides a clean, super-slick surface allowing cable to be pulled with minimum friction. Compatible with polyethylene, polypropylene, PVC, neoprene and polyurethane cable jacketing materials used in the manufacture of power, telephone and fiber optic cable. This non-staining formula evaporates completely, leaving no messy residue. Can be used in temperatures as low as -13°F (-25°C). USDA accepted for use in federally inspected meat and poultry plants. Classification H1.

Features

- Superior lubrication for all wire pulling applications
- Performs in extreme temperatures
- Coats evenly
- Dries clean and tack free
- Compatible with most materials

Applications

- Used in the installation of power, telephone and fiber optic cable

SPECIFICATIONS:

Characteristic	Temp Stability 80°C/24 hours	Room Temp. (21°C)
A) Expansion	Transient 4.5%	None
B) Viscosity	Estimated 10% dec.	
C) Color/Appearance	Orange/Clear	Orange/Clear
D) Separate	None	None
E) Coating Factor (Cling Factor)		
a) Vertical	50-57%	61-65%
b) Horizontal	52-60%	64-69%
F) Rate of Evaporation % / Minute	0.0874	0.0521
G) Coefficient of Friction		
a) Static	0.0140	0.075
b) Dynamic	0.096	0.070
H) Residue (% Solids)	6.80 +/-0.1	6.80 +/-0.1
I) pH	6.80 +/-0.1	6.80 +/-0.1
J) Flammability	Nonflammable	Nonflammable
K) Compatibility with Cable and Conduit Materials	No Incompatibility Demonstrated	No Incompatibility Demonstrated



DESCRIPTION

Pro Pull™ Wire Pulling Lube (32 fl. oz.)

PART

74421

PTFE DRY LUBE

Multi-Purpose Dry Lube and Release Agent

Cryogenically processed PTFE coats surfaces quickly and easily. Resistant to virtually all chemicals and solvents. Ideal for use on all machine parts and textile equipment as a universal, dry non-staining lubricant. Excellent as a release agent for rubber, nylon, foams, acrylics, plastic, polyurethane, plaster, filament windings, epoxies, metal molds, phenolics, prepreg fabrication, polystyrene, encapsulating, epoxy potting and rubber molding. Safe for use on most metal, plastic, wood, glass, rubber and paper. Classification H1.

Features

- Dry, non-staining lubricant
- Excellent release agent
- Ideal for use on machine parts
- Effective from -40°F to +500°F
- Does not attract dust

Applications

- Ideal for use on all machine parts and textile equipment as a universal, dry non-staining lubricant.
- Excellent as a release agent for rubber, nylon, foams, acrylics, plastic, polyurethane, plaster, filament windings, epoxies, metal molds, phenolics, prepreg fabrication, polystyrene, encapsulating, epoxy potting and rubber molding.



DESCRIPTION

PTFE Dry Lube (11 oz.)

PART

74116

RED GREASE HI-TEMP

RED LION
GREASE

74415

**RED GREASE
HI-TEMP**

- Heavy Duty Lubricant
- Sprays Like Liquid
- Corrosion to a Tough Grease
- High Temperature Performance
- Resists Water Washout
- Superior Long Life

**DANGER! EXTREMELY
FLAMMABLE! CONTENTS UNDER
PRESSURE. EYE AND
SKIN IRRITANT. WASH OFF
IF SPILLED OR ON SKIN.
USE PROPERLY. READ CAUTIONS ON
PAGE ONE.**

Net Wt. 13.33 oz. (378 grams)

RED LION
FARMER'S
RED CREAMER
2 1/2 cups of water
1/4 cup of sugar
1/4 cup of instant coffee
1/4 cup of instant milk powder
1/4 cup of instant cream powder
1/4 cup of instant vanilla powder
1/4 cup of instant chocolate powder
1/4 cup of instant fruit powder
1/4 cup of instant fruit powder
1/4 cup of instant fruit powder
GUSTIN

LUBRICANTS

RED GREASE III

All-Purpose, High Temperature, Extreme Pressure Grease

An all purpose heavy-duty non-melt lubricant specially formulated with extreme pressure and anti-wear additives. Red Grease III has excellent adhesive and cohesive properties. It resists and protects indoor and outdoor equipment from most acids, weather, dirt, salts, steam, oxidation, high temperatures of up to 550°F, heavy loads and impact pressures of 65 Timken load capabilities. Penetration is 250-270 (ASTM D-217).

Features

- All purpose heavy-duty lubricant
- Resists water, acids, salts, rust and alkaline chemicals
- Non-melt – effective at temperatures of up to 550°F
- Load carrying capabilities:
65 Timken Load
- NLGI 2 to 2.5

Applications

Ideal for indoor and outdoor equipment used in:

- Air Conditioning • Aircraft • Automotive
- Bottling • Cement • Construction
- Elevators • Farms • Food • Industrial
- Lumber • Marine • Paper • Sewage • Steel



DESCRIPTION	PART
Red Grease III (7 lbs.)	74404
Red Grease III (45 lbs.)	74408
Red Grease III (120 lbs.)	74410

SILICONE FG – CLASSIFICATION H1

Food Grade and All-Purpose Lubricant

Silicone FG prevents freezing and eliminates sticking on doors, windows, locks and latches. Authorized by the USDA for use in federally inspected meat and poultry plants. Classification H1. Lubricates and prevents sticking on conveyors. Lubricates without gumming and will not stain or bind. Protects and waterproofs wiring. Helps prevent electrical losses. Aids in preventing rust on chrome, electrical systems, switches, and helps prevent corrosion on batteries.

Features

- Eliminates squeaks and sticking
- Lubricates, preserves and insulates
- Rustproofs and waterproofs
- Prevents freezing
- Classification H1
- Stays within FDA guidelines allowing no more than 1 ppm to be imparted to food
- Can be safely used on food handling equipment

Applications

- Can be used on doors, windows, locks and latches
- Excellent for use on rubber
- Protects and waterproofs wiring
- Keeps materials from sticking to conveyor belts
- Helps fight rust on all types of molds and dies
- Prevents papers and plastics from sticking to heat sealing equipment



DESCRIPTION	PART
Silicone FG (9.25 oz.)	74108

LUBRICANTS

SUPER IMPACT GREASE – CARTRIDGE

Multi-Purpose, Extreme Pressure and Impact Resistant Grease

This multi-purpose grease is fortified with special additives enabling it to withstand the heavy impact and pounding common with heavy equipment. Our special additive package allows the grease to stay in place and not spatter or pound out of the bearing or fitting.

Features

- All-purpose heavy-duty lubricant
- Resists water, acids, salts and alkaline chemicals
- Non-melt – effective at temperatures up to 550°F
- Load carrying capabilities 65 Timken load
- NLGI 2
- Temperature range 0-425°F

Applications

- Chassis • Wheel Bearings • Bearings • Motors • Shafts
- Automotive and Industrial Equipment



DESCRIPTION	PART
Super Impact Grease – Cartridge (14 oz.)	74400

6

TFG GREASE – CARTRIDGE

Multi-Purpose, Teflon® Fortified, Extreme Pressure & Impact Resistant Grease

A multi-purpose grease specially formulated to operate in extreme conditions of heat, moisture, acid and alkali. Fortified with PTFE, provides added protection against shock loads and impact pressures. By preventing metal-to-metal contact and supplying added lubricity and slipperiness, this product will substantially reduce friction and wear.

Features

- Multi-purpose fortified with PTFE
- Operating temperature 0°F to 400°F (intermittent to 450°F)
- Resistant to moisture, heat, acid and alkali
- Will not melt or run out regardless of temperature
- Excellent water resistance and metal adhesion

Applications

- Added lubricant protection from very low to high temperatures makes this non-melt, water-resistant grease perfect for ball and roller bearings, wheel bearings, king pins, cranes and sleeve bearings.



DESCRIPTION	PART
TFG Grease – Cartridge (14 oz.)	74406

LUBRICANTS

WHITE GREASE – H1 CLASSIFICATION

Multi-Purpose, H1 Lithium Lubricant

Clings to bearing and gear surfaces and is highly resistant to "sling-off". Provides anti-rust and moisture barrier. Covers a wide temperature range from 35°F to 250°F. Authorized by the USDA for use in federally inspected meat and poultry plants. Classification H1.

Features

- Superior anti-rust and moisture barrier, and is effective over a wide temperature range
- Non-staining – will not stain or discolor
- Won't wash or sling off
- Classification H1

Applications

- Ideal for bottling, canning, packaging, conveyor, automotive and construction equipment
- Extremely effective on latches, hinges, striker plates, pulleys, chains, etc.



6

DESCRIPTION

White Grease Lubricant (16 oz.)

PART

74104

WHITE GREASE

Multi-Purpose Lithium Lubricant

This product is white lithium grease in a convenient, easy-to-use aerosol can. It is an exceptional coating for the prevention of rust and corrosion. In addition, this PTFE fortified, durable, nonstaining lubricant provides superior friction reduction between similar or different materials than other competing brands. Will not run, wash off, or freeze and does not gum or cake. Use this product on battery terminals, brake cables, distributor caps, latches, hinges, bolts, locks, antennas, equipment, tools, tracks, glides, bearings, rollers, buckles, shackles, winch gears, and other external moving parts or exposed surfaces. This next generation product is formulated without chlorinated solvents or ozone depleters.

Features

- Superior anti-rust and moisture barrier
- PTFE fortified
- Non-staining
- Will not run, wash off, or freeze and does not gum or cake

Applications

- Packaging industry, automotive field, marine and aircraft maintenance
- Ideal for battery terminals, brake cables, distributor caps, latches, hinges, bolts, locks, antennas, equipment, tools, tracks, glides, bearings, rollers, buckles, shackles, winch gears, and other external moving parts or exposed surfaces



DESCRIPTION

White Grease (11 oz.)

PART

74100

LUBRICANTS

CUTTING OIL III

Lube for Drilling, Tapping and Threading Operations

Special formula provides lubrication for faster, more convenient cutting operations and longer tool life. Authorized by the USDA for use in federally inspected meat and poultry plants.

Features

- Specially formulated lubricant provides a cleaner, smoother cut
- Effective on most metals
- Extends tool life

Applications

- Specially formulated for all drilling, cutting, tapping and threading operations.
- Excellent on high strength and exotic metals.
(Not for use on aluminum).



DESCRIPTION	PART
Cutting Oil III (16.75 oz.)	74172

6

TOOLUBE™

Cutting Tool Lubricant

A specialized lubricant designed for tough metal-working operations on hard metals such as stainless, high carbon, high chrome, nickel-chrome, heat-treated steels, cast iron, monel and even non-ferrous metals like brass and aluminum. This compound contains no oil and eliminates the difficult cleaning problems associated with white lead, molybdenum and similar materials. It does not contain chlorine, fluorine, lead, sulfur, phosphorous, silicone, nitrates, chromates, mercury or formaldehyde base compounds.

Features

- For tough metalworking jobs
- Contains no oils
- Easy cleanup
- Environmentally safe

Applications

- Ideal for use in drilling, tapping, sawing, spot facing, counterboring, milling, fly-cutting, seat forming, engraving, broaching, drawing, piercing, punching, hole extruding and many other applications



DESCRIPTION	PART
Toolube™ (8 fl. oz.)	74523

LUBRICANTS

TOOL COOL II

Cutting Fluid

Special formula provides a combination of lubrication and chemical cooling action for faster, smoother cutting operations and longer tool life. Use for all drilling, cutting and tapping applications. A must with high strength and exotic metals. Not for use on aluminum.

Features

- Instantly lowers temperature – for faster cutting and longer tool life
- Unique lubricating properties – assures cleaner, smoother cutting
- Multi-purpose – for use in all drilling, tapping and threading applications
- Non-flammable – for increased safety
- Fast evaporation – minimizes clean-up
- Contains no 1,1,1-trichloroethane or ozone depleting chemicals – won't damage ozone

Applications

- For use in all drilling, cutting and tapping operations



DESCRIPTION

Tool Cool II (17 oz.)

PART

74185

CUTTING WAX

Cutting Tool Lubricant

Specially formulated multi-purpose cutting wax. For faster, smoother cutting operations and longer tool life. Use for all drilling, cutting and tapping applications.

Features

- Continuous shield against friction and heat
- Especially effective on stainless steel, aluminum and many exotic alloys
- Extends tool life and reduces chip welding
- Reduces tool costs and work piece scrap
- Provides a precision finish with closer tolerances on your finished work
- Non-flammable – for increased safety

Applications

- For use in all drilling, cutting and tapping operations



74559 – 2 oz.



74560 – 16 oz.

DESCRIPTION

Cutting Wax (2 oz.)

Cutting Wax (16 oz.)

PART

74559

74560

LUBRICANTS

ANTI-SEIZE (W/COLLOIDAL COPPER COMPOUND)

Multi-Purpose, Threaded Fastener Lubricant, High Temperature Resistance

The colloidal copper compound prevents seizing, galling and pitting under adverse conditions of extreme temperatures and pressures. Provides excellent lubricity, assuring more accurate torquing and easy disassembly of bolts, nuts, studs, etc. Protects parts from rust and corrosion. Useful temperature range from -300° to 1,800°F.

Features

- Prevents galling and seizing up to 1,800°F
- Seals and waterproofs threaded parts
- Prevents rust and corrosion
- Meets mil spec A-907(D)

Applications

For use in the home and food and non-food areas of:

- Food Processing Plants • Schools • Warehouses • Office Buildings • Theatres
- Garages • Hotels • Motels • Kennels • Hospitals and Other Listed Areas



DESCRIPTION	PART
Anti-Seize (w/Colloidal Copper Compound) (12.5 oz.)	74118

6

ANTI-SEIZE ALUMINUM

Multi-Purpose, Threaded Fastener Lubricant, High Temperature Resistance

This high quality lubricant depolymerizes and dissipates at temperatures above 400°F without a carbon residue, having a dry film of aluminum and graphite to plate and protect metal surfaces to temperatures of 1,800°F (980°C). It contains no lead or copper and has a synthetic, non-melting carrier.

Features

- Water resistant
- Prevents seizing and galling
- Reduces friction
- Protects against rust and corrosion
- Easy applicator top pressure can (P/N 74423) eliminates contamination of contents – simply press to dispense

Applications

- All threaded metal assemblies where anti-seize protection is desired. Use on bolts, fittings, flanges, gaskets, keyways, nuts, plugs, studs, unions, valves, etc.
- Ideal for ovens, heat trolleys, kilns, stokers or any threaded parts exposed to high temperatures.



74425

74423

DESCRIPTION	PART
Anti-Seize Aluminum (6 oz. Pressurized Can with Easy Applicator Top)	74423
Anti-Seize Aluminum (16 oz. Brush Applicator Cap)	74425

LUBRICANTS

ANTI-SEIZE PRO-LUBE ALUMINUM/COPPER COMPOUND

Brush Applicator Cap

Aluminum/Copper Compound in a special semi-synthetic carrier. It leaves a protective film that seals and protects metal parts even under extreme conditions, such as heat, pressure, steam and saltwater exposure.

Features

- Heavy Duty Industrial-Strength
- Anti-Seize & Lubricating Paste
- Protects to +2000°F
- Reduces Torque
- Prevents Rust & Corrosion
- Excellent Lubricity
- Prevents Galling & Seizing
- Steam & Water Proof
- Chemical Resistant
- Extreme Pressure Lubricant
- Non-Melting
- Meets MIL SPEC MIL-A-907E

Applications

For Marine, Metal Working, Oil Field, Automotive, Construction and Farm Work Applications, such as:

- Threaded Fittings
- Rig Drives
- Sprockets and Chains
- Casting Equipment
- Valve Shafts



6

DESCRIPTION

Anti-Seize Pro-Lube Aluminum/Copper Compound (3.75 oz.)

PART

74424

ANTI-SEIZE II – COPPER COMPOUND

Brush Applicator Cap

This blend of lubricating solids prevents seizing and galling of metal parts and threaded connections exposed to harsh environments, high and low temperatures and other severe conditions. The active ingredients are copper, graphite and a petroleum lubricant. Red Lion Anti-Seize II withstands pressure conditions over 3,000 p.s.i. and is compatible with all metals and most plastics. It improves assembly and disassembly. Allows reuse of damaged threaded parts and will not harden, drop or separate.

Features

- Protects against rust and corrosion
- Prevents thread damage, seizure, galling and heat-freeze up to 1,800°F (982°C)
- Enhances and protects most electrical connections
- Lowers friction
- Reduces torque
- Meets military specifications MIL-A-907

Applications

- All nuts, bolts, bushings, centers, cam rollers, chains, slow moving bearings, compressors, conveyors, couplings, dies, drills, drives, liftings, gaskets, gears, generators, joints, keyways, motors, packings, plugs, press fits, pumps, shafts, sleeves, slides, spark plugs, studs, taps, unions, valve stems, wristpins and more.



DESCRIPTION

Anti-Seize II – Copper Compound (8 oz.)

Anti-Seize II – Copper Compound (16 oz.)

PART

74426

74407

LUBRICANTS

C5-A® COPPER ANTI-SEIZE STICK – COPPER

Features

- Protect metal parts in high heat environments up to 1800°F
- Prevent rust, corrosion, seizing and galling
- Eases disassembly
- Reduce friction and wear to critical parts
- Buttery texture ideal for both coarse and fine threads
- Exceptional lubrication properties

Applications

- Copper, brass, cast iron and all alloys, all plastics and all non-metallic gasket materials
- Bolts, bushings, pipes, fittings, flanges, gaskets, headers, manifolds, nuts, studs, etc.
- High heat ovens, crane assemblies, turbine studs, coal crushers, casting and molding equipment and heat exchangers



DESCRIPTION	PART
C5-A® Copper Anti-Seize Stick – Copper (0.70 oz. / 20 gm)	74565

SILVER GRADE ANTI-SEIZE STICK – SILVER

Features

- Protects metal parts in high heat environments up to 1600°F
- Prevents rust, corrosion, seizing and galling
- Eases disassembly
- Reduces friction and wear to critical parts
- Buttery texture ideal for both coarse and fine threads
- Exceptional lubrication properties

Applications

- Stainless steel and aluminum. Can also be used on copper, brass, cast iron and all alloys, all plastics and all non-metallic gasket materials
- Bolts, bushings, pipes, fittings, flanges, gaskets, headers, manifolds, nuts, studs, etc.
- High heat ovens, crane assemblies, turbine studs, coal crushers, casting and molding equipment and heat exchangers



DESCRIPTION	PART
Silver Grade Anti-Seize Stick – Silver (0.70 oz. / 20 gm)	74566

LUBRICANTS

FREEZING ACTION PENETRANT

Frees Rusted and Frozen Parts

This product represents the latest breakthrough in penetrating lubricant technology. By combining rapid freezing action with an advanced, rust eating formula, seized or rusted parts are easily released. Shrinkage of sprayed parts quickly breaks open micro fine fissures allowing the lubricant to easily penetrate even the toughest rust. Red Lion Freezing Action Penetrant then dissolves rust making the job a snap and future maintenance easier as well. This formula contains NO chlorinated solvents or ozone depleters and is nonconductive to 33,000 volts for use around live equipment. The 360° spray valve allows for use in any position and for access to hard-to-reach areas while the large pad actuator prevents freezing of fingertips. This is an ultra-low VOC content product.

NOTE: Sudden temperature drop can result in "thermal shock" which may cause crazing of some plastics and paint. While appropriate for use on many plastics and painted surfaces, always test in an inconspicuous area before general use. Accumulated vapors from this product may reach ignition conditions in confined spaces. Always use with adequate ventilation.

Features

- Advanced formula penetrating lubricant
- Freezing action breaks open rust barrier
- Innovative rust eating technology dissolves rust
- Nonconductive to 33,000 volts
- Ultra low VOC content – no chlorinated solvents – no ozone depleters

Applications

- Ideal for use in the most demanding penetrating lubricant applications including rusted manifold bolts, exhaust flanges, industrial, marine, farm, or other outdoor exposed equipment.
- Ideal for use in: factories, fleet maintenance centers, muffler shops, marine repair, and virtually anywhere assembly/disassembly is performed.



DESCRIPTION	PART
Freezing Action Penetrant (9 oz.)	74556

LUBRICANTS

PAG 46

A/C Lubricant

For mobile air conditioning systems using R134a refrigerant. Do not use this product in any other A/C systems. Use only in applicable compressors.

Features

- Synthetic Refrigerant Oil (Polyalkylene Glycol) Plus Additives
- ISO Viscosity 46
- For R134a A/C Systems
- Premium Double End Cap



DESCRIPTION	PART
PAG 46 (8 oz. / 236 ml)	74391

PAG 100

A/C Lubricant

For mobile air conditioning systems using R134a refrigerant. Do not use this product in any other A/C systems. Use only in applicable compressors.

Features

- Synthetic Refrigerant Oil (Polyalkylene Glycol) Plus Additives
- ISO Viscosity 100
- For R134a A/C Systems
- Premium Double End Cap



DESCRIPTION	PART
PAG 100 (8 oz. / 236 ml)	74392

PAG 150

A/C Lubricant

For mobile air conditioning systems using R134a refrigerant. Do not use this product in any other A/C systems. Use only in applicable compressors.

Features

- Synthetic Refrigerant Oil (Polyalkylene Glycol) Plus Additives
- ISO Viscosity 150
- For R134a A/C Systems
- Premium Double End Cap



DESCRIPTION	PART
PAG 150 (8 oz. / 236 ml)	74393

LUBRICANTS

PAG 46 WITH UV DYE

A/C Lubricant

For mobile air conditioning systems using R134a refrigerant.

Do not use this product in any other A/C systems. Use only in applicable compressors.

Features

- Synthetic Refrigerant Oil (Polyalkylene Glycol) Plus Additives
- ISO Viscosity 46
- For R134a A/C Systems
- UV Dye For Leak Detection
- Premium Double End Cap



DESCRIPTION	PART
PAG 46 With UV Dye (8 oz. / 236 ml)	74386

PAG 100 WITH UV DYE

A/C Lubricant

For mobile air conditioning systems using R134a refrigerant.

Do not use this product in any other A/C systems. Use only in applicable compressors.

Features

- Synthetic Refrigerant Oil (Polyalkylene Glycol) Plus Additives
- ISO Viscosity 100
- For R134a A/C Systems
- UV Dye For Leak Detection
- Premium Double End Cap



DESCRIPTION	PART
PAG 100 With UV Dye (8 oz. / 236 ml)	74387

PAG 150 WITH UV DYE

A/C Lubricant

For mobile air conditioning systems using R134a refrigerant.

Do not use this product in any other A/C systems. Use only in applicable compressors.

Features

- Synthetic Refrigerant Oil (Polyalkylene Glycol) Plus Additives
- ISO Viscosity 150
- For R134a A/C Systems
- UV Dye For Leak Detection
- Premium Double End Cap



DESCRIPTION	PART
PAG 150 With UV Dye (8 oz. / 236 ml)	74388

LUBRICANTS

POE 100

A/C Lubricant

For mobile air conditioning systems using R12 or R134a refrigerant. Do not use this product in other A/C systems. Use only in applicable compressors

Features

- Polyol Ester Refrigerant Oil
- ISO Viscosity 100
- For R12 and R134a A/C Systems
- Premium Double End Cap



P/N 74395

P/N 74394



DESCRIPTION	PART
POE 100 (8 oz. / 236 ml)	74394
POE 100 (1 Quart / 32 oz. / 946 ml)	74395

6

POE 100 WITH UV DYE

A/C Lubricant

For mobile air conditioning systems using R12 or R134a refrigerant. Do not use this product in other A/C systems. Use only in applicable compressors.


Features

- Polyol Ester Refrigerant Oil
- ISO Viscosity 100
- For R12 and R134a A/C Systems
- UV Dye For Leak Detection
- Premium Double End Cap



P/N 74390

P/N 74389



DESCRIPTION	PART
POE 100 With UV Dye (8 oz. / 236 ml)	74389
POE 100 With UV Dye (1 Quart / 32 oz. / 946 ml)	74390

PAINTS AND COATINGS

CATERPILLAR® YELLOW

Industrial Protective Coating

Caterpillar® Yellow (Original) – Used to restore original factory color on farm tractors, implements and industrial or construction equipment. Heat resistant to 300°F. Resists fading, chipping, cracking, and many chemicals industrial gas, oil and grease.

Caterpillar® Yellow (New) – High solids for increased coverage and low solvent level. Contains no lead, chromates or methylene chloride. Protects against rust, weather and most chemicals.

Features

- Environmentally formulated
- Lead free
- VOC compliant

Applications

- Color Coding
- Construction Equipment
- Motors
- Sheet Metal
- Tools
- Trucks

*Caterpillar® Trucks & Equipment produced prior to 1979

**Caterpillar® Trucks & Equipment produced after 1979



DESCRIPTION	PART
Caterpillar® Yellow (Original)* (15 oz.)	500644
Caterpillar® Yellow (New)** (12 oz.)	502311

SCHOOL BUS YELLOW

Industrial Protective Coating

A superior, lead-free industrial coating formulated for fleet maintenance applications where maximum performance is required. For maximum protection, prime bare or rusted metal surfaces with Pro-Coat™ Gray Primer, P/N 74003.

Features

- Protects against rust, weather, oil, gasoline and most corrosive chemicals
- Resists abrasion and heat
- Withstands high humidity
- Capable of single coat hiding

Applications

- For wood, metal, blowers, frames, machinery, racks, doors, and motors



DESCRIPTION	PART
School Bus Yellow (16 oz. / 454 g)	74146

PAINTS AND COATINGS

SATIN BLACK PAINT

Matches Factory Finish on Many Automotive Exterior Trim Components

Satin Black is formulated to match the OEM finish on many automotive exterior trim components, and is designed for maximum adhesion on properly prepared surfaces without the use of a primer. To achieve amazing results, clean surface with Red Lion™ Prep Solve (P/N 74700), and remove loose paint and sand with 400 grit sandpaper.

Features

- Protects against weather
- Contains No CFCs or Other Ozone Depleting Substances

Applications

- Matches Factory Finish on Many Automotive Exterior Trim Components



DESCRIPTION	PART
Satin Black Paint (15 oz. / 426 g)	74011

RED IRON OXIDE PRIMER

Industrial Protective Coating

A superior grade primer formulated specifically for use with MRO Industrial Protective Coatings to provide maximum performance under severe weather conditions or chemical exposure. The high solids content ensures excellent adhesion, providing a smooth, even finish.

Features

- VOC Compliant
- High Solids Content
- Environmentally Formulated
- Outstanding Corrosion Protection
- Protects Against Rust

Applications

- For bare or rusted metal



DESCRIPTION	PART
Red Iron Oxide Primer (17 oz. / 482 g)	74002

NO-STICK WELDER'S ANTI-SPATTER

Protective Spray Coating for Welding Operations

A non-flammable powder formulation that dries to a white film. Prevents welding spatter from sticking to metal surfaces during welding. Just brush or wipe off residue after welding. Does not contain silicone. Surface may be painted after use.

Features

- Prevents spatter from sticking to metal surfaces
- Dries to powder film
- Brushes off after welding

Applications

- For use in maintenance, production, construction and body shops



DESCRIPTION	PART
No-Stick Welder's Anti-Spatter (18 oz.)	74010

PAINTS AND COATINGS

PRO-COAT™ OSHA COLOR INDUSTRIAL ENAMELS

Extremely Tough, Corrosion Resistant, Fast Drying, Acrylic Enamel Paints

Provide maximum coverage for marking and color coding pipe lines, electrical equipment, safety equipment, emergency equipment, conduit, tools, motors, ducting and sheet metal. The tough protective coating resists corrosion, chipping and peeling and our unique SprayPro™ nozzle makes application easy in both horizontal and vertical positions.

Features

- One coat coverage
- Protects against rust and corrosion
- Use on metal and wood
- Leaves a durable, protective finish
- Dries fast
- SprayPro™ nozzle




Color Coding Applications

Even though the Occupational Safety and Health Administration (OSHA) has eliminated the specific color definitions and detailed requirements for Safety Color Coding, the following suggested color scheme has been utilized and accepted throughout the industry. The marking of physical hazards should never take the place of eliminating those hazards when possible, and proper employee training in the recognition of these colors and their respective warnings is imperative.

- **RED** is used to mark fire protection equipment such as alarm boxes, extinguishers, fire blankets and doors, hose connections, hydrants and sprinkler piping. It can also be used on emergency stop bars on hazardous machinery or stop buttons and electrical switches.
- **YELLOW** is used to color code dangerous materials such as flammable liquids, poisonous gases, corrosive liquids (acids and alkalis) and steam, water or air at high temperatures and/or pressures. It can also be used to highlight handrails.
- **GREEN** is used to color code relatively safe materials such as drinking water, service water, brine, syrups or glycols. It can also be used to mark the location of First Aid equipment such as kits, dispensary, stretchers and safety showers.

SprayPro™ Nozzle



DESCRIPTION	PART
PRO-COAT™ OSHA Color Industrial Enamel Paint - Red (15.5 oz.)	74190
PRO-COAT™ OSHA Color Industrial Enamel Paint - Yellow (15.5 oz.)	74194
PRO-COAT™ OSHA Color Industrial Enamel Paint - Green (15.5 oz.)	74196

PAINTS AND COATINGS

PRO-COAT™ ACRYLIC ENAMEL PAINTS

Extremely Tough, Corrosion Resistant, Fast Drying, Acrylic Enamel Paints

Pro-Coat premium grade acrylic enamels provide the ultimate protection for all industrial applications. Our fast-drying, high solids formula ensures maximum coverage and durability on all metal and wood surfaces. The tough protective coating resists corrosion, chipping and peeling.

Features

- Fast-Drying
- Maximum Coverage
- Ultimate Protection
- Interior / Exterior

Applications

- Conduit
- Conveyors
- Doors
- Ducts
- Fencing
- Electrical Equipment
- Ladders
- Machinery
- Motors
- Pipelines
- Railings
- Shelving
- Tools
- Safety Markings



DESCRIPTION	PART
PRO-COAT™ Acrylic Enamel Paint - Gloss Black (15.25 oz.)	74014
PRO-COAT™ Acrylic Enamel Paint - Gloss White (16 oz.)	74010
PRO-COAT™ Enamel Paint - Gray Primer* (15.25 oz.)	74003
PRO-COAT™ Protective Coating - Hi-Temp Black (15 oz.)	74016
PRO-COAT™ Acrylic Enamel Paint - Industrial Gray (16 oz.)	74012

*Use Gray Primer on bare or rusted metal

PAINTS AND COATINGS

PRO-COAT™ S/S PROTECTIVE COATING

Extremely Tough, Corrosion Resistant, Fast Drying, Acrylic Enamel Paints

Formulated with 100% type 316L stainless steel pigment. This unique formulation provides maximum corrosion resistance on stainless steel, copper and other metals. It dries quickly to a satin sheen, hardens overnight and cures to optimum strength in several days. It has excellent high temperature resistance (400°F continuous, 450°F intermittent) and our unique SprayPro valve makes application easy in both horizontal and vertical positions. Authorized by the USDA for use in federally inspected meat and poultry plants.

Features

- Looks like stainless
- Contains real 316L stainless steel pigment
- Covers welding discoloration
- High temperature resistance
- Fast drying

Applications

- Exhaust Systems • Steam Pipes • Mufflers • Radiators
- Furnaces • Production Equipment • Engines • Plumbing Fixtures



DESCRIPTION

PRO-COAT™ S/S Protective Coating (15 oz.)

PART

74040

NON-CONDUCTIVE PAINT - GLOSSY WHITE

Maintains Non-Conductivity Coating Integrity

Ideal for industrial applications.

Features

- Single coat hiding power
- Resists fading, chipping, peeling, cracking, corrosion
- High opacity
- Great durability
- Lead-free formulation

Applications

- Bucket Trucks, buckets, utility bodies, utility contractors, power companies, fire departments, scaffolding coating, tops of ladders & hooks, power boxes



DESCRIPTION

Non-Conductive Paint - Glossy White (16 oz.)

PART

74029

PAINTS AND COATINGS

CEILING TILE SPRAY – WHITE

Restores damaged ceiling tiles

Restores ceiling tiles damaged or discolored by smoke, water or aging. Easily applied and dries in minutes. Makes tiles look like new.

Features

- Restores discolored, smoke or water damaged tiles
- Eliminates costly tile replacements
- Easily applied – unique valve allows spraying tiles in place
- Dries quickly

Applications

- Restores damaged ceiling tiles



DESCRIPTION	PART
Ceiling Tile Spray – White (15 oz.)	74134

RED INSULATING VARNISH

Protects and Insulates Motor Windings and Coils

A superior high arc resistant coating assuring long lasting protection. Provides excellent adhesion to windings, coils and metals. Has high dielectric strength of 50,800 volts/in. (2 mil+ thickness).

Features

- Impregnates and insulates motor windings, coils, electrical components, etc.
- Protects against oils, moisture, acids and alkalies
- High dielectric strength
- Dries quickly leaving a tough, flexible coating
- Seals out moisture on all electrical connection switches and panels

Applications

- Bus Bars
- Electrical Components
- Field Coils
- Motor Windings
- Rings and Frames
- Stator Windings
- Switchboard Parts
- Transformers



DESCRIPTION	PART
Red Insulating Varnish (16.25 oz.)	74139

PAINTS AND COATINGS

RUST-AWAY™ RUST CONVERSION COATING

Flexible Latex Coating Chemically Converts Rust to Long Lasting Finish

A flexible latex acrylic coating specially formulated for rusted metal surfaces. This water-based formulation is easily applied like paint and stops rust dead in its tracks. It forms an airtight protective seal, preventing air or moisture from coming in contact with metal, and it's weather and chemical resistant.



Features

- Chemically converts rust to a long lasting, weather-resistant coating
- No priming or sanding
- Won't crack, chip or peel
- Forms an airtight seal
- Flexible latex coating lasts for years

Applications

- Protects transformers, coils, tools, fixtures, brackets, equipment, heavy machinery, chain link fences and hundreds of other applications.
- Bonds to metal, wood, concrete and plastics without primers.

DESCRIPTION	PART
Rust-Away™ Rust Conversion Coating (32 oz.)	74157
Rust-Away™ Rust Conversion Coating (1 gal.)	74555

7

RUST-AWAY II RUST CONVERTER

Converts Rust to a Tough Protective Coating

Specially formulated to convert rusted metal surfaces to a tough, black protective coating. Forms an airtight protective seal, preventing air or moisture from coming in contact with metal. Stops rust dead in its tracks. Weather and chemical resistant.



Features

- Chemically converts rust to a long lasting, weather-resistant coating
- No priming or sanding necessary
- Won't crack, chip or peel
- Forms an airtight seal
- Paintable

Applications

- Protects transformers, coils, tools, fixtures, brackets, equipment, heavy machinery, chain link fences and hundreds of other applications.

DESCRIPTION	PART
Rust-Away II Rust Converter (15 oz.)	74701

PAINTS AND COATINGS

UNDERCOAT

Rubberized Coating that Prevents Rust and Reduces Road Noise

A black, rubberized undercoating for all automobile under surfaces. Sprays evenly and dries completely to a smooth consistency. Can be top coated with automotive finishes.

Features

- Prevents rust
- Reduces road noise
- Seals out water, fumes, road chemicals & dust
- Reduces lingering odor associated with under-coatings
- No "bleed through" when top coated
- No sagging

Applications

- Panel & fender undersides
- Hoods & decks
- Trunk interiors
- Section repairs
- Weld joints
- Rust holes



DESCRIPTION	PART
Undercoat (18 oz.)	74129

COLD ZINC GALVANIZING

Pure Zinc Spray for Rust and Corrosion Protection

Contains 93% pure zinc dust in organic resin for long lasting protection against rust and corrosion. Manufactured to Mil Spec Mil-P-26915C. Use to rustproof and protect welds, automotive and truck bodies, wrought iron, pipes, utility towers and vaults, gutters, structural steel work and anywhere metal is subjected to corrosion.

Features

- Prevents rust and corrosion
- 93% pure zinc dust
- Resistant to salt, corrosion and water
- Meets mil specifications
- Excellent primer
- Rustproofs welds
- Temperature to 400°F (600°F intermittent)
- Meets MIL specifications:
 - MIL-P-46105 Weld thru Primer
 - US Navy: Galvanizing Repair Specifications MIL-P-21035
 - US Air Force: MIL-P-26915A for Steel
 - US Air Force: MIL-P-26433 for Towers (Temperate and Arctic Zones)

Applications

- Use to rustproof and protect welds, automotive and truck bodies, wrought iron, pipes, utility towers and vaults, gutters, structural steel work and anywhere metal is subjected to corrosion.



DESCRIPTION	PART
Cold Zinc Galvanizing (14 oz.)	74112

PAINTS AND COATINGS

STRIPING AND MARKING PAINTS

Dependable Performance in a Wide Range of Marking Applications

These Striping and Marking Paints are formulated to address today's environmental concerns while providing efficient and dependable performance in a wide range of marking applications. From utilities and construction to recreational and maintenance applications, we offer a striping product suited to your needs.

- **GOLF COURSE MARKER** – a **16 oz.** water-base marker for use on golf courses and other porous applications. Formulated not to harm grass, this marker is not water-soluble and will not wash away during rain or irrigation. This marker comes with the "Converta-Cap", a specially designed protective cover that does not need to be removed before using.
- **ATHLETIC FIELD MARKER** – A specially formulated **20 oz.** water-base paint that will not harm grass and is not water soluble for maximum durability.
- **INVERTED TIP MARKER** – A heavy-duty, **20-oz.** water-base industrial marker. The no-clog, fast drying formula is available in a full range of construction and APWA colors. This marker also comes with the "Converta-Cap". This provides the user with a convenient marking tool without the worry of accidentally spraying. The new spray tip provides crisp lines up to 4" wide and approximately 250 feet in length.
- **TRAFFIC MARKER** – A **20-oz.** water-base paint formulated with high pigment solids ideally suited for a wide range of applications including concrete, blacktop, gravel or dirt. Not affected by water.



ATHLETIC MARKER PRODUCTS

For grass and turf applications

- Recreational School Fields • Rental Yards • Golf Courses • Nurseries • Paving Contractors
- Landscaping • Home Landscaping Layouts

TRAFFIC MARKER PRODUCTS

For asphalt and concrete applications

- School Parking Lots and Playgrounds • Apartment Complexes • Churches • Rental Yards • Golf Courses
- Paving Contractors • Water/Sewer Lines • Hotels • Public Works Municipal Projects

For applicator tools, see Dispensing Equipment section

DESCRIPTION	PART
Golf Course Marker (Inverted-Straight Nozzle, 16 oz.)	
White	74050
Red	74051
Athletic Field Marker (T-Type Nozzle, 20 oz.)	
White	74052
Orange	74053
Inverted Tip Marker (Inverted-Straight Nozzle, 20 oz.)	
Purple	74004
White	74054
Flourescent Red	74055
Flourescent Orange	74056
Precaution Blue	74057
Alert Orange	74058
Safety Red	74059
Flourescent Green	74060
Flourescent Hot Pink	74061
Utility Yellow	74062
Inverted Tip Marker (T-Type Nozzle, 20 oz.)	
White	74063
Yellow	74064
Red	74065
Handicap Blue	74066

PAINTS AND COATINGS

SNOW PLOW COATING

Can be Used on Plow Blades & All Other Snow Removing Equipment

This coating deposits a thin, slippery layer of silicone that reduces friction on plow blades, shovels and truck beds to provide more efficient plowing. It also protects metal surfaces from rust and corrosion and will not wash off when cleaned after use.

CAUTION: Avoid application of coating material closer than 12" to 14" to the exhaust system or catalytic converter.

Features

- Protects against rust and corrosion
- Reduces friction for more efficient plowing
- Leaves a hard, slippery layer of silicone on plow blades
- Will not wash off
- Use less fuel

Applications

- Just spray, brush, swab or roll onto plow blades & other exposed metal and painted surfaces
- Protect equipment from rusting by applying several applications after using equipment
- Protect equipment from rusting by applying during summer storage



DESCRIPTION	PART
Snow Plow Coating (1 Gal.)	509280

PAINT REMOVERS

PREP-SOLVE

Pre-Paint Surface Cleaner

Ideal for preparing surfaces prior to painting or bonding. This special formulation of virgin solvents is extremely effective in removing adhesives, tar, undercoating, rustproofing, waxes, teflon coatings, polishes, silicones, paint overspray, grease and sealants. The deep cleaning action maximizes the adhesion of all paints, finishes and adhesives on all surfaces. Also ideal for spraying on "tack cloths" for dust removal just prior to painting.

Features

- Unique formulation – special blend of hydrocarbon solvents swiftly cut through a wide range of dirt, grime and grease
- Leaves no film or residue – no additional cleaning required, does not inhibit the application of primers, paints and other protective coatings
- Assures maximum adhesion – deep cleaning action significantly improves the adhesive quality of glues and cements on surfaces to be joined.

Applications

- Effective in removing adhesives, tar, undercoating, rustproofing, waxes, teflon coatings, polishes, silicones, paint overspray, grease and sealants
- Excellent for preparing surfaces prior to painting or bonding
- Cleans fragile automotive surfaces such as carpeting, vinyls, plastics and fabrics



DESCRIPTION	PART
Prep-Solve (14.50 oz.)	74700

8

GASKET AND PAINT REMOVER

Gasket, Paint and Decal Stripper

Fast acting spray that removes gaskets, paint, decals, dried oils, varnish, shellac and similar coatings from any metal, wood, tile, brick, or concrete surfaces.

Features

- Strong, fast acting formula
- Removes gaskets, paint, tar, adhesives
- Adheres to vertical surfaces

Applications

- Can be used on metal, wood, glass, tile, brick, stone and concrete.
- Do not use on plastic tile, linoleum, or synthetic files.



DESCRIPTION	PART
Gasket and Paint Remover (17.75 oz.)	74113

PAINT REMOVERS

GRAFFITI WIPES

Removes Paint and Graffiti in One Easy Step

Used for fast, easy clean-up of paint from non-porous surfaces. These amazing wipes are pre-moistened with an incredible cleaning formula that removes paints (including enamel), ink and even permanent marker. A few swipes with a single wipe quickly dissolves away unwanted paint and graffiti.

Product does not contain amyl acetate or methylene chloride, unlike other graffiti removers, making these towels less hazardous for users as well as surfaces.

Features

- Non-toxic when compared with other paint and graffiti removers
- Environmentally safe and biodegradable formula
- Abrasive yet non-scratching fabric aids in cleaning
- Towels stay moist for greater usage and longer shelf life
- 9.5" x 12" wipes

Use on Various Surfaces

- Bathroom partitions
- Phone booths
- Lamp posts
- Bus stops and seats
- Trains
- Road signs
- Aluminum siding
- Stainless steel
- Wall tile
- Billboards
- Desks
- Lockers

Effective Against

- Paint
- Ink
- Enamel
- Permanent marker

Note: Product is NOT a hand cleaner. Protective gloves are recommended while using this product.



8

DESCRIPTION	PART
Graffiti Wipes (40 count)	74611

PAINT REMOVERS

GRAFFITI BARRIER

High Performance Sacrificial Graffiti-Protection Barrier

Graffiti Barrier is a clear, odorless liquid that can be applied to nearly any non-porous surface to provide a protective barrier against graffiti. After it's applied, it dries to a clear film, which protects against spray paint, marker, pen and other substances. Once defaced, the barrier is easily removed with no damage to the surface. The thickened formula adheres to vertical surfaces, and is water-resistant, allowing for some outdoor applications. It will not affect signs' reflective properties, and will not yellow.

Features

- Creates a crystal-clear barrier to protect surfaces from graffiti.
- Liquid formula can be applied to most any non-porous surface.
- Water-resistant formula.
- Rinsable for easy removal and reapplication.

Protects Against

- Spray paint
- Marker
- Pen

Applications

- Signs
- Lockers
- Restroom partitions
- Windows and mirrors
- Soda machines
- Doors
- Walls
- Surfaces that cannot be repainted
- Enamel
- Powder coated surfaces
- Electroplate
- Plastic



DESCRIPTION	PART
Graffiti Barrier (1 qt.)	74625
Graffiti Barrier (1 gal.)	74626*
Graffiti Barrier (5 gal.)	74627*
Graffiti Barrier (55 gal.)	74628*

* Non-stock item. Please call for delivery.

SPECIALTY PRODUCTS

A&R TABS

A/C and Refrigeration Drain Pan Treatment Tablets

New technology breakthrough for treating A/C and refrigeration drain lines and pans. Easy to use – just place a tablet in the pan. As moisture drips on or flows over the tablet, it activates the chemicals and locks it in place. A&R Tabs will never move and block the drain line. They form a gel that slowly releases the active ingredients, producing up to 6 months of safe, positive, prolonged cleaning action. Unlike liquid additives or cleaners that are difficult to know when more additive is required, the A&R Tab provides a quick and easy visual indicator. When the tablet is gone, it's time to replace it.

Features

- Locks into Place
- Slow and Continuous Release Gel
- Works Until Completely Dissolved
- Eliminates Odors from A/C and Refrigeration

Applications

- Treating A/C and Refrigeration Drain Lines and Pans



RED

YELLOW

DESCRIPTION	PART
A&R Tabs (6 Geltabs – for up to 5 tons)	74720
A&R Tabs (3 Geltabs – for up to 15 tons)	74721

BELT DRESSING

Revitalizes Belts for Longer Life

Ideal for rubber, canvas, industrial, automotive and other V-belts. Regular use adds life and increases efficiency. A small amount applied to rubber and V-belts imparts maximum power. On canvas belts, a slightly more liberal application is required.

Features

- Stops slippage for maximum power
- Prevents "dry rot"
- Eliminates squeaking
- Revitalizes belts for longer life

Applications

- Ideal for rubber, canvas, industrial, automotive and other v-belts



DESCRIPTION	PART
Belt Dressing (14 oz.)	74117

SPECIALTY PRODUCTS

DRAIN OPENER – PROFESSIONAL STRENGTH

Professional Strength, Clog Busting Power
Provides extra clog busting power to open most stubborn clogs fast and easy, even through standing water.
Safe for plumbing fixtures, plastic pipes, grease traps, septic tanks and cesspools.

- Features**
- Dissolves hair, grease, lint, food and soap scum
 - Clears tough clogs fast, even through standing water

- Applications**
Ideal for use on:
- Sinks
 - Tubs
 - Showers
 - Grease Traps
 - Septic Tanks
 - Cesspools
- Safe for use on:
- Plumbing Fixtures
 - Plastic Pipes
 - Grease Traps
 - Septic Tanks
 - Cesspools



DESCRIPTION	PART
Drain Opener – Professional Strength (32 fl oz.)	74380

SPECIALTY PRODUCTS

CHROMAGIC

Spill Absorbent

Chromagic is a non-selective product, it is one absorbent for multiple types of spills. Chromagic is environmentally safe and friendly, non-toxic and non-flammable. It is highly absorbent. In fact, it is 15 times more absorbent than clay based products. Easy to handle and lightweight, it is 20 times lighter than clay based products. Chromagic is sold as a twin pack.

Caution: Cannot be used to absorb Hydrofluoric Acid (HF)

Features

- Odor Free
- Will save money on shipping, storing and disposal
- Instant clean up saves time
- Meets or exceeds all OSHA and EPA requirements
- Prevents accidents – Picks up oily sheen, and reduces Workers' Compensation
- Lightweight and powerful
- Absorbs and holds most liquids
- One pound of Chromagic can completely absorb one quart of motor oil; clay, earth, and sand products require 15 pounds
- Requires far less absorbent to capture a spill
- Greatly reduced disposal costs
- Works on all animal, vegetable, mineral, petroleum based or semi-liquid spills
- Unlike kitty litter products that contain “Crystalline” Silica, Chromagic does not, under OSHA standards, qualify as a carcinogen, or as a substance causing silicosis, a lung disease
- Non-injurious to most surfaces including cement, asphalt, tile, and carpet

Applications

- Industrial Plants • Processsing Plants • Plumbing Contractors • Hospitals • Nursing Homes
- Day Care Centers • Athletic Clubs • Schools / Offices • School Buses • Laboratories • Restaurants
- Shopping Centers • Taverns • Airlines • Cruise Liners • Public Transportation • Ambulance Services
- Taxi Cabs • Watercraft • Pet Stores • Kennels • Veterinarians • Jail Cells • Waste Haulers



DESCRIPTION	PART
Chromagic (0.15 cu. ft.)	28234

SPECIALTY PRODUCTS

QUIK-ZORB™

Spill Absorbent

Absorbs over 100 times its weight of water-based spills with just a small sprinkle of powder. Instantly "gels" all water-based chemical spills and human and animal bodily fluids including blood, urine and vomit. Turns liquid biohazards into sweepable, flushable gel. Works on hard surfaces and carpet. Deodorizes with a fresh mint odor counteractant fragrance. USDA approved.

Features

- Instantly gels and absorbs over 100 times its weight, allowing quick and easy cleanup of spills
- Fresh, deodorizing scent eliminates odors
- Biodegradable – can be flushed and disposed of easily
- V.O.C. compliant – contains no VOC's or ozone depleting chemicals

Applications

- Industrial Plants • Processsing Plants • Plumbing Contractors • Hospitals
- Nursing Homes • Day Care Centers • Athletic Clubs • Schools / Offices
- School Buses • Laboratories • Restaurants • Shopping Centers • Taverns
- Airlines • Cruise Liners • Public Transportation • Ambulance Services • Taxi Cabs
- Watercraft • Pet Stores • Kennels • Veterinarians • Jail Cells • Waste Haulers



DESCRIPTION	PART
Quik-Zorb™ (16 oz.)	74189

GUM OFF

Chewing Gum and Wax Remover

For use on carpets, wood, tile, marble, Formica, terrazzo and cement surfaces. May also be used on fabric, leather and vinyl furniture.

Features

- Quick Freezing Action
- Hardens Gum and Wax
- No Chlorofluorocarbons
- Environmentally Compatible

Applications

- Carpets • Wood • Tile • Marble • Formica • Terrazzo • Cement Surfaces • Fabric
- Leather • Vinyl



DESCRIPTION	PART
Gum Off (5 oz.)	74110

SPECIALTY PRODUCTS

SNOW & ICE MELTER

Red Lion™ Snow & Ice Melter granulars is a blend of 100% active ingredients (calcium chloride blend). This unique formula has the added benefit of all materials working together in a synergistic fashion to effectively melt snow and ice. Red Lion™ Snow & Ice Melter can be used on asphalt, concrete, granite, tile, brick, bluestone, natural flagging, pavers and pave stone.

Features

- **Pink color** to improve smooth and consistent coverage, especially during low visibility conditions
- Will not harm lawns, trees, or shrubs when used as directed
- Contains dust control and anti-caking agents
- Melts to -25°F
- Does not contain any rock salt
- Easy to apply by hand or spreader
- Safe for use in the State of California

Used by professionals for

- Commercial buildings • Residential buildings • Campuses
- Hospitals • Municipal buildings • Businesses

Applications

- Parking lots • Driveways • Sidewalks • Steps • Porches • Patios



DESCRIPTION	PART
Snow & Ice Melter, 50 lb. box	74608
Snow & Ice Melter, Pallet (48 boxes)	74608P

ICE & FROST REMOVER

Red Lion™ Ice & Frost Remover is specifically formulated to quickly dissolve ice, frost and snow deposits. Melts ice, frost and snow instantly. Use on automobiles, trucks, buses, and maintenance equipment.

Features

- Fast acting, water rinseable
- Helps prevent freezing when applied in advance
- Eliminates scraping and potential damage to glass
- Thaws frozen locks
- Works in any temperature

Applications

- Windows • Headlights • Windshields • Locks • Tires • Tail lights • Hinges • Sidewalks • Steps



DESCRIPTION	PART
Ice & Frost Remover (13 oz.)	74488

SPECIALTY PRODUCTS

LEAK STOP

Seals Leaks in Auto A/C Systems

Seals leaks in auto air conditioners involving hoses, o-rings, and gaskets. For mechanical leaks, a UV dye in the R-134a Leak Stop pinpoints the leak, so it can be repaired. This product conserves refrigerant by allowing the A/C system to be treated without having to open the system. R-134a Leak Stop may be used in all R-134a A/C systems.

Each can contains

- Two ounces of a mixture of PAG lubricant
- Seal additive and UV dye
- Two ounces of R-134a refrigerant (1,1,1,2-Tetrafluoroethane)

Features

- With UV Dye For R-134a Systems
- Seals Leaks In Auto A/C Systems Involving Hoses, O-rings and Gaskets



DESCRIPTION	PART
Leak Stop (4 oz. / 114 g)	74381

ECO-FRIENDLY CHEMICALS

BIO-LUBE "LUBRICANT/PENETRANT"

A high performance penetrant and lubricating oil for general purpose use. Formulated with the best optimized USA-grown natural seed oils and select additives, it surpasses the lubricity and performance of conventional lubricants. Loosens rusty bolts, quiets squeaky hinges and moving parts. For general purpose cutting, grinding and drilling metals, milling, tapping, and reaming.

Features

- Multipurpose lubricant and penetrant
- Loosens rusty bolts
- Quiets squeaky hinges and moving parts
- Deters water and protects from rust and corrosion
- General purpose cutting, grinding and drilling metals, milling, tapping, and reaming

Benefits

- Made from renewable USA-grown crop-based vegetable oils, better for your health
- Biobased
- Biodegradable
- Reduces foreign oil dependence
- Multiple applications – Reduces product inventory
- Superior lubricity improves productivity
- Cooler operating and less smoke – Higher operating speeds
- Safe for all metals
- Will help your business comply with ISO-14000
- Does not contain chlorine
- High flash and fire points



DESCRIPTION	PART
Bio-Lube Spray Bottle (2 oz.)	74266
Bio-Lube Spray Bottle (8 oz.)	74267

ECO-FRIENDLY CHEMICALS

These Red Lion™ Eco-Friendly "Green" Chemicals meet Green Seal™ Environmental Standards for industrial and institutional cleaners and floor-care products.

In our continuing effort to offer the most environmentally preferable and effective products, we would like to introduce the Red Lion™ Eco-Friendly "Green" line of cleaners.

The products are designed to meet "Green Product" industry criteria. The standards encompass environmental impact, health effects as well as product performance. They are Environmentally Preferable Products that are formulated to perform well yet have no harmful effects on our environment or to the person using the product. We are proud to announce that Eco-Friendly Multi-Purpose Cleaner, Eco-Friendly Glass Cleaner, Eco-Friendly Tub & Tile Cleaner, Eco-Friendly Peroxide Cleaner, Eco-Friendly Zinc-Free Seal & Finish and Eco-Friendly Floor Stripper all meet specific Green Seal™ Environmental Standards.

There are laws already in place or are pending that will require the use of environmentally sensitive products in N.Y. State Buildings, N.Y.C. Municipal Buildings and all schools in N.Y. State. Although New York has taken the lead in this area, other states are sure to follow.

Perfect for use in schools, office buildings, apartment buildings, hospitals, nursing homes and other institutions where environmentally preferred products are desired.

ECO-FRIENDLY MULTI-PURPOSE CLEANER

A highly concentrated, multi-purpose cleaner formulated to be a H.D. Cleaner, Spray and Wipe Cleaner and a Neutral Floor Cleaner depending upon dilution. This product meets the requirements of the GS-37 Green Seal™ Standard. Provides top-tier performance for cleaning floors, walls, chrome, stainless steel, table tops, vinyl, sealed wood and many other surfaces not harmed by water.

- **Spray/wipe Cleaner:** 1:128 dilution
1 gallon dilutes with water to make up to 512 quart bottles
- **Heavy-duty Cleaner/Degreaser:** 1:32 dilution
1 gallon dilutes with water to make up to 128 quart bottles
- **Neutral Floor Cleaner:** 1:256 dilution
Low suds, so it's great for auto-scrubbers as well as mop buckets.



DESCRIPTION	PART
Eco-Friendly Multi-Purpose Cleaner (1 gal. Container)	74067
Eco-Friendly Multi-Purpose Cleaner (5 gal. Pail)	74068
Eco-Friendly Multi-Purpose Cleaner (55 gal. Drum)	74069

ECO-FRIENDLY GLASS & WINDOW CLEANER

A highly concentrated, glass, window and multi-purpose cleaner. It is designed to meet the requirements of GS-37, the Green Seal™ Standard for Glass Cleaner. Eco-Friendly Glass & Window Cleaner has been formulated with completely biodegradable surfactants and other naturally derived ingredients. This non-toxic glass, window and multi-purpose cleaner provides top-tier performance. It is alcohol-free, ammonia-free, non-streaking and fast drying.

- **Glass & Window Cleaner:** 1:64 dilution
1 gallon dilutes with water to make 256 quart bottles



DESCRIPTION	PART
Eco-Friendly Glass & Window Cleaner (1 gal. Container)	74070
Eco-Friendly Glass & Window Cleaner (5 gal. Pail)	74071
Eco-Friendly Glass & Window Cleaner (55 gal. Drum)	74072

ECO-FRIENDLY CHEMICALS

These Red Lion™ Eco-Friendly "Green" Chemicals meet Green Seal™ Environmental Standards for industrial and institutional cleaners and floor-care products.

In our continuing effort to offer the most environmentally preferable and effective products, we would like to introduce the Red Lion™ Eco-Friendly "Green" line of cleaners.

The products are designed to meet "Green Product" industry criteria. The standards encompass environmental impact, health effects as well as product performance. They are Environmentally Preferable Products that are formulated to perform well yet have no harmful effects on our environment or to the person using the product. We are proud to announce that Eco-Friendly Multi-Purpose Cleaner, Eco-Friendly Glass Cleaner, Eco-Friendly Tub & Tile Cleaner, Eco-Friendly Peroxide Cleaner, Eco-Friendly Zinc-Free Seal & Finish and Eco-Friendly Floor Stripper all meet specific Green Seal™ Environmental Standards.

There are laws already in place or are pending that will require the use of environmentally sensitive products in N.Y. State Buildings, N.Y.C. Municipal Buildings and all schools in N.Y. State. Although New York has taken the lead in this area, other states are sure to follow.

Perfect for use in schools, office buildings, apartment buildings, hospitals, nursing homes and other institutions where environmentally preferred products are desired.

ECO-FRIENDLY TUB & TILE CLEANER

A highly concentrated, non-corrosive, non-fuming, tub & tile cleaner. This product meets the requirements of the GS-37 Green Seal™ Standard. It is formulated with a low pH organic salt capable of replacing a wide range of traditional acids. Provides top-tier performance for cleaning tubs, tile, grout, walls, toilet bowls, urinals, shower stalls and other bathroom surfaces.



DESCRIPTION	PART
Eco-Friendly Tub & Tile Cleaner (1 gal. Container)	74073
Eco-Friendly Tub & Tile Cleaner (5 gal. Pail)	74074
Eco-Friendly Tub & Tile Cleaner (55 gal. Drum)	74075

ECO-FRIENDLY PEROXIDE CLEANER

A highly concentrated, multi-purpose cleaner providing top-tier performance as a Glass Cleaner, Multi-Purpose Cleaner and a Restroom Cleaner depending upon dilution. Eco-Friendly Peroxide Cleaner meets the requirements of the GS-37 Green Seal™ Standard. It has a pleasant orange scent.

- **Spray/Wipe Cleaner:** 1:128 dilution • 1 gallon dilutes with water to make up to 512 quart bottles
- **Multi-purpose Cleaner:** 1:64 dilution • 1 gallon dilutes with water to make up to 256 quart bottles
- **Restroom Cleaner:** 1:16 dilution • 1 gallon dilutes with water to make 64 quart bottles



DESCRIPTION	PART
Eco-Friendly Peroxide Cleaner (1 gal. Container)	74076

ECO-FRIENDLY CHEMICALS

These Red Lion™ Eco-Friendly "Green" Chemicals meet Green Seal™ Environmental Standards for industrial and institutional cleaners and floor-care products.

In our continuing effort to offer the most environmentally preferable and effective products, we would like to introduce the Red Lion™ Eco-Friendly "Green" line of cleaners.

The products are designed to meet "Green Product" industry criteria. The standards encompass environmental impact, health effects as well as product performance. They are Environmentally Preferable Products that are formulated to perform well yet have no harmful effects on our environment or to the person using the product. We are proud to announce that Eco-Friendly Multi-Purpose Cleaner, Eco-Friendly Glass Cleaner, Eco-Friendly Tub & Tile Cleaner, Eco-Friendly Peroxide Cleaner, Eco-Friendly Zinc-Free Seal & Finish and Eco-Friendly Floor Stripper all meet specific Green Seal™ Environmental Standards.

There are laws already in place or are pending that will require the use of environmentally sensitive products in N.Y. State Buildings, N.Y.C. Municipal Buildings and all schools in N.Y. State. Although New York has taken the lead in this area, other states are sure to follow.

Perfect for use in schools, office buildings, apartment buildings, hospitals, nursing homes and other institutions where environmentally preferred products are desired.

ECO-FRIENDLY FLOOR STRIPPER

A concentrated, highly effective, fast acting, low odor, floor finish and wax remover – environmentally benign but still strong enough to remove floor finishes and wax seals without the use of a floor machine. Eco-Friendly Floor Stripper meets the GS-40 Green Seal™ Standard for Floor Stripper, based on its reduced human and aquatic toxicity and reduced smog production potential. Using state-of-the-art chemistry, it provides top-tier performance without the potentially harmful effects of 2-butoxyethanol, ammonia, nonylphenol surfactants, dye or fragrance. A highly effective fast acting product with low odor.



DESCRIPTION	PART
Eco-Friendly Floor Stripper (1 gal. Container)	74080
Eco-Friendly Floor Stripper (5 gal. Pail)	74081
Eco-Friendly Floor Stripper (55 gal. Drum)	74082

10

ECO-FRIENDLY ZINC-FREE SEAL & FINISH

A highly effective, low V.O.C., zinc free floor seal and finish. Eco-Friendly Zinc-Free Seal & Finish represents a new generation of floor care products. It exhibits a deep, wet-look gloss and it can be incorporated into any floor maintenance program. It meets the GS-40 Green Seal™ Standard for Floor Finish. Eco-Friendly Zinc-Free Seal & Finish contains no heavy metals, formaldehyde, ammonia or nonylphenol surfactants. High levels of zinc have been found to be toxic to aquatic life.



DESCRIPTION	PART
Eco-Friendly Zinc-Free Seal & Finish (1 gal. Container)	74077
Eco-Friendly Zinc-Free Seal & Finish (5 gal. Pail)	74078
Eco-Friendly Zinc-Free Seal & Finish (55 gal. Drum)	74079

ECO-FRIENDLY CHEMICALS

Red Lion™ Eco-Friendly Green Aerosols are toxin-free, petroleum distillate-free, VOC compliant, and contain no ozone depleters. These products are also manufactured from environmentally safe, naturally derived materials and packaged in recyclable containers that are made from partially recycled steel.

What are bio-enzymatic products?

Many cleaners and industrial products contain toxins and chemicals which can cause harmful effects on the environment and human health. Bio-enzymatic products contain strains of safe, naturally occurring bacteria and enzymes that are very efficient at breaking down and digesting organic materials and eliminating soil and odor, and do not create pollution. Instead of using man-made chemicals that use energy to produce and deplete natural resources, to clean and deodorize, Chromate uses nature's approach.

What are renewable resources products?

These products are formulated from ingredients derived from renewable agricultural sources, including citrus and soy, and are excellent alternatives to products made from traditional petroleum-based or synthetic components. Renewable resource ingredients are constantly replenished by nature and help promote sound environmental stewardship since they don't harm the environment or expose the user to dangerous chemicals.

What are the benefits of using aerosols?

Aerosols can produce results unavailable from any other application method by controlling the particle's size, spray pattern, volume and concentration. This combination ensures that the proper amount and concentration of the product is delivered exactly where it's needed. Additionally, aerosols are packed in sealed containers, making them spill-proof, unlike liquid products. They reduce waste because precise amounts of the product are delivered to an exact area. You can aim and spray exactly where you want to, with maximum effectiveness. Products stay fresh because no air can get in the can, giving them a long shelf-life.

ECO-FRIENDLY CUTTING OIL

A multi-purpose, low-odor cutting oil formulated from all natural ingredients for light-to-medium duty applications. Keeps work pieces cooler and generates less smoke than petroleum-based cutting oils.

Features

- Reduces heat distortion and tool burning, resulting in increased productivity
- Readily biodegrades
- Non-staining on all metals
- Specially designed for field and portable operations

Applications

- Cutting, Tapping, Threading, Sawing, Grinding



DESCRIPTION	PART
Eco-Friendly Cutting Oil (11 oz.)	74084

10

ECO-FRIENDLY PENETRATING OIL

Forceful spray and powerful capillary action provides rapid penetration through rust and corrosion to free frozen parts.

Features

- Contains no silicones or harsh solvents that can harm plastics, lacquers, insulation or paint.
- Forceful spray helps blast through rust and corrosion.
- Powerful capillary action rapidly climbs threads and penetrates into tiny voids to carry lubricant to where its needed.
- Long-lasting, never-dry oil film provides excellent lubricity over a broad temperature range.

Applications

- Frozen Nuts and Bolts, Hinges, Screws, Clamps, Linkages, Fasteners, Molds, Lug Nuts, Tools, Threaded Parts, Engine Parts, Motors, Bearings, Gears



DESCRIPTION	PART
Eco-Friendly Penetrating Oil (11 oz.)	74083

SAFE-T-LINE™

Why Safe-T-Line™?

Simple . . . A growing concern for user-friendly, environmentally sound products.



RED LION RESEARCH has addressed this issue by offering a line of aerosol products for the industrial maintenance user. Appropriately named **Safe-T-Line**, they are less hazardous to the user and less damaging to the environment, while still providing all the quality and performance essential for those tough, demanding industrial applications.

Safe-T-Line™ products are safer for the user and the environment because it does not contain harmful CFC's, chlorinated solvents, toluene or butyl. It is extremely low in VOC's and carries a NFPA 30B level 1 fire code rating, (the safest storage rating for aerosol products).

- **NO CFCs (Chlorofluorocarbons)**
Chemicals linked to ozone depletion
- **NO Chlorinated Solvents**
Also linked to ozone depletion. Certain chlorinated solvents are suspected carcinogens.
- **NO Perchloroethylene, Toluene or Butyl**
Suspected carcinogens.
- **OZONE-SAFE Propellant**
Propellant has no harmful effect on ozone.
- **LOW VOC's (Volatile Organic Compounds)**
Carbon-containing (organic) compounds created from sources such as automobile exhaust, power plants, paints, etc. VOC's can form ground level ozone, a major component of smog.
- **NFPA 30B Level 1 Fire Code Rating**
The National Fire Protection Association's best rating for the safe storage of aerosols.

KLEEN & SHINE

All Purpose, Stainless Steel, Food Grade Cleaner

Kleen & Shine is an excellent fast-acting cleaner and polisher for stainless steel surfaces. Works on contact at removing dust, dirt and grease. Authorized by the USDA for use in federally inspected meat and poultry plants. Classification C1.

Features

- Cuts through stubborn greasel
- Cleans and polishes
- Fast acting
- No residue
- Will not scratch

Applications

- For use on stainless steel, enamel, porcelain, ceramic tiles, refrigeration units, range hoods, door handles and counter tops



DESCRIPTION

Kleen & Shine (16 oz.)

PART

74127

SAFE-T-LINE™

ENGINE DEGREASER

High Pressure Spray, Water Rinsing

This natural citrus cleaner/degreaser is a powerful engine degreasing formula. It cleans and degreases oil, dirt, grease, tar and adhesives.

Features

- Superior formulation cuts through stubborn grease and oil
- High pressure spray
- Water rinsing
- Non-chlorinated
- Easy to use

Applications

- For use on automotive engines, aluminum, stainless steel, whitewall tires, and garage floors



DESCRIPTION	PART
Engine Degreaser (15 oz.)	74183

H.D. CITRUS CLEANER/DEGREASER

Powerful Citrus Base, Biodegradable Cleaner

H.D. Citrus Cleaner is a highly concentrated cleaner and degreaser with its powerful foaming action actually lifts dirt and grease off surfaces so it can be easily wiped clean with a cloth.

Features

- Natural citrus solvent
- Powerful foaming action
- Removes grease, oil and dirt from most surfaces
- Deodorizes with fresh citrus scent
- Biodegradable

Applications

- For use on porcelain, formica, tiles, enamel surfaces, vinyl tops, floor mats, sinks, tubs, appliances, tools and equipment, oil and tar stains, printing presses and white wall tires



DESCRIPTION	PART
H.D. Citrus Cleaner/Degreaser (18 oz.)	74145

SAFE-T-LINE™

SMOKE & ODOR ELIMINATOR

Encapsulates and Destroys Smoke and Other Tough Odors

Smoke & Odor Eliminator is scientifically formulated to destroy any and all odors safely and effectively. It does not “mask” odors, it chemically bonds with the odor carrying molecules and encapsulates them. Extremely effective on all airborne odors and as a surface spray.

Features

- Chemically encapsulates and neutralizes odors
- Extremely effective for smoke and other tough odors
- Leaves a clean, fresh fragrance

Applications

- | | |
|---------------------------|--|
| • Slaughter Houses | • Sewerage Areas |
| • Zoos | • Smoke Filled Rooms |
| • Kennels | • Mortuaries |
| • Public Rest Rooms | • Hotels |
| • Transportation Industry | • Air Conditioning Filters |
| • Locker Rooms | • Any area where objectionable odors need to be eliminated |
| • Garbage Areas | |



DESCRIPTION	PART
Smoke & Odor Eliminator (12 oz.)	74158

ODOR ELIMINATORS

AIR SANITIZER AND DEODORIZER

Metered Mist Sanitizer – Eliminates Odors and Odor Causing Bacteria

For automatic dispensers. The next generation odor counteractant system chemically bonds with the malodor molecule destroying the odor source instead of just covering up or masking. Excellent for control of even the toughest odors, including post-fire odors (cigar/cigarette smoke treatment), protein decomposition odors from garbage, and fisheries.

Features

- Low VOC chemistry is hydro-alcoholic
- No petroleum distillates or hydrocarbon propellants
- Ultra-dry spray has little fall out – Nonflammable
- 3000 sprays / lasts for 30 days – 24 hour basis / every 15 minutes

Applications

- Public Rooms • Restrooms • Bathrooms/Shower • Pools/Spa Areas • Basements
- Storage Rooms • Kitchens/Cafeterias • Schools • Offices • Hotels • Casinos
- Hospitals • Nursing Homes • Prisons • Laundromats • Theaters • Auditoriums
- Railroad Cars • Heavy Truck Cabs • Airplanes • RVs/Campers • Boats • Cabins
- Beach Houses • Buses • Taxicabs • Game Rooms • Health Clubs • Fitness Centers
- Yoga Studios • Factories/Mills • Department Stores • Grocery Stores



DESCRIPTION	PART
Air Sanitizer and Deodorizer (8.2 oz.)	74467

LEMON ITALIAN ICE AIR DEODORIZER

Deliciously Scented, Finely Atomized, Micro-Mist Air Freshener

Provides complete deodorization of malodors in the air, on surfaces and on fabrics.

Features

- Does not allow wetting, staining or messy fall-out
- Eliminates tobacco smoke, cooking odors, mold, and mildew odors
- Non-chlorinated
- V.O.C. compliant
- Chemically neutralizes malodors
- Dry spray particles

Applications

- Locker rooms
- Smoking areas
- Motels
- Carpets
- Hospitals
- Cars
- Restaurants
- Upholstery / Fabrics
- Nursing homes
- Boats / RVs
- Bathrooms
- Draperies



DESCRIPTION	PART
Lemon Italian Ice Air Deodorizer (14 oz.)	74470

ODOR ELIMINATORS

BABY POWDER ODOR ELIMINATOR

Odor Destroyer with Baby Powder Fragrance

A unique product that chemically neutralizes malodors and leaves a fresh baby powder scent. Use in locker rooms, hospitals, nursing homes, smoking areas, cars, boats, RV's, motels, restaurants, bathrooms, on carpets, upholstery, draperies, fabrics or anywhere odor is a problem.

Features

- Eliminates all odors
- Chemically encapsulates and neutralized odors
- Leaves a fresh baby powder scent

Applications

- Locker Rooms • Hospitals • Nursing Homes
- Smoking Areas • Cars • Boats • RV's
- Motels • Restaurants • Bathrooms • Carpets • Upholstery
- Draperies • Fabrics • Anywhere odor is a problem



DESCRIPTION	PART
Baby Powder Odor Eliminator (14.75 oz.)	74166

SMOKE & ODOR ELIMINATOR

Encapsulates and Destroys Smoke and Other Tough Odors

Smoke & Odor Eliminator is scientifically formulated to destroy any and all odors safely and effectively. It does not "mask" odors, it chemically bonds with the odor carrying molecules and encapsulates them. Extremely effective on all airborne odors and as a surface spray.

Features

- Chemically encapsulates and neutralizes odors
- Extremely effective for smoke and other tough odors
- Leaves a clean, fresh fragrance

Applications

- Slaughter Houses
- Zoos
- Kennels
- Public Rest Rooms
- Transportation Industry
- Locker Rooms
- Garbage Areas
- Sewerage Areas
- Smoke Filled Rooms
- Mortuaries
- Hotels
- Air Conditioning Filters
- Any area where objectionable odors need to be eliminated



DESCRIPTION	PART
Smoke & Odor Eliminator (12 oz.)	74158

ODOR ELIMINATORS

ODOR NEUTRALIZING FOGGER

Removes Offensive Odors

Finely atomized, micro-mist total release air freshener provides complete

Features

- Does not allow wetting, staining or messy fall-out
- Dry spray particles with unique scent
- Eliminates tobacco smoke, mold & mildew odors
- Non-chlorinated
- V.O.C. compliant
- Safe on fabrics (carpets, upholstery, draperies)
- Treats 6,000 cu. ft.

Applications

- Locker rooms
- Hospitals
- Nursing homes
- Hotels and motels
- Restaurants
- Smoking areas
- Cars, boats, RVs
- Public buildings
- Bathrooms
- Garbage containers
- Closets
- Laundry hampers



DESCRIPTION	PART
Odor Neutralizing Fogger (6.75 oz.)	74468

FRESH LINEN AIR FRESHENER

For A Clothesline Fresh Fragrance

Deliciously scented, finely atomized, micro-mist air freshener. Provides complete deodorization of malodors in the air, on surfaces and on fabrics. Eliminates tobacco smoke, cooking odors, mold, and mildew odors. Does not allow wetting, staining or messy fall-out.

Features

- Non-chlorinated
- V.O.C. compliant
- Chemically neutralizes malodors
- Dry spray particles

Applications

- Locker rooms
- Hospitals
- Nursing homes
- Smoking areas
- Cars
- Boats
- RVs
- Motels
- Restaurants
- Bathrooms
- Carpets
- Upholstery
- Draperies
- Fabrics



DESCRIPTION	PART
Fresh Linen Air Freshener (14 oz.)	74469

ODOR ELIMINATORS

GREENWÄV NATURAL ODOR ELIMINATORS

Commercial Gel and Spray – Destroys Odor on a Molecular Level

Non-toxic GreenWäv natural odor eliminators effectively remove both organic and inorganic malodors from the air, laundry, carpet, upholstery and other surfaces. Notice we did not say mask odors! GreenWäv products chemically bond with odor causing molecules and eliminate them completely without leaving a lingering fragrance. Made with natural, non-toxic and biodegradable active ingredients. They are safe for use around people and animals in a variety of settings/facilities.

Commercial Gel

- Eliminates odor in the air.
- The continuous release formulation works around the clock, providing 24/7 odor control.
- For combating persistent odor problems that may not be avoidable or correctable.
- Use Dispenser P/N 1820

Air & Surface Spray

- For rapid targeted odor control.
- Instantly bonds to and eliminates odor molecules in the air & those that have penetrated and/or are resting on surfaces.
- Can also be added to mop buckets, humidifiers or fogging equipment for large areas.

Applications

- | | | | |
|------------------------|----------------------|---------------------|---------------------|
| • Hospitals | • Offices/Warehouses | • Restaurants | • Fleet |
| • Nursing Homes | • Cafeterias | • Health Clubs | • Maintenance Shops |
| • Schools/Universities | • Shopping Malls | • Sports Arenas | • Garages |
| • Hotels/Motels | • Theaters | • Indoor Play Areas | |



DESCRIPTION	PART
GreenWäv Natural Odor Eliminators - Commercial Gel (8 oz.)	74577
GreenWäv Natural Odor Eliminators - Air & Surface Spray (32 oz.)	74576

PLEASANT SCENT™ – BULK

Chemically Destroys Toughest Odors

A highly refined blend of chemicals designed to destroy odors of putrefaction, defecation, regurgitation, urination and many other malodors. It is easy to apply with a trigger sprayer or fogging unit and is biodegradable, phosphate free and non-flammable. Use full strength or dilute with water. Dilutes up to 10:1.

Features

- Chemically destroys the toughest malodors
- Does not mask odors
- Easy to use as an air or surface spray
- Biodegradable

Applications

- Hospitals/Laboratories • Mortuaries • Motels • Factories • Rest Rooms • Kennels • Airplanes



DESCRIPTION	PART
Lemon-Lime Scent (55 Gallon Drum)	74230
Green Apple Scent (55 Gallon Drum)	74225
Lemon-Lime Scent (30 Gallon Drum)	74231
Green Apple Scent (30 Gallon Drum)	74226
Lemon-Lime Scent (5 Gallon Pail)	74233
Green Apple Scent (5 Gallon Pail)	74228
Lemon-Lime Scent (1 Gallon Container)	74234
Green Apple Scent (1 Gallon Container)	74229

ODOR ELIMINATORS

URINAL DEODORANT SCREENS


Freshens Urinal for 30 Days – 15x more fragrance which is gradually released over 30 days versus a vinyl urinal screen

Releases billions of optimized bacteria that clean the urinal and eliminate odors.

Recommended by the #1 Manufacturer of waterless urinals – Falcon Waterfree Technologies.

Features

- Complies with VOC requirements – available for sale in all 50 states, North America & Europe.
- Saves Time & Money – Revolutionary design reduces splash back while optimizing fragrance release - cutting cleaning time by up to 50%.
- Translucent Flexible Design – Allows full view of urinal drain to ensure optimal drain flow while trapping debris.
- Meets the “Purchase of Sustainable Cleaning Products and Materials” criteria under the LEED point management system.



U.S. Patent
#8,007,707
Additional patent pending



	Fragrance	P/N	Color
↑ Fragrance Intensity	Herbal Mint	74473	
	Honeysuckle	74474	
	Kiwi Grapefruit	74475	
	Fabulous	74442	
	Wintergreen	74476	
	Ocean Mist	74483	
	Mango	74477	
	Citrus	74478	
	Spiced Apple	74479	
	Cotton Blossom	74480	
	Guava Pineapple	74481	
	Cucumber Melon	74482	

DESCRIPTION	PART
Urinal Deodorant Screen - Herbal Mint	74473
Urinal Deodorant Screen - Honeysuckle	74474
Urinal Deodorant Screen - Kiwi Grapefruit	74475
Urinal Deodorant Screen - Fabulous	74442
Urinal Deodorant Screen - Wintergreen	74476
Urinal Deodorant Screen - Ocean Mist	74483
Urinal Deodorant Screen - Mango	74477
Urinal Deodorant Screen - Citrus	74478
Urinal Deodorant Screen - Spiced Apple	74479
Urinal Deodorant Screen - Cotton Blossom	74480
Urinal Deodorant Screen - Guava Pineapple	74481
Urinal Deodorant Screen - Cucumber Melon	74482

ODOR ELIMINATORS

METERED MIST

Long Lasting Concentrated Dry Spray Neutralizer for Dispensers

For use in automatic dispensers. Delivers maximum fragrance and odor control with measured releases. Finely atomized spray carries farther and lasts longer than other leading brands.

Features

- Neutralizes malodors
- Long lasting control
- Dry spray, no fallout
- Leaves a pleasant scent
- Non-Staining
- Non-Chlorinated
- No CFC's

Applications

- Bathrooms
- Locker rooms
- Hospitals and nursing homes
- Smoking areas
- Motels
- Restaurants
- Anywhere odor is a problem



Use metered mist dry spray neutralizer with the metered mist dispenser, P/N 1817.



DESCRIPTION	PART
Metered Mist - Red Clover Tea (7.25 oz.)	74433
Metered Mist - Cucumber Melon (7.25 oz.)	74434
Metered Mist - Citrus Creme (7.25 oz.)	74460
Metered Mist - Fruit Basket (7.25 oz.)	74461
Metered Mist - Powder Fresh (7.25 oz.)	74462
Metered Mist - Vanilla Delight (7.25 oz.)	74463
Metered Mist - Pine Forest (7.25 oz.)	74464
Metered Mist - Fresh Linen (7.25 oz.)	74465
Metered Mist - Piña Colada (7.25 oz.)	74466

METERED MIST VARIETY PACKS

Multiple Scents Bundled Together in Two Easy-to-Order "Variety Packs".

DESCRIPTION	PART
Metered Mist Variety Pack	200145
Citrus Creme	74460
Fruit Basket	74461
Powder Fresh	74462
Vanilla Delight	74463
Pine Forest	74464
Fresh Linen	74465

DESCRIPTION	PART
Metered Mist Variety Pack II	200177
Red Clover Tea	74433
Cucumber Melon	74434
Citrus Creme	74460
Fruit Basket	74461
Powder Fresh	74462
Fresh Linen	74465

DISPENSING EQUIPMENT

METERED MIST DISPENSER

Automatic wall mounted dispenser delivers maximum fragrance and odor control with measured releases. Finely atomized spray carries farther and lasts longer than other leading brands.

Red Lion™ Metered Mist

- Neutralizes Malodors
- Long Lasting Control
- Dry Spray, No Fall out
- Leaves a pleasant scent
- Non-Staining
- Non-Chlorinated, No CFC's

Use Anywhere
Odor is a Problem

- Bathrooms
- Locker rooms
- Hospitals
- Nursing homes
- Smoking areas
- Motels
- Restaurants

Note: D-Cell batteries are required, not included. Order with P/N 29201.



DESCRIPTION	PART
Metered Mist Dispenser	1817
Duracell® Procell® Batteries, D-Cell (pkg. 12)	29201

DISPENSING EQUIPMENT

Blend Mate Wall Dispensers

A mounted dispenser for automatic dilution/metering of Eco-Friendly cleaners into secondary containers (32 oz. bottle or bucket fill) in ready to use form. Convenient wall mount in janitors closets, housekeeping/maintenance rooms, etc. Installation materials included.

Features

- Gray high density plastic cabinet
- Mounting hardware, water inlet hose, 2 locking keys, appropriate metering tips installed by the factory according to product used.
- Cabinet Size: 22" high x 6-1/2" width x 7-3/4" depth. Up to 4 cabinets can be linked together with a single cold water source.

RED LION™ BLEND MATE WALL DISPENSERS ECO-FRIENDLY PEROXIDE CLEANER

Eco-Friendly Peroxide Cleaner:

- 2 button
- 32 oz. bottle & bucket fill
- 2 dilution selector

Directions For Use

1. Hang cabinet on wall using mounting screws provided, making sure water hose will reach water source.
2. Connect black 6' water hose to upper right side of dispenser cabinet and water source.
3. Using key(s) provided, unlock cabinet.
4. Remove cap from gallon bottle of concentrate and place inside dispenser cabinet, inserting draw tube into bottle.
5. Close and lock cabinet.
6. Following direction label on front of dispenser, turn toggle switch to desired dilution strength. Insert clear plastic fill tube into spray bottle or mop bucket and push appropriate button to activate flow.



RED LION™ BLEND MATE WALL DISPENSERS ECO-FRIENDLY MULTI PURPOSE CLEANER

Eco-Friendly Multi Purpose Cleaner:

- 2 button
- 32 oz. bottle & bucket fill
- 3 dilution selector

Directions For Use

1. Hang cabinet on wall using mounting screws provided, making sure water hose will reach water source.
2. Connect black 6' water hose to upper right side of dispenser cabinet and water source.
3. Using key(s) provided, unlock cabinet.
4. Remove cap from gallon bottle of concentrate and place inside dispenser cabinet, inserting draw tube into bottle.
5. Close and lock cabinet.
6. Following direction label on front of dispenser, turn toggle switch to desired dilution strength. Insert clear plastic fill tube into spray bottle or mop bucket and push appropriate button to activate flow.



DESCRIPTION	PART
Peroxide Cleaner WallDispenser	1822

DESCRIPTION	PART
Multi-Purpose Cleaner Wall Dispenser	1824

RED LION™ BLEND MATE WALL DISPENSERS ECO-FRIENDLY GLASS & WINDOW CLEANER

Eco-Friendly Glass & Window Cleaner:

- 1 button
- 32 oz. bottle
- pre-set dilution

Directions For Use

1. Hang cabinet on wall using mounting screws provided, making sure water hose will reach water source.
2. Connect black 6' water hose to upper right side of dispenser cabinet and water source.
3. Using key(s) provided, unlock cabinet.
4. Remove cap from gallon bottle of concentrate and place inside dispenser cabinet, inserting draw tube into bottle.
5. Close and lock cabinet.
6. Following direction label on front of dispenser, turn toggle switch to desired dilution strength. Insert clear plastic fill tube into spray bottle or mop bucket and push appropriate button to activate flow.



RED LION™ BLEND MATE WALL DISPENSERS ECO-FRIENDLY TUB & TILE CLEANER

Eco-Friendly Tub & Tile Cleaner:

- 2 button
- 32 oz. bottle & bucket fill
- 3 dilution selector

Directions For Use

1. Hang cabinet on wall using mounting screws provided, making sure water hose will reach water source.
2. Connect black 6' water hose to upper right side of dispenser cabinet and water source.
3. Using key(s) provided, unlock cabinet.
4. Remove cap from gallon bottle of concentrate and place inside dispenser cabinet, inserting draw tube into bottle.
5. Close and lock cabinet.
6. Following direction label on front of dispenser, turn toggle switch to desired dilution strength. Insert clear plastic fill tube into spray bottle or mop bucket and push appropriate button to activate flow.



DESCRIPTION	PART
Glass & Window Cleaner Wall Dispenser	1826

DESCRIPTION	PART
Tub & Tile Cleaner Wall Dispenser	1828

DISPENSING EQUIPMENT

Use Blend Mate Wall Dispensers and 32 oz. Spray Bottles With The Following Products:

ECO-FRIENDLY MULTI-PURPOSE CLEANER

Meets the requirements of the GS-37 Green Seal™ Standard. Provides top-tier performance for cleaning floors, walls, chrome, stainless steel, table tops, vinyl, sealed wood and many other surfaces not harmed by water.



DESCRIPTION	PART
Multi-Purpose Cleaner (1 gal. Container)	74067

ECO-FRIENDLY GLASS & WINDOW CLEANER

Designed to meet the requirements of GS-37, the Green Seal™ Standard for Glass Cleaner. Eco-Friendly Glass & Window Cleaner has been formulated with completely biodegradable surfactants and other naturally derived ingredients. This non-toxic glass, window and multi-purpose cleaner provides top-tier performance. It is alcohol-free, ammonia-free, non-streaking and fast drying.



DESCRIPTION	PART
Glass & Window Cleaner (1 gal. Container)	74070

ECO-FRIENDLY TUB & TILE CLEANER

A highly concentrated, non-corrosive, non-fuming, tub & tile cleaner. This product meets the requirements of the GS-37 Green Seal™ Standard. It is formulated with a low pH organic salt capable of replacing a wide range of traditional acids. Provides top-tier performance for cleaning tubs, tile, grout, walls, toilet bowls, urinals, shower stalls and other bathroom surfaces.



DESCRIPTION	PART
Tub & Tile Cleaner (1 gal. Container)	74073

ECO-FRIENDLY PEROXIDE CLEANER

A highly concentrated, multi-purpose cleaner providing top-tier performance as a Glass Cleaner, Multi-Purpose Cleaner and a Restroom Cleaner depending upon dilution. Eco-Friendly Peroxide Cleaner meets the requirements of the GS-37 Green Seal™ Standard. It has a pleasant orange scent.



DESCRIPTION	PART
Peroxide Cleaner (1 gal. Container)	74076

DISPENSER FOR GREENWÄV COMMERCIAL GEL

GreenWäv Commercial Gel eliminates odor in the air. The continuous release formulation works around the clock, providing 24/7 odor control. Especially effective for combating persistent odor problems that may not be avoidable or correctable.

Features

- The dispenser holds one jar of 8 oz. gel.
- Can be easily mounted to most surfaces.
- Functional and subtle; hides the product out of sight allowing it to work discreetly.
- ADA Compliant.



DESCRIPTION	PART
Dispenser for GreenWäv Commercial Gel	1820

DISPENSING EQUIPMENT

RED LION™ 32 OZ. SPRAY BOTTLE FOR ECO-FRIENDLY MULTI-PURPOSE CLEANER

Meets the requirements of the GS-37 Green Seal™ Standard. Provides top-tier performance for cleaning floors, walls, chrome, stainless steel, table tops, vinyl, sealed wood and many other surfaces not harmed by water.



RED LION™ 32 OZ. SPRAY BOTTLE FOR ECO-FRIENDLY GLASS & WINDOW CLEANER

Designed to meet the requirements of GS-37, the Green Seal™ Standard for Glass Cleaner. Eco-Friendly Glass & Window Cleaner has been formulated with completely biodegradable surfactants and other naturally derived ingredients. This non-toxic glass, window and multi-purpose cleaner provides top-tier performance. It is alcohol-free, ammonia-free, non-streaking and fast drying.



DESCRIPTION	PART
Multi-Purpose Cleaner (32 oz. Bottle)	74067B

DESCRIPTION	PART
Glass & Window Cleaner (32 oz. Bottle)	74070B

RED LION™ 32 OZ. SPRAY BOTTLE FOR ECO-FRIENDLY TUB & TILE CLEANER

A highly concentrated, non-corrosive, non-fuming, tub & tile cleaner. This product meets the requirements of the GS-37 Green Seal™ Standard. It is formulated with a low pH organic salt capable of replacing a wide range of traditional acids. Provides top-tier performance for cleaning tubs, tile, grout, walls, toilet bowls, urinals, shower stalls and other bathroom surfaces.



RED LION™ 32 OZ. SPRAY BOTTLE FOR ECO-FRIENDLY PEROXIDE CLEANER

A highly concentrated, multi-purpose cleaner providing top-tier performance as a Glass Cleaner, Multi-Purpose Cleaner and a Restroom Cleaner depending upon dilution. Eco-Friendly Peroxide Cleaner meets the requirements of the GS-37 Green Seal™ Standard. It has a pleasant orange scent.



DESCRIPTION	PART
Tub & Tile Cleaner (32 oz. Bottle)	74073B

DESCRIPTION	PART
Peroxide Cleaner (32 oz. Bottle)	74076B

DISPENSING EQUIPMENT

SURE SHOT SPRAYER

Refillable, rechargeable and completely portable, the Sure Shot Sprayer features metal construction, brass nozzles, and corrosion resistant internal working parts.

Features

- 32 oz. liquid capacity
- Red epoxy powder coated finish
- Can be used with oil and solvent based materials
- Works great for cleaners, degreasers, penetrating oils, brake cleaners, and solvents
- Just fill the sprayer two-thirds with product, pressurize to 80 - 150 psi and spray.



Accessory Kits

Nozzle Kit, P/N 50016

- Coarse Spray Nozzle
- Extra Fine Spray Nozzle
- Fine Spray Nozzle
- Flat Spray Nozzle
- Plastic Adjustable Nozzle With Adapter

Nozzle Extension, P/N 50017

Use 12" Nozzle Extension With:

- Pin Stream Nozzle
- Regular Spray Nozzle
- Coarse Spray Nozzle
- Extra Fine Spray Nozzle
- Flat Spray Nozzle

Repair Kit, P/N 50018

- Inner Adapter Washer
- Valve and Valve Spring
- Valve Spring
- Stuffing Box Packing
- Stuffing Box Nut
- Cotter Pin
- Valve Trigger
- Filler Cap Assembly
- Regular Spray Nozzle
- Valve Seat Adapter (Male)
- Outer Adapter Washer

DESCRIPTION	PART
Sure Shot Sprayer	1700
Nozzle Kit	50016
Nozzle Extension	50017
Repair Kit	50018

PLASTIC TANK SPRAYER

Pressurized plastic tank sprayer with relief valve and adjustable nozzle. Shut-off valve in handle. Capacity: 2 gallons. Weight: 6 lbs.



DESCRIPTION	PART
Plastic Tank Sprayer	1687

COMPRESSED AIR SPRAYER

High pressure polyethylene compressed air sprayer sprays fine mist. Adjustable nozzle. Hand held. Capacity: 2 quarts. Weight: 2 lbs.



DESCRIPTION	PART
Compressed Air Sprayer	1688

DISPENSING EQUIPMENT

SPRAY CAN TOOL

FullGrip trigger with double leverage action provides effortless spray control. FutureLock attachment ring makes attaching and removing cans easy.



Features

- Fits 100% of all standard spray cans.
- Optimized design uniquely positions the relationship between the handle, trigger and spray can, providing greater balance while eliminating finger, wrist and forearm strain.
- Patent pending design reduces SqueezeForce (the amount of pressure required to actuate a spray can's nozzle) by up to 80% compared to our competition.
- ComfortTouch patent pending handle and trigger design
- Contoured, ergonomic gripping surfaces correspond to the natural angles and positions of the fingers, hand, palm, wrist and forearm.
- Arthritis-friendly design.
- Made in the USA.

DESCRIPTION	PART
Spray Can Tool	1818

TRIGGER SPRAYER PLASTIC BOTTLES

Plastic bottle with adjustable nozzle to give a spray from mist to jet.

Available in 16 oz. and 32 oz.



DESCRIPTION	PART
Trigger Sprayer Plastic Bottle (16 oz.)	1690
Trigger Sprayer Plastic Bottle (32 oz.)	1698
Replacement Sprayer for 16 oz. Plastic Bottle	1667
Replacement Sprayer for 32 oz. Plastic Bottle	1697

TRIGGER SPRAYER

Heavy duty quality trigger sprayer is engineered for a variety of liquids. A comfortable trigger type operation and large fine spray pattern makes any job easier.



Features

- Nozzle adjusts from fine mist to a jet stream.
- Resists organic and acidic chemicals.

DESCRIPTION	PART
All-Purpose Trigger Sprayer	1801

FOAMER TRIGGER SPRAYER

Foamer trigger sprayer creates a thick sudsy blanket for heavy soil removal. Adapts to 16 oz. and 32 oz. bottles.



DESCRIPTION	PART
Foamer Trigger Sprayer	1699

36 OZ. MEASURABLE BOTTLE

36 oz. PVC clear bottle multi-measured with printed oz./ml. dilution scale.



DESCRIPTION	PART
36 oz. Measurable Bottle	1800

DISPENSING EQUIPMENT


PLASTIC & METAL DRUM PUMPS

Plastic Drum Pump

Lift style 22 ounces per full stroke. Fits any 15, 20, 30, 35 and 55 gallon drum. Head threaded to fit 3/4" hose coupling.

Metal Drum Pump

Lift style 22 ounces per full stroke. Unplated. Bung bushing will fit any 15, 20, 30, 35 and 55 gallon drum. Head threaded to fit 3/4" hose coupling.



DESCRIPTION	PART
Plastic Drum Pump	1692
Metal Drum Pump	1694

ROTARY BARREL PUMP

A precision built pump for transferring non-corrosive petroleum based fluids, of light to medium viscosity, at a rate of approximately one gallon per 18 revolutions with SAE 10 oil. For industrial, commercial, automotive and agricultural applications.

- Rugged cast iron pump housing
- Heavy duty vanes with steel springs adjust automatically
- All steel discharge spout
- Steel suction pipe



DESCRIPTION	PART
Rotary Barrel Pump	1808

PLASTIC SYPHON PUMP



Plastic syphon pump with universal adapter. Fits openings 3/4" to 1-3/8" inside diameter. Use with 5, 6 and 10 gallon pails.

DESCRIPTION	PART
Plastic Syphon Pump	1693

2" DRUM FAUCET


HIGH FLOW – Durable polyethylene drum faucet in 2" diameter for general purpose use.



DESCRIPTION	PART
2" Drum Faucet	1803

DRUM FAUCET

3/4" polyethylene drum faucet for easy flow and instant control.



DESCRIPTION	PART
Drum Faucet	1695

DRUM WRENCH



12" aluminum / magnesium alloy for plastic or metal. Opens all standard 3/4" and 2" bungs.

DESCRIPTION	PART
Drum Wrench	1802

DRUM DOLLY

- Welded steel
- Supports 400 lbs.
- For 55 gallon size drums
- 24" diameter
- Durable 3" steel swivel wheels




DESCRIPTION	PART
Drum Dolly	1804

DISPENSING EQUIPMENT

AIR OPERATED GREASE GUN

Designed for the automotive, truck, agricultural and industrial professional. Three way loading feature uses standard 14.5 oz. grease cartridge, bulk grease and grease filler pump. Easy to disassemble and clean. Complete with flexible grease hose and heavy-duty 4-claw coupler. Handy storage locating ring. Pressure ratio – 50:1. Air pressure required – 30-120 psi. Suggested working air pressure – 90 psi.



DESCRIPTION	PART
Air Operated Grease Gun	8200

12-VOLT CORDLESS GREASE GUN

Ideal maintenance tool for farms, fleets, factories and shops. Includes two 12-volt NiCad rechargeable batteries, a 1-hour charger, 30 in. flexible hose and a durable carrying case for long-lasting protection and storage. Delivers up to 7000 psi. Holds 14 oz. grease cartridge. No pumping required. Cartridge and bulk loading. Planetary gear drive. Machined and hardened piston. Plated steel barrel.



DESCRIPTION	PART
12-Volt Cordless Grease Gun	9571
Rechargeable Battery	9571B

PROFESSIONAL GREASE GUN

All steel construction with heavy-duty epoxy finish provides resistance to rust, acids and salts. Easy three-way loading with 14.5 oz. cartridge, suction filled up to 16 oz. and from grease gun filler. Complete with bulk loader fitting to quickly adapt to bulk fillers, 6" angle pipe and heavy-duty coupler, with a spring loaded ball check valve. Weight: 4 lbs. 11 oz.



DESCRIPTION	PART
Professional Grease Gun	8218

DISPENSING EQUIPMENT

FLEXI GREASE GUN

Hi-pressure, professional grease gun produces up to 7,500 psi. Easy grip handle allows for single hand operation. Flexible extension is also included.



DESCRIPTION	PART
Flexi Grease Gun	8217

MINI LUBE UNIT

Professional hand powered lubricator for fast, clean greasing. Develops pressure of up to 10,000 psi, while providing 30 grease shots per pump. This push button 2 speed lubricator will fit all standard 7 lb. grease tins.



DESCRIPTION	PART
Mini Lube Unit	8216

DISPENSING EQUIPMENT

AIR OPERATED GREASE GUN KIT

Continuously pumps grease while trigger is depressed. "Butterfly-Lock" screw enables grip handle to rotate 360°. 3-way loading – 14 oz. cartridge, bulk or suction. Delivers up to 6,000 psi. 90 psi recommended inlet pressure. Manual operated grease gun head cap converts gun to standard manually operated lever gun.

CONTAINS 28 PIECES IN A HANDY CARRYING CASE!

- Air Operated Grease Gun
- 5-3/8" Extension Pipe
- 12" High Pressure Whip Hose
- Manual Operated Gun Head
- 1/4" Quick Release Coupler
- 1/4" Hose Fitting
- Grease Coupler
- Grease Fittings (10)
- Combination Wrenches (6)
- 6" Long Nose Plier
- 8" Slip Joint Plier
- 4" x 6mm Screwdriver
- 4" x 6mm Phillips Head Screwdriver
- 5mm Hex Key Wrench



DESCRIPTION	PART
Air Operated Grease Gun Kit	38200

3M FIRE BARRIER FOAM FIP 1-STEP, GUNS

Foam-in-place Firestop – Finally, a UL Listed alternative to mineral wool, bricks and runny, ineffective foams.

- A smoke and firestopping foam for wall and floor penetrations.
- Used in mechanical, electrical, data and plumbing applications.
- Premium two-part, easy-to-handle formulation.
- Expands during installation and bonds to concrete, metal, wood, plastic and cable jacketing. Dries to a flexible solid.

This Foam Won't Roam.

It's like no firestop foam you've used before — it works. It's not runny, so it stays in place and expands at a controlled and consistent pace. Installs in vertical and horizontal applications without running down the opening or sagging. Similar to many two-part epoxy sealants, but with just one step — saving you trips up and down the ladder.



**HandyMax® HMS-G4C2
Manual Gun**




**PowerMax® HPS-4C2
Battery-Powered Gun**

DESCRIPTION	PART
HandyMax® HMS-G4C2 Manual Gun	9572
PowerMax® HPS-4C2 Battery-Powered Gun	9573

DISPENSING EQUIPMENT

DROP-TITE™ EPOXY SYSTEM DUAL CARTRIDGE CAULKING GUN


Designed with an in-line rod system and special friction plate to provide exceptional force. Dispenses faster and reduces worker exertion and fatigue.



DESCRIPTION	PART
Drop-Tite™ Epoxy System Dual Cartridge Caulking Gun	8250

GREASE OIL PUMP

Dual cup Buna-N rubber plunger. All steel construction. Needs no priming. Capacity over one pint. Twelve inch vinyl hose. One piece handle. Will handle all non-corrosive fluids.



DESCRIPTION	PART
Grease Oil Pump	16509

CAULKING GUN – SMOOTH ROD

Hex smooth-rod design with thumb release and poker. Uses standard 10 oz. 8-1/2" drop-in cartridges. High carbon, heat treated steel and riveted construction. Easy to use with a solid grip and trigger to reduce hand fatigue.

Zinc electro-plated working parts provide corrosion resistance to the elements and a wide variety of caulking materials. Heavy-duty (.060) steel for durability and long working life.



DESCRIPTION	PART
Caulking Gun – Smooth Rod	8253

DISPENSING EQUIPMENT

AUTODOSE™ DRAIN MANAGER

Utilizing the flexible programming capabilities of the AutoDose line of dispensers allows the user to dose drains, cooling towers, boilers, pools, lubrication systems or other areas at the appropriate times. An easily programmed timer turns the pump on and off to ensure the regular dosing of chemicals.

- Corrosion resistant cabinet fitted to pail or wall for demanding environments
- Easy to program timer with pin lockout for security
- During normal operation, the timer runs on the same power source as the pump, simplifying system maintenance (only one set of batteries to replace)
- Internal backup battery in timer maintains program even when main power source is disconnected or inoperative
- Automatic battery-life monitoring technology ensures dosing accuracy throughout life of battery
- No tools required for maintenance of pump assembly
- Low battery indicator
- Maximum flexibility for customized dosing
- Choice of days, time (AM or PM) and dosings (in one ounce or 30 ml increments)
- Up to 24 dosing periods per 24 hours
- Capability to dose every day, or just on specific days



DESCRIPTION	PART
AutoDose™ Drain Manager	1816

CENTERFEED DISPENSER

These dispensers simplify and complement any environment, providing a clean, hygienic appearance. The design ensures easy and intuitive maintenance, refilling and use. Ideal for high traffic environments. No cross contamination from levers or cranks. The portion control feature dispenses one towel every time. Simple and reliable.

- For Hand Towels, P/N 28237



DESCRIPTION	PART
Centerfeed Dispenser	1788

CENTER-PULL DISPENSER

This dispenser offers single-sheet release requiring only one hand to tear off. Made of tough impact resistant materials. One of the most vandal-proof, break resistant, chemical and flame resistant products for heavy use applications.

- For Wipes, P/Ns 28235 & 28236



DESCRIPTION	PART
Center-Pull Dispenser	1789

DISPENSING EQUIPMENT

SANI-SMOOTH DISPENSER

For hanging and dispensing Red Lion™ Sani-Smooth foaming aerosol hand sanitizer (P/N 74486). Provides convenience and portability. Mounting hardware included.



DESCRIPTION	PART
Sani-Smooth Dispenser	1819

WALL MOUNT HAND CLEANER PUMP DISPENSER

This universal dispenser allows metered use of Red Lion H.D. Citrus Scrub Hand Cleaner. Consistently controls the amount of hand cleaner dispensed, eliminating waste. Designed to offer years of trouble-free service.



DESCRIPTION	PART
Wall Mount Hand Cleaner Pump Dispenser	1806

SOAP DISPENSER / 85 FL. OZ. BOTTLES

Black Dispenser, P/N 1832

For use with:

- **P/N 74629**
Antimicrobial Hand Cleaner and Sanitizer



DESCRIPTION	PART
Soap Dispenser, for 85 fl. oz. Bottles	1832

SOAP DISPENSER / 120 FL. OZ. BOTTLES

Gray Dispenser, P/N 1830

For use with 120 fl. oz. Bottles

For use with:

- **P/N 74630**
Heavy Duty Scrub Hand Soap
- **P/N 74631**
H.D. Citrus Hand Soap
- **P/N 74471**
Cherry Impact Hand Soap
- **P/N 74458**
Magic Hand Soap



DESCRIPTION	PART
Soap Dispenser, for 120 fl. oz. Bottles	1830

DISPENSING EQUIPMENT

TRAFFIC MARKING MACHINE

Designed exclusively for Traffic Striping Marker Paints. Applies clean, crisp even stripes or marks from 2" to 4". Use on porous surfaces ranging from asphalt to concrete.



ATHLETIC MARKING MACHINE

Designed with larger wheels and to be used exclusively with Athletic Field Striping Paints only. Ready to use and requires no accessories. Allows applications of lines up to 2" to 4" on athletic fields or other turf surfaces.



DESCRIPTION	PART
Traffic Marking Machine	1810

DESCRIPTION	PART
Athletic Marking Machine	1811

MARKING WAND

Easy loading. Machine is ready to use and requires no accessories. 33" overall extension and light touch makes marking simple and accurate. Nickel zinc plating makes it durable and corrosion resistant. Great for golf courses, utilities, surveyors, contractors and more.



TRAFFIC MARKING APPLICATOR

Designed for heavy-duty paint application where a wider stripe is required. For use on concrete, asphalt and athletic fields. Easy loading, with light touch control that makes marking simple and accurate.

Use with all 20 oz. Traffic or Athletic Marker Paints only.



DESCRIPTION	PART
Traffic Marking Machine	1812

DESCRIPTION	PART
Traffic Marking Applicator	1809

INDEX

ADHESIVES AND SEALANTS	P/N	Page	ADHESIVES AND SEALANTS	P/N	Page
248 MEDIUM BLUE THREADLOCKER	74561	26	MULTI-PURPOSE PVC-ABS-CPVC CEMENT	74550	18
268 HI-STRENGTH RED THREADLOCKER	74563	26	MULTI-PURPOSE SEALANT BLACK	74573	22
3/8 EPOXY MIXING TUBE	8251	4	MULTI-PURPOSE SEALANT CLEAR	74574	22
3M™ SPRAY ADHESIVE - MULTI-PURPOSE 27	74605	17	POW-R-BOND™ ADHESIVE	74187	16
3M™ SPRAY ADHESIVE - FOAM & FABRIC 24	74606	17	PST561 THREAD SEALANT	74564	27
3M™ SPRAY ADHESIVE - WOODWORKING 20	74607	17	PVC & CPVC PRIMER	74549	18
3M™ FIRE BARRIER SEALANT, CARTRIDGE, 10.1 FL OZ	74580	30	PVC CLEAR PLASTIC PIPE CEMENT	74551	18
3M™ FIRE BARRIER SEALANT, CARTRIDGE, 27 FL OZ	74581	30	RAPID SEAL	74572	22
3M™ FIRE BARRIER SEALANT, SAUSAGE, 20 FL OZ	74582	30	RTV - BLACK	74131	20
3M™ FIRE BARRIER SEALANT, 5 GALLON PAIL	74583	30	RTV - BLUE	74132	20
3M™ FIRE BARRIER SEALANT, 2 GALLON PAIL	74584	30	RTV (RED - HI TEMP)	74153	20
3M™ FIRE BARRIER MOLDABLE PUTTY, STICK	74585	30	RTV BLACK SILICONE	74548	21
3M™ FIRE BARRIER MOLDABLE PUTTY, PAD	74586	30	RTV BLUE SILICONE	74543	21
3M™ FIRE BARRIER FOAM FIP 1-STEP, 12.85 FL OZ	74588	31	RTV CLEAR SILICONE	74541	21
3M™ FIRE BARRIER FOAM FIP 1-STEP, NOZZLES	74588N	31	RTV HI-TEMP RED SILICONE	74544	21
534 HI-TACK GASKET DRESSING	74570	27	RTV WHITE GASKET/SEALER	74128	20
548 GASKET ELIMINATOR	74569	27	RTV WHITE SILICONE	74542	21
668 RETAINING COMPOUND	74571	27	RTV-CLEAR	74133	20
COOLING SYSTEM SEALANT	74557	23	SCREW GRAB	74562	29
CPVC ORANGE PLASTIC PIPE CEMENT	74552	18	SEAL-IT, WHITE	74578	22
CRACK REPAIR KIT - 5 GALLON PAIL	74508	4	SEAL-IT, SILVER	74579	22
DOUBLE BUBBLE EPOXY – EXTRA FAST	74499	5	SEAL-IT, BLACK	74573	22
DOUBLE BUBBLE EPOXY – GENERAL PURPOSE	74497	5	SEAL-IT, CLEAR	74574	22
DOUBLE BUBBLE EPOXY– HI PEEL STRENGTH	74496	5	SPRAY ADHESIVE	74130	17
DOUBLE BUBBLE EPOXY– MACHINABLE	74498	5	STUD LOCK/BEARING MOUNT - RED	74491	25
DOUBLE BUBBLE EPOXY– REGULAR SETTING	74493	6	STUD LOCK/BEARING MOUNT - RED	74515	25
DOUBLE BUBBLE EPOXY– WATER CLEAR	74494	6	SUPER ADHESIVE SEALANT	74510	19
DOUBLE BUBBLE EPOXY– WET SURFACE PATCH	74495	6	TEFLON PIPE SEALANT	74511	28
DOUBLE BUBBLE EPOXY– XTRA FAST NON-SAG	74492	6	TEFLON PIPE THREAD SEALANT	74546	28
DOUBLE BUBBLE URETHANE – FLEXIBLE	74417	7	TEFLON PIPE THREAD SEALANT	74545	28
DOUBLE BUBBLE URETHANE – SEMI-RIGID	74418	7	THREAD LOCKER HIGH STRENGTH - RED GEL	74568	24
DOUBLE BUBBLE URETHANE – VERY FLEXIBLE	74419	7	THREAD LOCKER MED STRENGTH - BLUE	74513	24
DUAL EPOXY FOR CONCRETE ANCHOR	74534	4	THREAD LOCKER MED STRENGTH - BLUE	74490	24
E-Z POXY™ CUPS	74514	10	THREAD LOCKER MED STRENGTH - BLUE GEL	74567	24
E-Z POXY™ 200	74502	8	UV6800 SUPER ADHESIVE SEALANT	74554	19
E-Z POXY™ ALUMINUM	74505	8			
E-Z POXY™ AQUA REPAIR	74500	9			
E-Z POXY™ CONCRETE	74526	9			
E-Z POXY™ FAST SET SYRINGE	74530	11			
E-Z POXY™ PLASTIC	74527	11			
E-Z POXY™ COPPER	74501	10			
E-Z POXY™ WOOD	74503	12			
FAST-FIX™ EPOXY PATCH KIT	74506	13			
FAST-FIX™ PIPE/HOSE REPAIR KIT	74507	13			
FAST WELD	74489	14			
HYDRAULIC/PNEUMATIC SEALANT	74524	25			
INSTANT ADHESIVE	74516	15			
INSTANT ADHESIVE GEL	74525	15			
INSULATING EXPANDABLE FOAM SEALANT	74575	23			
JUST FOR COPPER	74553	16			
LIQUID ELECTRICAL TAPE	74547	19			
LOCTITE STICK KIT	17931	26			

INDEX

BULK CHEMICALS	P/N	Page	BULK CHEMICALS	P/N	Page
4 WAY PLUS - 1 GALLON	74204	38	PLEASANT SCENT - LEMON-LIME - 1 GALLON	74234	45
4 WAY PLUS - 30 GALLON	74201	38	PLEASANT SCENT - LEMON-LIME - 30 GALLON	74231	45
4 WAY PLUS - 55 GALLON	74200	38	PLEASANT SCENT - LEMON-LIME - 55 GALLON	74230	45
4 WAY PLUS - 5 GALLON	74203	38	PLEASANT SCENT - LEMON-LIME - 5 GALLON	74233	45
ALUMINUM BRITE - 1 GALLON	74244	33	PLEASANT SCENT GREEN APPLE - 1 GALLON	74229	45
ALUMINUM BRITE - 30 GALLON	74241	33	PLEASANT SCENT GREEN APPLE - 30 GALLON	74226	45
ALUMINUM BRITE - 55 GALLON	74240	33	PLEASANT SCENT GREEN APPLE - 5 GALLON	74228	45
ALUMINUM BRITE - 5 GALLON	74243	33	PLEASANT SCENT GREEN APPLE - 55 GALLON	74225	45
BIG JOB - 1 GALLON	74239	33	QX1 DISINFECTANT	74712	55
BIG JOB - 30 GALLON	74236	33	QX1 DISINFECTANT BOTTLE ONLY	74712B	55
BIG JOB - 55 GALLON	74235	33	QX1 GLASS/CRT CLEANER	74710	53
BIG JOB - 5 GALLON	74238	33	QX1 GLASS/CRT CLEANER BOTTLE ONLY	74710B	53
CLEAR VIEW - 55 GALLON	74350	35	QX1 MULTI-PURPOSE CLEANER	74711	54
CLEAR VIEW - 5 GALLON	74353	35	QX1 MULTI-PURPOSE CLEANER BOTTLE ONLY	74711B	54
COIL & FILTER CLEANER - 1 GALLON	74344	35	QX1 ODOR ELIMINATOR	74713	55
COIL & FILTER CLEANER - 30 GALLON	74341	35	QX1 ODOR ELIMINATOR BOTTLE ONLY	74713B	55
COIL & FILTER CLEANER - 55 GALLON	74340	35	QX1 SPRAYER ONLY	1815	53-55
COIL & FILTER CLEANER - 5 GALLON	74343	35	RED LION BRAKE CLEAN LOW VOC	74256	46
DIESEL FUEL ADDITIVE - 1 GALLON	74249	36	RED LION BRAKE CLEAN LOW VOC	74257	46
DIESEL FUEL ADDITIVE - 30 GALLON	74246	36	SAFETY SOLV 2000™ - 1 GALLON	74279	46
DIESEL FUEL ADDITIVE - 5 GALLON	74248	36	SAFETY SOLV 2000™ - 30 GALLON	74276	46
DIESEL FUEL ADDITIVE - 55 GALLON	74245	36	SAFETY SOLV 2000™ - 5 GALLON	74278	46
EQUIP CLEAN - 1 GALLON	74309	37	SAFETY SOLV 2000™ - 55 GALLON	74275	46
EQUIP CLEAN - 30 GALLON	74306	37	SOLUBLE CUTTING FLUID - 1 GALLON	74324	51
EQUIP CLEAN - 55 GALLON	74305	37	SOLUBLE CUTTING FLUID - 30 GALLON	74321	51
EQUIP CLEAN - 5 GALLON	74308	37	SOLUBLE CUTTING FLUID - 55 GALLON	74320	51
FLOOR GLO - 1 GALLON	74349	39	SOLUBLE CUTTING FLUID - 5 GALLON	74323	51
FLOOR GLO - 30 GALLON	74346	39	STEAM CLEAN - 1 GALLON	74314	47
FLOOR GLO - 55 GALLON	74345	39	STEAM CLEAN - 30 GALLON	74311	47
FLOOR GLO - 5 GALLON	74348	39	STEAM CLEAN - 55 GALLON	74310	47
GREASE DIGESTER - 1 GALLON	74254	34	STEAM CLEAN - 5 GALLON	74313	47
GREASE DIGESTER - 30 GALLON	74251	34	STEAM CLEAN HD - 30 GALLON	74316	48
GREASE DIGESTER - 5 GALLON	74253	34	STEAM CLEAN HD - 55 GALLON	74315	48
GREASE DIGESTER - 55 GALLON	74250	34	STEAM CLEAN HD - 5 GALLON	74318	48
H.D. CITRUS CLEANER - 1 GALLON	74219	40	STEAM CLEAN HD - 1 GALLON	74319	48
H.D. CITRUS CLEANER - 30 GALLON	74216	40	SUPER CLEAN - 1 GALLON	74304	49
H.D. CITRUS CLEANER - 5 GALLON	74218	40	SUPER CLEAN - 30 GALLON	74301	49
H.D. CITRUS CLEANER - 55 GALLON	74215	40	SUPER CLEAN - 55 GALLON	74300	49
LIFT-OUT LIFT STATION DEGREASER - 1 GALLON	74284	41	SUPER CLEAN - 5 GALLON	74303	49
LIFT-OUT LIFT STATION DEGREASER - 5 GALLON	74283	41	SUPER GLOSS - 1 GALLON	74224PF	50
LIFT-OUT LIFT STATION DEGREASER - 55 GALLON	74280	41	SUPER GLOSS - 30 GALLON	74221PF	50
LIFT-OUT LIFT STATION DEGREASER - 30 GALLON	74281	41	SUPER GLOSS - 5 GALLON	74223PF	50
N-ZYME DRAIN MAINTENANCE - 1 GALLON	74289	42	SUPER GLOSS - 55 GALLON	74220PF	50
N-ZYME DRAIN MAINTENANCE - 30 GALLON	74286	42	SUPER STRIPPER - 1 GALLON	74359	50
N-ZYME DRAIN MAINTENANCE - 5 GALLON	74288	42	SUPER STRIPPER - 30 GALLON	74356	50
N-ZYME DRAIN MAINTENANCE - 55 GALLON	74285	42	SUPER STRIPPER - 55 GALLON	74355	50
ODOR ELIMINATOR SC - 1 GALLON	74274	44	SUPER STRIPPER - 5 GALLON	74358	50
ODOR ELIMINATOR SC - 30 GALLON	74271	44	X-TRA CLEAN - 1 GALLON	74339	51
ODOR ELIMINATOR SC - 5 GALLON	74273	44	X-TRA CLEAN - 30 GALLON	74336	51
ODOR ELIMINATOR SC - 55 GALLON	74270	44	X-TRA CLEAN - 55 GALLON	74335	51
ODOR ELIMINATOR - 1 GALLON	74364	43	X-TRA CLEAN - 5 GALLON	74338	51
ODOR ELIMINATOR - 30 GALLON	74361	43			
ODOR ELIMINATOR - 5 GALLON	74363	43			
ODOR ELIMINATOR - 55 GALLON	74360	43			

INDEX

CLEANERS & DEGREASERS			SKIN CARE		
	P/N	Page		P/N	Page
A/C FLUSH - 1 GALLON	74383	60	SANI-SMOOTH HAND SANITIZING FOAM - 16 OZ	74486	77
A/C FLUSH - 1 QUART	74382	60	STOKO XTREME CARE CREAM - 100ML/3.38 OZ	74454	76
A/C FLUSH (NON-FLAMMABLE) - 1 GALLON	74385	60	STOKOLAN SKIN CARE CREAM - 100ML/3.38 OZ	74453	76
A/C FLUSH (NON-FLAMMABLE) - 1 QUART	74384	60			
AIR TOOL CONDITIONER	74136	65			
BASEBOARD STRIPPER/CLEANER	74174	67			
BATTERY ACID CLEANER/NEUTRALIZER WIPES	74098	58			
BATTERY PROTECTOR AND CLEANER	74106	58			
BRAKE CLEAN N.C.	74147	57			
CARPET SPOT DIRECT	74258	73			
CARPET/FABRIC SPOT REMOVER	74262	72			
CHOKE CARB CLEANER	74115	57			
CITRUS BLAST - H. D.	74142	74			
CITRUS GREASE DIGESTER - 1 QUART	974250	69			
CLEANER / DEGREASER	74265	62			
CLUB CLEAN (GOLF EQUIPMENT CLEANER)	74199	59			
COIL/FILTER CLEANER	74165	56			
CONTACT CLEANER P.S.	74704	68			
DEGREASER	74111	68			
DIS-N-CLEAN™	74188	61			
DUST BLASTER MAX	74175	71			
EASY OUT STAIN REMOVER	74176	72			
ELECTRONIC EQUIPMENT WIPES	74456	70			
FACILITY WIPES	28235	75			
FOAMING COIL CLEANER	74268	56			
GLASS AND SURFACE CLEANER	74264	62			
GLASS CLEANER	74120	63			
HIGH PERFORMANCE SAFE-ACID CLEANER - 1 QUART	74615	69			
HIGH PERFORMANCE SAFE-ACID CLEANER - 1 GALLON	74616	69			
HIGH PERFORMANCE SAFE-ACID CLEANER - 5 GALLON	74617	69			
HIGH PERFORMANCE SAFE-ACID CLEANER - 55 GALLON	74618	69			
INSTA-CLEAN	74121	67			
INSTA-SHINE/TRUCK/BUS	74169	59			
METAL CLEANER & TARNISH REMOVER	74537	66			
PRO-TEX	74152	70			
PVA WIPES	74528	64			
QUICK CLEAN	74105	73			
QUICK SOLV	74186	74			
QUIK-SHINE METAL POLISH	74173	66			
SHOP WIPES	28236	75			
STAINLESS STEEL CLEANER WIPES	74610	65			
SURFACE DISINFECTANT	74261	61			
SKIN CARE			INSECTICIDES		
	P/N	Page		P/N	Page
ANTIMICROBIAL HAND CLEANER	74629	78	ANT AND ROACH SPRAY	74163	86
AND SANITIZER - 85 fl. oz.			BUG BE GONE WIPES	74263	84
CHERRY IMPACT HAND CLEANER - 120 fl. oz.	74471	80	FIRE ANT & INSECT DEHYDRATOR	74269	85
CHERRY IMPACT HAND CLEANER - 18 fl. oz.	74472	80	INSECT REPELLENT WRISTBANDS (GREEN)	85085	84
CITRUS CLEAN GF	74427	82	INSECT REPELLENT WRISTBANDS (GLOW)	85086	84
HAND SANITIZING WIPES	74539	83	INSECT REPELLENT WRISTBANDS (PINK)	85087	84
HANDI-SANI INSTANT HAND SANITIZER - 4 OZ	74487	77	INSECT REPELLENT WRISTBANDS (RED)	85088	84
H.D. CITRUS SCRUB HAND CLEANER - 1 GAL	74521	81	INSECT REPELLENT WRISTBANDS (YELLOW)	85089	84
H.D. CITRUS HAND SOAP - 120 fl. oz.	74631	79	INSECT REPELLENT WRISTBANDS (BLUE)	85090	84
H.D. CITRUS HAND SOAP - 18 fl. oz.	74632	79	WASP AND HORNET KILLER SPRAY	74161	85
H.D. MULTI-PURPOSE CITRUS TOWELS	74609	81			
HEAVY DUTY SCRUB HAND SOAP - 120 fl. oz.	74630	79			
HEAVY DUTY SCRUB HAND SOAP - 18 fl. oz.	74633	79			
MAGIC HAND SOAP - 120 fl. oz.	74458	78			
MAGIC HAND SOAP - 18 fl. oz.	74459	78			
POW-R-SCRUB HAND CLEANER	74416	80			
PROTECTIVE SKIN CREAM	74449	83			
PVA HAND CLEANER	74512	82			
SKIN CARE			LUBRICANTS		
	P/N	Page		P/N	Page
			4 WAY PLUS	74107	87
			ANTI-SEIZE	74118	101
			ANTI-SEIZE ALUMINUM - 8 OZ, BRUSH CAP	74423	101
			ANTI-SEIZE ALUMINUM - 16 OZ, EASY APPLICATOR	74425	101
			ANTI-SEIZE PRO-LUBE - ALUMINUM/COPPER		
			3.75 OZ, BRUSH CAP	74424	102
			ANTI-SEIZE II - COPPER - 8 OZ, BRUSH CAP	74426	102
			ANTI-SEIZE II - COPPER - 16 OZ, BRUSH CAP	74407	102
			BLUE GREASE - 35 LB / 5 GAL	74436	87
			BLUE GREASE - 120 LBS / 15 GAL	74437	87
			BLUE GREASE - 400 LBS / 50 GAL	74438	87
			C5-A COPPER ANTI-SEIZE STICK LUBRICANT	74565	103
			CABLE/CHAIN LUBE	74151	88
			CHAIN LUBE	74119	88
			CLEAR LUBE	74137	89
			CUTTING OIL III	74172	99
			CUTTING WAX - 16 OZ	74560	100
			CUTTING WAX - 2 OZ	74559	100
			DIELECTRIC GREASE	74439	89
			DRY LUBE PLUS	74099	92
			FREEZING ACTION PENETRANT	74556	104
			HI-TEMP GREASE	74422	91
			LITHIUM GREASE CARTRIDGE	74428	90
			LOW TEMP GREASE	74420	91
			MOLY DRY LUBE	74123	92
			PAG 100 VISCOSITY LUBRICANT - 8 OZ	74392	105
			PAG 150 VISCOSITY LUBRICANT - 8 OZ	74393	105
			PAG 46 VISCOSITY LUBRICANT - 8 OZ	74391	105
			PAG WITH/DYE 100 VISCOSITY LUBRICANT - 8 OZ	74387	106
			PAG WITH/DYE 150 VISCOSITY LUBRICANT - 8 OZ	74388	106
			PAG WITH/DYE 46 VISCOSITY LUBRICANT - 8 OZ	74386	106
			PENETRATING OIL	74101	93
			PNEUMATIC TOOL ANTI-SEIZE LUBRICANT	974375	93
			POE 100 VISCOSITY LUBRICANT - 32 OZ	74395	107
			POE 100 VISCOSITY LUBRICANT - 8 OZ	74394	107
			POE WITH/DYE 100 VISCOSITY LUBRICANT - 8 OZ	74389	107
			POE WITH/DYE 100 VISCOSITY LUBRICANT - 32 OZ	74390	107
			PTFE DRY LUBE	74116	94
			RED GREASE HI-TEMP	74415	95
			RED GREASE II-CARTRIDGE	74402	95
			RED GREASE III	74404	96
			RED GREASE III 120# - 20 GALLON	74410	96

INDEX

LUBRICANTS			PAINT REMOVERS		
	P/N	Page		P/N	Page
RED GREASE III 45# - 6 GALLON	74408	96	GRAFFITI WIPES	74611	119
SILICONE	74108	96	GRAFFITI BARRIER - 1 QUART	74625	120
SILVER GRADE ANTI-SEIZE STICK LUBRICANT	74566	103	GRAFFITI BARRIER - 1 GALLON	74626	120
SUPER IMPACT MOLY G GREASE	74400	97	GRAFFITI BARRIER - 5 GALLON	74627	120
TFG GREASE	74406	97	GRAFFITI BARRIER - 55 GALLON	74628	120
TOOL COOL II	74185	100	GASKET AND PAINT REMOVER	74113	118
TOOLUBE	74523	99	PREP SOLVE	74700	118
WHITE GREASE	74100	98			
WHITE GREASE (H1 CLASSIFIED)	74104	98	SPECIALTY PRODUCTS		
WIRE PULLING LUBE	74421	94		P/N	Page
ZOOM SPOUT® OILER	74255	90	A&R TABS - UP TO 15 TONS PER TABLET	74721	121
			A&R TABS - UP TO 5 TONS PER TABLET	74720	121
			A/C LEAK STOP WITH UV DYE	74381	126
			BELT DRESSING	74117	121
			CHROMAGIC SPILL ABSORBENT	28234	123
			GUM OFF	74110	124
			ICE & FROST REMOVER	74488	125
			PRO DRAIN OPENER	74380	122
			SNOW & ICE MELTER - 50 LB. BOX	74608	125
			SNOW & ICE MELTER (PALLET/48 BOXES)	74608P	125
			QUICK-ZORB SPILL ABSORBENT	74189	124
PAINTS & COATINGS			ECO-FRIENDLY "GREEN" CHEMICALS		
	P/N	Page		P/N	Page
CATERPILLAR YELLOW PAINT - BEFORE '79	500644	108	BIO-LUBE - 2 OZ	74266	127
CATERPILLAR YELLOW PAINT - AFTER '79	502311	108	BIO-LUBE - 8 OZ	74267	127
COLD ZINC GALVANIZING	74112	115	ECO-FRIENDLY CUTTING OIL	74084	131
GLOSS BLACK ENAMEL	74014	111	ECO-FRIENDLY FLOOR STRIPPER - 1 GAL	74080	130
GLOSS WHITE ENAMEL	74010	111	ECO-FRIENDLY FLOOR STRIPPER - 55 GAL	74082	130
GRAY PRIMER	74003	111	ECO-FRIENDLY FLOOR STRIPPER - 5 GAL	74081	130
HI-TEMP BLACK ENAMEL	74016	111	ECO-FRIENDLY GLASS CLEANER - 1 GAL	74070	128
INDUSTRIAL GRAY ENAMEL	74012	111	ECO-FRIENDLY GLASS CLEANER - 55 GAL	74072	128
INSULATING VARNISH-RED	74139	113	ECO-FRIENDLY GLASS CLEANER - 5 GAL	74071	128
OSHA GREEN ENAMEL	74196	110	ECO-FRIENDLY MULTI-PURPOSE CLEANER - 1 GAL	74067	128
OSHA RED ENAMEL	74190	110	ECO-FRIENDLY MULTI-PURPOSE CLEANER - 55 GAL	74069	128
OSHA YELLOW ENAMEL	74194	110	ECO-FRIENDLY MULTI-PURPOSE CLEANER - 5 GAL	74068	128
NON-CONDUCTIVE PAINT - GLOSSY WHITE	74029	112	ECO-FRIENDLY PENETRATING OIL	74083	131
"RED OXIDE PRIMER "IMPROVED"	74002	109	ECO-FRIENDLY PEROXIDE CLEANER - 1 GAL	74076	129
RUST AWAY - 1 QUART	74157	114	ECO-FRIENDLY TUB & TILE CLEANER - 1 GAL	74073	129
RUST AWAY - 1 GALLON	74555	114	ECO-FRIENDLY TUB & TILE CLEANER - 55 GAL	74075	129
RUST AWAY II	74701	114	ECO-FRIENDLY TUB & TILE CLEANER - 5 GAL	74074	129
SATIN BLACK TRIM PAINT	74011	109	ECO-FRIENDLY ZINC-FREE SEAL & FINISH - 1 GAL	74077	130
SCHOOL BUS YELLOW PAINT	74146	108	ECO-FRIENDLY ZINC-FREE SEAL & FINISH - 55 GAL	74079	130
SEYMOUR ATHLETIC FIELD STRIPING - ORANGE	74053	116	ECO-FRIENDLY ZINC-FREE SEAL & FINISH - 5 GAL	74078	130
SEYMOUR ATHLETIC FIELD STRIPING - WHITE	74052	116			
SEYMOUR GOLF COURSE STRIPING - RED	74051	116	SAFE-T-LINE PRODUCTS		
SEYMOUR GOLF COURSE STRIPING - WHITE	74050	116		P/N	Page
SEYMOUR STRIPING - ALERT ORANGE	74058	116	ENGINE DEGREASER	74183	133
SEYMOUR STRIPING - FLUORESCENT HOT PINK	74061	116	H.D. CITRUS CLEANER	74145	133
SEYMOUR STRIPING - FLUORESCENT GREEN	74060	116	KLEEN & SHINE	74127	132
SEYMOUR STRIPING - FLUORESCENT ORANGE	74056	116	SMOKE/ODOR ELIMINATOR	74158	136
SEYMOUR STRIPING - FLUORESCENT RED	74055	116			
SEYMOUR STRIPING - PRECAUTION BLUE	74057	116			
SEYMOUR STRIPING - PURPLE	74004	116			
SEYMOUR STRIPING - SAFETY RED	74059	116			
SEYMOUR STRIPING - UTILITY YELLOW	74062	116			
SEYMOUR STRIPING - WHITE	74054	116			
SEYMOUR TRAFFIC STRIPING - RED	74065	116			
SEYMOUR TRAFFIC STRIPING - WHITE	74063	116			
SEYMOUR TRAFFIC STRIPING - YELLOW	74064	116			
SEYMOUR TRAFFIC STRIPING - HANDICAP BLUE	74066	116			
SNOW PLOW COATING - 1 GALLON	509280	117			
STAINLESS STEEL SPRAY COATING	74040	112			
UNDERCOAT (RUBBERIZED)	74129	115			
WELDING ANTI-SPATTER SPRAY	74018	109			
WHITE CEILING TILE PAINT	74134	113			

INDEX

ODOR ELIMINATORS			DISPENSING EQUIPMENT		
	P/N	Page		P/N	Page
BABY POWDER ODOR ELIMINATOR	74166	136	FLEXI GREASE GUN	8217	149
CITRUS CREME METERED MIST	74460	140	FOAMER TRIGGER SPRAYER ONLY	1699	146
CUCUMBER MELON METERED MIST	74434	140	GEAR OIL PUMP	16509	151
FRESH LINEN AIR DEODORIZER	74469	137	GREENWAV 8 OZ COMMERCIAL GEL DISPENSER	1820	144
FRESH LINEN METERED MIST	74465	140	H.D. TRIGGER SPRAYER	1801	146
FRUIT BASKET METERED MIST	74461	140	MAGIC HAND SOAP DISPENSER	1830	151
GREEWAV - AIR & SURFACE SPRAY - 32 OZ	74576	138	MARKING WAND	1812	144
GREEWAV - COMMERCIAL GEL - 8 OZ	74577	138	METAL DRUM PUMP	1694	147
LEMON ITALIAN ICE AIR DEODORIZER	74470	135	METERED MIST DISPENSER	1817	141
METERED AIR SANITIZER	74467	135	NOZZLE KIT, FOR SURE-SHOT SPRAYER P/N 1700	50016	145
METERED MIST VARIETY PACK	200145	140	NOZZLE EXTENSION - 12" FOR SPRAYER P/N 1700	50017	145
METERED MIST VARIETY PACK II	200177	140	PLASTIC DRUM PUMP	1692	147
ODOR NEUTRALIZING FOGGER	74468	137	PLASTIC SYPHON PUMP	1693	147
PLEASANT SCENT - LEMON-LIME - 1 GAL	74234	138	POWER LUBE GREASE GUN	8216	149
PLEASANT SCENT - LEMON-LIME - 5 GAL	74233	138	PROF GREASE GUN	8218	148
PLEASANT SCENT - LEMON-LIME - 30 GAL	74231	138	REPAIR KIT FOR SPRAYER P/N 1700	50018	145
PLEASANT SCENT - LEMON-LIME - 55 GAL	74230	138	ROTARY BARREL PUMP	1808	147
PLEASANT SCENT - GREEN APPLE - 1 GAL	74229	138	SANI-SMOOTH DISPENSER	1819	153
PLEASANT SCENT - GREEN APPLE - 5 GAL	74228	138	SOAP DISPENSER - 85 OZ.	1832	153
PLEASANT SCENT - GREEN APPLE - 30 GAL	74226	138	SPRAY CAN TOOL	1818	146
PLEASANT SCENT - GREEN APPLE - 55 GAL	74225	138	SPRAY TRIGGER BOTTLE - 32 OZ	1698	146
PINA COLADA METERED MIST	74466	140	SURE SHOT SPRAYER	1700	145
PINE FOREST METERED MIST	74464	140	TANK SPRAYER - PLASTIC - 2 GAL	1687	145
POWDER FRESH METERED MIST	74462	140	TRAFFIC MARKING MACHINE	1810	154
RED CLOVER TEA METERED MIST	74433	140	TRIGGER SPRAYER, FOR 32 OZ BOTTLE	1697	146
URINAL DEODORANT SCREENS	74442, 74473-74483	139	SPRAY TRIGGER BOTTLE - 16 OZ.	1690	146
VANILLA DELIGHT METERED MIST	74463	140	WALL MOUNT HAND CLEANER PUMP DISPENSER	1806	153
DISPENSING EQUIPMENT					
	P/N	Page			
2" DRUM FAUCET	1803	147			
32 OZ, SURE SHOT SPRAYER	1700	145			
36 OZ, MEASURABLE BOTTLE	1800	146			
3M™ HANDYMAX® MANUAL GUN	9572	150			
3M™ HANDYMAX® BATTERY-POWERED GUN	9573	150			
AIR OPERATED GREASE GUN	8200	148			
AIR OPERATED GREASE GUN KIT	38200	150			
ATHLETIC MARKING MACHINE	1811	154			
AUTODOSE™ DRAIN MANAGER	1816	152			
BOTTLE - ECO-FRIENDLY GLASS	74070B	142			
BOTTLE - ECO-FRIENDLY MULTI-PURPOSE	74067B	142			
BOTTLE - ECO-FRIENDLY PEROXIDE	74076B	142			
BOTTLE - ECO-FRIENDLY TUB & TILE	74073B	142			
CAULKING GUN-SMOOTH - 10 OZ	8253	151			
CENTERFEED DISPENSER (FOR 28237)	1788	152			
CENTER-PULL DISPENSER (FOR 28235 & 28236)	1789	152			
CHERRY IMPACT HAND CLEANER DISPENSER	1830	153			
COMPRESSION AIR SPRAYER - 2 QT	1688	145			
CORDLESS GREASE GUN	9571	148			
- GREASE GUN "REPLACEMENT BATTERY"	9571B	148			
CURB MARKING WAND	1809	154			
DRUM DOLLY 400 LB	1804	147			
DRUM FAUCETS - 3/4"	1695	147			
DRUM WRENCH 12"	1802	147			
DUAL CAULKING GUN FOR P/N 74534	8250	151			
ECO-FRIENDLY GLASS CLEANER WALL DISPENSER	1826	143			
ECO-FRIENDLY MLTI-PURPOSE CLEANER WALL DISPENSER	1824	143			
ECO-FRIENDLY PEROXIDE CLEANER WALL DISPENSER	1822	143			
ECO-FRIENDLY TUB & TILE CLEANER WALL DISPENSER	1828	143			

CUTTING TOOLS

BANDSAW BLADES
COBALT DRILLS
END MILLS
HACKSAW BLADES
HOLE SAWS
MASONRY DRILLS
PRO™ DRILLS
QUAD POINT™ DRILLS
RECIPROCATING BLADES
ROTARY FILES
STEP DRILLS
TAPS / DIES
TUNGSTEN CARBIDE BLADES

CHEMICALS - RED LION™

ADHESIVES
AEROSOLS
BULK CONTAINERS
CLEANERS / DEGREASERS
CUTTING FLUIDS
FOOD GRADE
LUBRICANTS
ODOR CONTROL
PAINTS
SOLVENTS
TOOL COOLANTS

SHOP SUPPLIES

ABRASIVES
EYE BOLTS
GRINDING / CUT-OFF WHEELS
HOSE CLAMPS
KEY / BAR STOCK
LED SAFETY LIGHTING
MOUNTED POINTS
"O" RINGS
"S" HOOKS
SCREW EXTRACTORS
SPRINGS
TAPE
WIRE BRUSHES

FASTENERS

ANCHORS
BRASS
CARRIAGE / PLOW BOLTS
FLANGE BOLTS
HIGH STRENGTH CAP SCREWS
MACHINE SCREWS
METAL SCREWS
METRICS
RETAINING RINGS
SOCKET / SET SCREWS
STAINLESS
THREADED ROD

ELECTRICAL

BATTERY CABLE
BULBS
CABLE CLAMPS
CONNECTORS
FUSES
INSULATION
PRIMARY WIRE
SHRINK TUBING
SPLIT BOLTS
TAPE
TERMINALS
WIRE TIES

Chromate's Maintenance Efficiency Center



**Experienced technical representatives
bring solutions to meet your needs.**

- A leading supplier of high quality maintenance products and inventory management services.
- A family owned and operated organization, providing the industrial MRO marketplace with "Systematic Solutions" for 50 years.
- Our expertise is in the reduction of your consumable MRO parts procurement costs: acquisition, possession, and application.
- Satisfying the needs of the most demanding industries such as mass transit and fleet maintenance, construction, power, energy and utilities, hospitals, universities and more.
- Eliminate wasted time and money spent on parts chasing and performing maintenance operations with incorrect or inferior parts.

**Get organized and increase
your efficiency now!**

- Superior Quality Products
- Save On Downtime
- Reduce Labor Costs



For more information on our
products or systems call or visit:
1-888-567-2200 • chromate.com

WELDING - AURALLOY™

210 - MILD STEEL
225 - HIGH STRENGTH STEEL
250 - STAINLESS STEEL
300 - CAST IRON
400 - CHAMFERING
500 - SOLDER
600 - ALUMINUM
700 - BRAZING
800 - HI-STRENGTH BRAZING
900 - HARD SURFACING
FLUXES
JIGGING / HEAT DAM PUTTY

FLEET

AIR BRAKE FITTINGS
AIR BRAKE HOSE
AIR CHUCKS
BATTERY TERMINALS
BULBS
FLANGE / MANIFOLD BOLTS
FUSES
GLADHANDS
GREASE FITTINGS
HOSE REPAIR KITS
IGNITION TERMINALS
VACUUM HOSE / FITTINGS

HYDRAULICS

BLACK IRON PIPE
BRASS
COLL-O-CRIMP
COMPRESSION
FLARE
GREASE
HOSE
INSTANT
REUSABLE
STEEL
TUBING
VACUUM

SAFETY/FIRST AID

BANDAGES
CABINETS
CHEMICALS
EYECARE
FIRST AID KITS
GLOVES
HI-VIS CLOTHING
OINTMENTS
SAFETY GLASSES
SPILL CONTAINMENT
TABLETS
WIPES

**Ask us about our
Customer reward
programs.**

- **Cash for Trash**
- **GO RED**
- **Customer Loyalty**

When it comes to repairs, quality products make the difference!



CUTTING TOOLS



CHEMICALS



SHOP SUPPLIES



FASTENERS



ELECTRICAL



WELDING



FLEET



HYDRAULICS



FIRST AID/SAFETY



QUALITY BUILDS CONFIDENCE, SERVICE EARNS TRUST.

5250-A Naiman Parkway . Solon . OH 44139

090115

1-888-567-2200 . Fax: 631-567-2418 . www.chromate.com PF-CHEMICALS

