# Focus on Power, Energy & Utilities Industries





















## **Organizers**

### **Shooter Taps & Drills**



#### P/N 7786

- · 3-Drawer organizer
- 32 taps and drills
- 8 Sizes
- 6-32 to 1/2-13 taps
- #35 to 7/16" drills

### **Shooter Taps & Drills - Metric**



#### P/N 7788

- · 3-Drawer organizer
- Metric sizes
- · 20 taps and drills
- 2.5mm x 0.45 to 12mm x 1.75 taps
- 2.05mm to 10.2mm drills

## **CIC 200™ Pro™ Shooter Taps & Drills**



#### P/N 61603

- 3-Drawer organizer
- 13 CIC 200<sup>™</sup> Pro<sup>™</sup> Shooter Taps
- 13 CIC 200™ Pro™ Drills
- Taps 4-40 to 1/2-20
- Drills #43 to 29/64

### CIC 200™ Pro™ Shooter Taps & Drills (With Aligner)



#### P/N 7805

- · 3-Drawer organizer
- 13 CIC 200<sup>™</sup> Pro<sup>™</sup> Shooter Taps
- 13 CIC 200™ Pro™ Drills
- · 4-40 to 1/2-20 taps
- #43 to 29/64 drills
- Tap/ream aligner

## CIC 200™ Pro™ Drills Under-Mount Organizer



#### P/N 7880

- 45 CIC 200™ Pro™ Drills
- · Fractional sizes
- Workbench spacesaver
- Built-in lock secures drawer
- · 23 most popular sizes
- 1/16" to 1/2"


### **CIC 200™ Carbide Rotary Files**



### P/N 61608

- 3-Drawer Organizer
- Solid carbide with 1/4" shank
- 13 CIC 200™ files
- Cylindrical, ball, oval, round tree, tapered radius, cone, etc.

#### **CIC 200™ Carbide Masonry Drills**



#### P/N 61611

- 3-Drawer organizer
- Fractional sizes
- 26 CIC 200™ masonry drills
- 15 most popular sizes
- 1/8" to 3/4"

### **CIC 150™ 118° Split Point Drills**



#### P/N 61677

- 3-Drawer 50 piece organizer
- Fractional sizes
- . 50 CIC 200™ Split Point™ drills
- 1/16" to 1/2" by 64ths

#### CIC 200™ Ouad Point™ Drills



#### P/N 61695

- · 3-Drawer organizer
- Fractional sizes
- 50 CIC 200™ Quad Point™ drills
- 23 sizes
- 1/16" to 1/2" by 64ths

### CIC 200™ Quad Point™ Drills - Metric



#### P/N 61696

- · 3-Drawer organizer
- Metric sizes
- . 25 CIC 200™ Quad Point™ drills
- 1mm to 13mm

### CIC 200™ Ouad Point Drills - No. Drill Organizer



#### P/N 61697

- 5-Drawer organizer
- 75 pieces
- 3 pieces of each size
- 25 popular sizes: #3 to #44

## CIC 200™ Pro™ Drill Organizer - MEGA Organizer



## P/N 61699M

- 3-Drawer organizer
- Fractional sizes
- 58 CIC 200™ Pro™ Drills
- 29 of the most popular sizes
- Two 29-piece indexes for filling

## CIC 200™ Pro™ Drill Organizer - BASIC Organizer



## P/N 61699

- 3-Drawer organizer
- Fractional sizes
- 45 CIC 200™ Pro™ Drills
- 23 of the most popular sizes
- One 29-piece index for filling

### CIC 200™ Pro™ Drill Organizer - STARTER Organizer



#### P/N 61699S

- 3-Drawer organizer
- Fractional sizes
- 25 CIC 200™ Pro™ Drills
- 13 of the most popular sizes
  One 29-piece index for filling



## **Drill Organizers**

## CIC 200™ Pro™Drills - Organizers



## MEGA ORGANIZER

- 3-Drawer Organizer
- Contains 58 CIC 200™ Pro™ Drills
- 29 of the most popular fractional sizes
- Two (2) 29-piece Indexes for filling

QTY	DRILL SIZE								
2	1/16	2	5/32	2	1/4	2	11/32	2	7/16
2	5/64	2	11/64	2	17/64	2	23/64	2	29/64
2	3/32	2	3/16	2	9/32	2	3/8	2	15/32
2	7/64	2	13/64	2	19/64	2	25/64	2	31/64
2	1/8	2	7/32	2	5/16	2	13/32	2	1/2
2	9/64	2	15/64	2	21/64	2	27/64	-	



## **BASIC** ORGANIZER

- 3-Drawer Organizer
- Contains 45 CIC 200™ Pro™ Drills
- 23 of the most popular fractional sizes
- One 29-piece Index for filling

QTY.	DRILL SIZE						
3	1/16	3	5/32	3	1/4	1	3/8
3	5/64	2	11/64	1	17/64	1	25/64
3	3/32	4	3/16	1	9/32	1	27/64
3	7/64	1	13/64	1	5/16	1	7/16
5	1/8	1	7/32	1	21/64	1	1/2
3	9/64	1	15/64	1	11/32	-	-



## **STARTER** ORGANIZER

- 3-Drawer Organizer
- Contains 25 CIC 200™ Pro™ Drills
- 13 of the most popular fractional sizes
- One 29-piece Index for filling

QTY.	DRILL SIZE						
3	1/16	3	3/16	1	9/32	1	3/8
3	3/32	2	7/32	1	5/16	1	7/16
3	1/8	2	1/4	1	11/32	1	1/2
3	5/32	-	·	-	-	-	-

## **Bioremediation Parts Washers**

## SmartWasher® Parts/Brake Washer

#### No More Hauling or Manifesting

The SmartWasher® uses a unique technology called bioremediation. (Ozzys) breakdown "eat" the grease and oil or carbon-based products in the OzzyJuice and turn those contaminants into harmless carbon dioxide and water - EVAPORATION.

#### How it works!

Microbes (Ozzys) continuously eat the contaminants out of the OzzyJuice leaving it clean and strong every time. The microbes (Ozzys) will "eat" grease, oil, mineral spirits, solvents and other petroleum based products, just to name a few. Because of bioremediation and as long as the SmartWasher is maintained properly, the customer should never have to change the fluid.

#### **Features**

- · NO flash point
- · NO toxic solvents
- NO service contracts
- NO caustic materials
- NO hauling or removal of solvents or gray water
- · Certified: AQMD, USDA, ETL, NSF

#### **Benefits**

- ELIMINATES cradle to grave liabilities, generation of liquid hazardous wastes & chemical waste handling/transport problems
- LOWERS hazardous waste generator status
- REDUCES operating and maintenance costs
- PROTECTS health and well-being of employees
- GREEN without compromise

#### OzzyJuice Eats

- · Crude Oil
- · Hydraulic Transmission Fluid
- Cutting Oils
- Ink/Toner
- Asphalt
- Burned-On Carbon
- Automotive Varnish
- Animal Fat
- Impacted Grease
- Fifth Wheel Grease
- Resin Products
- Automotive Grease
- Bearing Grease
- Solder & Flux
- Motor Oil
- Creosote



## SmartWasher® Super Sink XE

Overall Dimensions	47" x 38" x 42"
Inside Sink Dimensions	41" x 26" x 8"
Parts Washer Structure	Heavy-Duty HDPE
Controls	Toggle Switch
Pump Capacity	300 gph
Flow Control Timer	10 minutes
Certified	ETL (UL/CSA), CE, NSF
SmartWasher® Start-up Kit	Ships completely assembled with one OzzyMat and enough OzzyJuice to get started



OzzyJuice® Parts/Brake Solution P/N 27724

Super Sink XE

OzzyJuice® Degreaser Solution P/N 27726

OzzyJuice® Truck Degreasing Solution P/N 27727

OzzyJuice® Metal Degreasing Solution P/N 27728

OzzyJuice® Aircraft/Weapon Degreaser P/N 27729



OzzyMat<sup>™</sup> Multi-Layer Fluid Activator P/N 27725

OzzyMat<sup>™</sup> Single Layer Fluid Activator P/N 27730



## **Bioremediation Parts Washers**



## SmartWasher® Mobile Parts/Brake Washer P/N 27723

- 300 gph Pump
- Onboard Diagnostics / Adjustable Thermostat
- Load Capacity of 550 lbs.
- Overall Dimensions: 43" x 27" x 42"
- Inside Sink Dimensions: 27" x 23" x 8"
- · Customized Dolly

- No Health & Safety Hazards
- No Environmental Damage
- No Toxic Solvents
- · No Service Contracts
- No Waste Hauling
- No Flash Point



## SmartWasher® Signature P/N 27722

- 300 gph Pump
- Onboard Diagnostics
- Adjustable Thermostat
- Load Capacity of 550 lbs.
- Overall Dimensions: 39" x 29" x 40"
- Inside Sink Dimensions: 26" x 17" x 8"

- · No Health & Safety Hazards
- No Environmental Damage
- · No Toxic Solvents
- · No Service Contracts
- No Waste Hauling
- No Flash Point



## SmartWasher® Super Sink XE P/N 27721

- 300 gph Pump
- Onboard Diagnostics / Adjustable Thermostat
- Load Capacity of 550 lbs.
- Overall Dimensions: 47" x 38" x 42"
- Inside Sink Dimensions: 41" x 26" x 8"
- 2 brush stations, light kit and parts basket
- · No Health & Safety Hazards
- No Environmental Damage
- · No Toxic Solvents
- No Service Contracts
- No Waste Hauling
- No Flash Point



## SmartWasher® Super Sink P/N 27720

- · 300 gph Pump
- Onboard Diagnostics
- Adjustable Thermostat
- Load Capacity of 550 lbs.
- Overall Dimensions: 47" x 38" x 42"
- Inside Sink Dimensions: 41" x 26" x 8"

- · No Health & Safety Hazards
- No Environmental Damage
- No Toxic Solvents
- No Service Contracts
- No Waste Hauling
- No Flash Point

## Chromate Magnetic Retracta-Belt® Systems

#### P/N 20001



P/N 20007



Chromate's Retracta-Belt® Systems are designed to improve the safety and versatility of jobsite safety while increasing productivity. These units are used every day where maintenance or cleaning is being performed, allowing or restricting access into your working environment. Ideal for warehouse aisles, hallways, and doorways (ie, bathroom facilities).

Great for hospitals, nursing homes, casinos, hotels, universities, public schools, utility companies, railroads, apartment/condo complexes, etc.

- High impact polycarbonate construction internal mechanism & body For long term durability
- Extended top ridge; protects the unit during falls
- · All parts easily replaceable
- 10 year warranty
- · Unit available in smooth black or safety yellow
- Dimensions: 4-1/8" W x 5-1/8" D x 3-7/8" H
- · Magnet Strength
- Unit/housing magnet: 82 lbs. pull force
- Belt end magnet: 20 lbs. pull force

#### **Yellow Unit**

- 15' Yellow Belt
- CAUTION DO NOT ENTER (Black imprint, double-sided)

#### P/N 20001

#### **Black Unit**

- 15' Red Belt
- DANGER HIGH VOLTAGE
- DO NOT ENTER
   (White imprint, double-sided)

## P/N 20007

#### Retracta-Belt® Units:

P/N	UNIT TYPE BELT	Γ LENGTH	<b>BELT COLOR</b>	IMPRINT	TEXT	SIDES
20000	BLACK MAGNETIC	15'	BLACK	BLANK	NA	NA
20001*	YELLOW MAGNETIC	15'	YELLOW	CAUTION - DO NOT ENTER	BLACK	DOUBLE
20001C	YELLOW MAGNETIC W/ CLIP	15'	YELLOW	CAUTION - DO NOT ENTER	BLACK	DOUBLE
20002	YELLOW MAGNETIC	30'	YELLOW	CAUTION - DO NOT ENTER	BLACK	DOUBLE
20003	BLACK MAGNETIC	30'	RED	DANGER - HIGH VOLTAGE - DO NOT ENTER	WHITE	DOUBLE
20004	BLACK MAGNETIC	30'	RED	DANGER! ARC FLASH BOUNDARY - DO NOT ENTER	WHITE	DOUBLE
20005	YELLOW MAGNETIC	30'	YELLOW	CONTROLLED WORK AREA	BLACK	DOUBLE
20006	YELLOW MAGNETIC	15'	YELLOW	CONTROLLED WORK AREA	BLACK	DOUBLE
20007	BLACK MAGNETIC	15'	RED	DANGER - HIGH VOLTAGE - DO NOT ENTER	WHITE	DOUBLE
20008	BLACK MAGNETIC	15'	RED	SUPPLY PERSONNEL ONLY	WHITE	DOUBLE
20009	YELLOW MAGNETIC	20'	YELLOW	CAUTION - DO NOT ENTER	BLACK	DOUBLE
20010MR	YELLOW MAGNETIC	15'	RED	DANGER - DO NOT ENTER - LIFT IN PROGRESS	WHITE	SINGLE
20010ML	YELLOW MAGNETIC	15'	RED	DANGER - DO NOT ENTER - LIFT IN PROGRESS	WHITE	SINGLE
20011MR	YELLOW MAGNETIC	30'	RED	DANGER - DO NOT ENTER - LIFT IN PROGRESS	WHITE	SINGLE
20011ML	YELLOW MAGNETIC	30'	RED	DANGER - DO NOT ENTER - LIFT IN PROGRESS	WHITE	SINGLE
20012	BLACK MAGNETIC	15'	RED	DO NOT ENTER	WHITE	DOUBLE
20013	BLACK MAGNETIC	30'	RED	DO NOT ENTER	WHITE	DOUBLE
20014	YELLOW HOSE CLAMP UP TO 12" DIA.	15'	YELLOW	CAUTION - DO NOT ENTER	BLACK	DOUBLE
20015	YELLOW MAGNETIC	15'	RED	DANGER ELECTRICAL SHOCK / ARC / HAZARD	WHITE	SINGLE
20016	YELLOW MAGNETIC	15'	RED	DANGER ELECTRICAL SHOCK / ARC / HAZARD	WHITE	SINGLE
20017	BLACK MAGNETIC	30'	RED	DANGER - DO NOT ENTER	WHITE	DOUBLE
20018	YELLOW MAGNETIC	30'	YELLOW	CAUTION - WELDING IN PROGRESS - DO NOT ENTER	BLACK	DOUBLE
20019	YELLOW MAGNETIC	15'	GREEN	DANGER - HIGH VOLTAGE - DO NOT ENTER	WHITE	DOUBLE
20020	YELLOW MAGNETIC	30'	GREEN	CAUTION	WHITE	DOUBLE
20021	YELLOW ALUM POST W/ WHEELS	25'	YELLOW	CAUTION - DO NOT ENTER	BLACK	DOUBLE
20022	RED ALUMINUM POST ONLY - NO BELT	NA	NA	NA	NA	NA
20023MR	YELLOW MAGNETIC	30'	YELLOW	SMART TEAM WORK AREA	BLACK	SINGLE
20023ML	YELLOW MAGNETIC	30'	YELLOW	SMART TEAM WORK AREA	BLACK	SINGLE
20024	MAGNET MOUNT REPLACEMENT	NA	NA	NA	NA	NA
20025	YELLOW HOSE CLAMP UP TO 12" DIA.	15'	YELLOW	NA	NA	NA
20026	YELLOW WALL MOUNT	15'	YELLOW	CAUTION - DO NOT ENTER	BLACK	DOUBLE
20027	YELLOW MAGNETIC	15'	YELLOW	CLOSED FOR CLEANING	BLACK	DOUBLE

<sup>\*</sup>Stocked item. All other part numbers will ship approximately 2 weeks after reciept of order. Lead time on custom items will be quoted as per the manufacturer's conditions.

## MUSTIES



## Other Retracta-Belt® Systems - Wall Mount and Warehouse Units







- Mountable units allow quicker setups and frees up valuable floor space
- Fixed/removable mounting plate: Mounting plate is permanently attached to a surface. Unit slides on and off and can be "fixed" via a screw.
- Transferable: Purchase extra mounting plates and use one unit in multiple locations
- High impact polycarbonate construction internal mechanism and body – for long term durability
- Extended top ridge protects the unit during falls
- · Available in smooth black or safety yellow
- Dimensions: 4-1/8" W x 5-1/8" D x 3-7/8" H

## **Wall Mount Units**

- · Universal belt end: Attaches to receiving ends
- Mountable receiving end and magnetic receiving ends sold separately





#### **Wall Mount & Warehouse Units**

 "S-hook" belt end: Attaches to warehouse shelving or wraps around poles and connects to itself



## **Mounting Options**

## 4 different mounting plate options:



 Fixed/Removable permanently attach mounting plate to wall, unit slides on and off easily or can be fixed via a screw



 Magnet/Clip allows unit to attach to shelving quickly by means of a strong magnet and clip that hooks into holes or slots in most shelving units (3/8" minimum slot or hole required)



 Velcro® straps for quick and temporary installation on any column or post ranging from 1-1/2" to 5" diameter (longer straps available)



Hose clamp metal straps for a secure and semi-permanent connection to uprights

## Custom Orders...

## For CUSTOM orders, specify the following:

#### **Housing Finish:**

Smooth black or safety yellow

#### **Mounting Style:**

- Fixed/Removable
- Magnetic/Clip
- Velcro or Hose Clamp

#### **Belt Length:**

15', 20', 25' and 30'

#### **Belt Color:**

Standard colors are: Blue, Red, Maroon, Grey, Green, Dark Green, Black, Black w/White stripe, Dark Blue, Yellow, and Black/Yellow Diagonal

#### **Printing:**

- Text/Print
- One-side or double sided print
- · Color of text
- Custom logo

# Focus on Power, Energy

## Rechargeable LED Work Lights

## Work Light - Heavy Duty

- · Flashlight Floodlight Dual-light
- Rechargeable
- Anti-roll Tri-Lobal Design
- Bright LEDs 50,000 hour life
- Microprocessor controlled
- Impact and chemical resistant housing
- Replaceable NiMH battery pack
- 3 hour charge time
- AC & DC adapters included

#### **Specifications**

- · Flashlight: 300 Lumens
- Floodlight: 400 Lumens
- Selectable flashlight or floodlight strobe
- Run-time: Flashlight or floodlight 9 hours. Flashlight strobe 24+ hours, Dual-light 4 hours, Dual-light strobe 7 hours
- Vehicle mount
- Moisture resistant
- Traffic Cone Accessories
- Red P/N 66355R
- Yellow P/N 66355Y















## Work Light - Heavy Duty

- · Flashlight Floodlight Dual-light
- Rechargeable
- Anti-roll Tri-Lobal Design
- Bright LEDs 50,000 hour life
- · Impact and chemical resistant housing
- Replaceable NiMH battery pack
- 3 hour charge time
- AC & DC adapters included

#### **Specifications**

- · Flashlight: 160 Lumens
- Floodlight: 200 Lumens
- Dual-switch control
- Tandem operation
- Auto-strobe
- · Run-time: Flashlight 6 hours, Floodlight 2 hours, Both 2 hours
- Waterproof to 3 feet (IP-67)
- Traffic Cone Accessories
- Red P/N 66357R
- Yellow P/N 66357Y









Made in the USA







## Rechargeable LED Work Lights

## Work Light - 66 LED/Magnetic

- Dual Function / Spotlight Floodlight
- Rechargeable
- 35,000 hour LED life
- 60 LED Floodlight / 6 LED Spotlight
- Bright white LEDs
- Impact and chemical resistant housing
- Will stand upright on flat surface
- Dual position magnetic hook attaches to top or side
- Rechargeable NiMH battery pack
- 8 hour charge time
- AC & DC adapters included

#### **Specifications**

- Spotlight: 12 Lumens
- Floodlight: 120 Lumens
- Length: 14.25" (without hook)
- · Weight: 9.5 oz with battery
- Dual purpose magnet
- · Run-time: Spotlight 18 hours / Floodlight 4 hours
- 3 position rocker switch











Magnetic Hook - P/N 66358HOOK

## Work Light - Safety Orange

- Dual-Mode Flashlight Floodlight
- Rechargeable high quality NiMH battery
- Bright white LEDs
- 35,000 hour life
- Small size Light weight
- Safety orange housing
- Impact and chemical resistant
- Removable hanger-hook and magnet
- Long run-time per charge
- Home and car chargers included

#### **Specifications**

- Flashlight: 1 LED = 65 Lumens
- Floodlight: 60 LEDs = 120 Lumens
- · Run-time 4 hrs. flashlight, 4 hrs. floodlight
- · Charge time 4 hours
- · Length: 11.5 in.
- Weight: 12.0 oz







## Intrinsically Safe LED Dual-light







- Designed for hazardous workplace environments
- Safe to use in potentially explosive atmospheres
- Dual-Light Innovation®
- 80 Lumen CREE® XPE LED
- Sharp Focused Flashlight
- Broad Beam Floodlight
- 50,000 hour LED life
- Separate switches control flashlight and floodlight
- Momentary or constant-on
- Non-slip grip textured push-buttons
- Rugged hi-visibility green polymer housing
- Impact and chemical resistant
- Built-in pocket clip and lanyard
- Waterproof to 1 meter (IP67)
- Length: 7.0 in (178 mm)
- Limited lifetime warranty











## AUSI PORTOTIMADEO

- Flashlight: 80 Lumens
- Floodlight: 80 Lumens
- Dual-Light: 160 Lumens
- Flashlight beam distance: 95 m
- Run-time:
  - 14.5 hours Flashlight/Floodlight
  - 7.2 hours Dual-light

**Note:** The Intrinsically Safe LED Dual-Light uses 3 AA alkaline batteries (not included). Order batteries with P/N 29203.







## Extendable Magnetic LED Flashlight




#### P/N 66349

- Metal Casing
- · Weight: 3.5 ounces
- Magnet at Light is for Powerful Retrieval
- Magnet on Grip Acts as A Third Hand
- 3 Super-Bright LEDs
- Extends from 6.5" to 21"
- Flexible Shaft to Access Hard-to-Reach Places
- A Pick-Up Tool and a Flashlight
- Uses 4 LR44 Batteries (included)
- Replacement Batteries
- LR44 1.5V 4 PK P/N 29206



 Utility Tool Holster P/N 70005





## Red Lion Chemicals





## Air Tool Conditioner Solvent-based, air tool cleaner and lubricant

#### Part #74136 - 15.25 oz.

Cleans and lubricates all air operated tools such as grinders, drills, polishers, impact wrenches, sanders, air motors and jackhammers. Instantly removes sludge, varnish and carbon deposits – restoring tool to normal power and RPM's. Improves operation and reduces maintenance. Saves costly repairs and can be used on the job for instant results.

#### **Features**

- · Removes build-up of calcium, varnish, sludge and water
- · Cleans and lubricates
- · Increases tool life
- · Instant action

#### **Applications**

• For use on all pneumatic tools such as grinders, drills, polishers, impact wrenches, sanders, air motors and jackhammers



#### Brake Clean N.C.

### Non-chlorinated cleaner and degreaser

#### Part #74147 - 12.25 oz.

Specially formulated to work quickly and effectively to remove brake fluid, grease, dirt and other contaminants from brake linings, disc brake pads, brake drums, springs, wheel cylinders and other brake parts. An excellent cleaner for other dirty, greasy parts.

#### **Features**

- · Cleans and degreases all brake parts
- · Instantly removes dirt, grease and brake fluid
- · Improves brake performance
- Stops disc brake squeal
- · Leaves no reside

#### **Applications**

• For use on brake linings, disc brake pads, brake drums, springs, wheel cylinders and other brake parts



## **Quick Clean**

### General purpose foaming cleaner

Part #74105 - 17.75 oz.

The ultimate general purpose quick cleaner removes dirt, grease and grime.

#### **Features**

- · Safe on most surfaces
- Quick-acting and easy-to-use
- Spray on and wipe off

#### **Applications**

 For use on equipment, walls, plastic, vinyl, rugs, drapes, wood surfaces, fixtures, furniture and painted surfaces

## MUSITES



## Red Lion Chemicals





## Rust-Away™ Rust Conversion Coating

Flexible latex coating chemically converts rust to long lasting finish

Part #74157 - 32 oz.

A flexible latex acrylic coating specially formulated for rusted metal surfaces. This water-based formulation is easily applied like paint and stops rust dead in its tracks. It forms an airtight protective seal, preventing air or moisture from coming in contact with metal, and it's weather and chemical resistant.

#### **Features**

- · Chemically converts rust to a long lasting, weather-resistant coating
- · No priming or sanding
- Won't crack, chip or peel
- Forms an airtight seal
- · Flexible latex coating lasts for years

#### **Applications**

- Protects transformers, coils, tools, fixtures, brackets, equipment, heavy machinery, chain link fences and hundreds of other applications.
- Bonds to metal, wood, concrete and plastics without primers.



## H.D. Citrus Cleaner/Degreaser

Powerful citrus base, biodegradable cleaner

Part #74145 - 18 oz.

H.D. Citrus Cleaner is a highly concentrated cleaner and degreaser with its powerful foaming action actually lifts dirt and grease off surfaces so it can be easily wiped clean with a cloth.

#### **Features**

- · Natural citrus solvent
- · Powerful foaming action
- Removes grease, oil and dirt from most surfaces
- · Deodorizes with fresh citrus scent
- Biodegradable

## **Applications**

 For use on porcelain, formica, tiles, enamel surfaces, vinyl tops, floor mats, sinks, tubs, appliances, tools and equipment, oil and tar stains, printing presses and white wall tires



## **Contact Cleaner P.S.**Plastic safe industrial strength cleaning solvent

#### Part #74704 - 13 oz.

This non-flammable, fast drying industrial strength cleaning solvent is specifically formulated for precision cleaning and degreasing of electrical contacts, switches, relays and controls in electromechanical assemblies. It is non-corrosive, non-conductive, safe for sensitive metals and most plastics. Can also be used on energized equipment. Powerful spray stream removes dust, dirt, oil, grease and oxides – leaving no residue after evaporation.

#### Features:

- Instantly removes grease, oils and dirt
- · Safe for use on energized equipment
- Safe on most plastics
- · Noncorrosive / nonconductive / nonflammable
- Adjustable spray nozzle low / medium / high

#### Applications:

· For use on electrical contacts, switches, relays and controls in electromechanical assemblies



## Spill Containment



## Fine Fiber Meltblown Pads and Rolls

- Top and bottom layers of fine fiber are built of densely-woven, small-diameter strands of fiber to increase surface area, enabling the mat to grip the floor and secure it for safe walking.
- A 3-ply construction with a layer of melt blown polypropylene ultrasonically sandwiched between two fine fiber layers makes this mat virtually indestructible to foot traffic.
- · Polypropylene fibers creates a high-loft inner layer.

Part No.	Description	Size	<b>Sorbent Capacity</b>	Packaging	Weight
28310	Medium weight pads – gray	15" x 19"	21 gallons	100/box	13 lbs.
28311	Double weight roll – gray	30" x 150'	50 gallons	1 roll	29 lbs.
28312	Single weight roll – gray	30" x 300'	50 gallons	1 roll	30 lbs.



## **Bonded Meltblown Pads and Rolls - For Oil-Only**

- Twin Bonded layers of melt blown polypropylene creates high surface area.
- The mat to sucks up liquid quickly and keeps its shape when fully saturated.
- Twin layered random assembly of large diameter melt blown polypropylene fibers creates a high loft inner layer.
- Ultrasonic weld points fuse the layers of melt blown polypropylene fibers together.

Part No.	Description	Size	Sorbent Capacity	Packaging	Weight
28313	Double weight pads – white	15" x 19"	30 gallons/bale	100/bale	15 lbs.
28314	Double weight roll – white	30" x 150'	56 gallons/roll	1 roll	29 lbs.
28315	Single weight roll – white	30" x 300'	59 gallons/roll	1 roll	30 lbs.



## Standard Meltblown Pads - For Oil-Only

- · Loose stacked-weave construction increases surface area on spill.
- · Starts absorbing on contact.
- Fibers are left in their natural hydrophobic state.
- · Hydrophobic fibers repel water (and float) while only absorbing oils and other hydrocarbons.

Part No.	Description	Size	Sorbent Capacity	Packaging	Weight
28316	Double weight pads – white	15" x 19"	34 gallons/bale	100/bale	15 lbs.
28317	Medium weight pads - white	15" x 19"	27 gallons/bale	100/bale	12 lbs.
28318	Single weight pads – white	15" x 19"	36 gallons/bale	200/bale	16 lbs.



## **Booms - For Oil-Only**

- Strong mesh outer skin encases a poly sock sleeve filled with highly sorbent polypropylene.
- Filler won't shed and booms won't sink, even when saturated with oil.
- Built in connectors link booms together.

Part No.	Description	Size	<b>Sorbent Capacity</b>	Packaging	Weight
28319	Lint-free absorbent boom – white	5" x 10'	35 gallons/bale	4 booms/bale	24 lbs.





## Spill Containment



## Sorbent Socks - For Oil-Only

- · Ideal for surrounding spilled fluids to keep them from spreading.
- Easy and convenient to put into place.
- · Conforms to the base of leaky machines.
- · Fits snugly to absorb leaking fluids before they spread to walk areas and become slippery hazards

Part No.	Description	Size	<b>Sorbent Capacity</b>	Packaging	Weight
28320	Oil-only absorbent sock – white	3" x 4'	30 gallons/case	30 socks/case	35 lbs.
28321	Oil-only absorbent sock – white	3" x 8'	30 gallons/case	15 socks/case	35 lbs.



## Sorbent Socks - Universal/Maintenance

- · Ideal for surrounding spilled fluids to keep them from spreading.
- · Easy and convenient to put into place.
- · Conforms to the base of leaky machines.
- Fits snugly to absorb leaking fluids before they spread to walk areas and become slippery hazards.

Part No.	Description Size	ze	<b>Sorbent Capacity</b>	Packaging	Weight
28322	Universal absorbent sock – gray 3"	x 4'	30 gallons/case	30 socks/case	35 lbs.
28323	Universal absorbent sock – gray 3"	x 8'	30 gallons/case	15 socks/case	35 lbs.



## Spill Kits – Oil Only, Universal & Hazmat

- Everything you need for a complete and thorough clean up of a large industrial spill.
- Screw on lid makes a tight, secure seal ensuring a secure and leak free transport to a disposal site.
- 65 gallon and 95 gallon spill kits are DOT approved.





Part No.	Description	Type	<b>Sorbent Capacity</b>	Weight
28336	30 Gallon Drum Spill Kit – Blue	Oil-Only	18 gallons	31 lbs.
28337	30 Gallon Drum Spill Kit – Blue	Universal	18 gallons	31 lbs.
28338	30 Gallon Drum Spill Kit – Blue	Hazmat	18 gallons	31 lbs.
28336REFILL	30 Gallon Drum Spill Kit Refill	Oil-Only	18 gallons	17 lbs.
28337REFILL	30 Gallon Drum Spill Kit Refill	Universal	18 gallons	17 lbs.
28338REFILL	30 Gallon Drum Spill Kit Refill	Hazmat	18 gallons	17 lbs.
28333	55 Gallon Drum Spill Kit – Blue	Oil-Only	44 gallons	55 lbs.
28334	55 Gallon Drum Spill Kit – Blue	Universal	44 gallons	55 lbs.
28335	55 Gallon Drum Spill Kit – Blue	Hazmat	44 gallons	55 lbs.
28333REFILL	55 Gallon Drum Spill Kit Refill	Oil-Only	44 gallons	29 lbs.
28334REFILL	55 Gallon Drum Spill Kit Refill	Universal	44 gallons	29 lbs.
28335REFILL	55 Gallon Drum Spill Kit Refill	Hazmat	44 gallons	29 lbs.
28330	65 Gallon Overpack Spill Kit - Yellow	Oil-Only	46 gallons	85 lbs.
28331	65 Gallon Overpack Spill Kit – Yellow	Universal	46 gallons	85 lbs.
28332	65 Gallon Overpack Spill Kit – Yellow	Hazmat	46 gallons	85 lbs.
28330REFILL	65 Gallon Overpack Spill Kit Refill	Oil-Only	46 gallons	38 lbs.
28331REFILL	65 Gallon Overpack Spill Kit Refill	Universal	46 gallons	38 lbs.
28332REFILL	65 Gallon Overpack Spill Kit Refill	Hazmat	46 gallons	38 lbs.
28327	95 Gallon Overpack Spill Kit – Yellow	Oil-Only	73 gallons	90 lbs.
28328	95 Gallon Overpack Spill Kit – Yellow	Universal	73 gallons	90 lbs.
28329	95 Gallon Overpack Spill Kit – Yellow	Hazmat	73 gallons	90 lbs.
28327REFILL	95 Gallon Overpack Spill Kit Refill	Oil-Only	73 gallons	40 lbs.
28328REFILL	95 Gallon Overpack Spill Kit Refill	Universal	73 gallons	40 lbs.
28329REFILL	95 Gallon Overpack Spill Kit Refill	Hazmat	73 gallons	40 lbs.

## Spill Containment

## Spill Cart on Wheels - Oil Only, Universal & Hazmat

- Developed to contain spills over 100 gallons.
- 4" rubber casters allow for maximum mobility across a plant floor to quickly respond to a spill.
- · Refills are also available for large spill carts.



Part No.	Description	Type	Sorbent Capacity	Weight
28324	Large Spill Kit on Wheels - White	Oil-Only	108 gallons	170 lbs.
28325	Large Spill Kit on Wheels - White	Universal	108 gallons	170 lbs.
28326	Large Spill Kit on Wheels - White	Hazmat	108 gallons	170 lbs.
28324REFILL	Large Spill Kit on Wheels Refill	Oil-Only	108 gallons	85 lbs.
28325REFILL	Large Spill Kit on Wheels Refill	Universal	108 gallons	85 lbs.
28326REFILL	Large Spill Kit on Wheels Refill	Hazmat	108 gallons	85 lbs.



## Spill Kit in Zipper Poly Bag - Oil Only & Universal

- Use around the shop or in a vehicle.
- Kit allows a worker or driver to act guickly when responding to a spill.
- · Compact enough to fit easily in a truck cab.

Part No.	Description	Туре	Sorbent Capacity	Weight
28339	Poly Bag Spill Kit - Clear Poly	Oil-Only	5 gallons	6 lbs.
28340	Poly Bag Spill Kit - Clear Poly	Universal	5 gallons	6 lbs.



## Spill Pallet - 1 Drum

· Great for safely storing a single 55 gallon drum.

Part No.	Description	Pallet Size	Containment	Weight
28350	1 Drum Spill Pallet	26" L x 26" W x 6.5" H	15 gallons	16 lbs.



## Spill Pallet (Low Profile) - 2 Drum



• SPCC compliant, so you can be sure that your facility will remain clean and safe.

Part No.	Description	Pallet Size	Containment	Weight
28351	2 Drum Spill Pallet	26.25" L x 51.5" W x 6.5" H	32 gallons	32 lbs.
28356	Poly Ramp	45.5" L x 32" W x 8" H	_	32 lbs.





## Spill Containment



## Spill Pallet (High Profile) - 2 Drum



- Store two 55 gallon drums without worrying about spills or leaks.
- SPCC compliant, so you can be sure that your facility will remain clean and safe.

Part No.	Description	Pallet Size	Containment	Weight
28352	2 Drum Spill Pallet	26.25" L x 51.5" W x 15" H	68 gallons	54 lbs.



## Spill Pallet (Low Profile) - 4 Drum



- Designed for facilities storing multiple drums on location.
- SPCC compliant, so you can be sure that your facility will remain clean and safe.

Part No.	Description	Pallet Size	Containment	Weight
28353	4 Drum Spill Pallet	51.5" L x 51.5" W x 10" H	62 gallons	65 lbs.
28356	Poly Ramp	45.5" L x 32" W x 8" H	_	32 lbs.



## Spill Pallet (In-Line) – 4 Drum



- Designed for facilities storing multiple drums on location.
- SPCC compliant, so you can be sure that your facility will remain clean and safe.

Part No.	Description	Pallet Size	Containment	Weight
28354	4 Drum Spill Pallet	106" L x 30.25" W x 6.75" H	63 gallons	74 lbs.
28356	Poly Ramp	45.5" L x 32" W x 8" H	_	32 lbs.



## Spill Pallet (High Profile) – 4 Drum



- Designed for facilities storing multiple drums on location.
- · SPCC compliant, so you can be sure that your facility will remain clean and safe.

Part No.	Description	Pallet Size	Containment	Weight
28355	4 Drum Spill Pallet	26.25" L x 51.5" W x 15" H	98 gallons	88 lbs.

## Spill Containment



30 gallon flammable



45 gallon flammable



60 gallon flammable

## 30/45/60 Gallon Flammable Storage Cabinets

- Safely store combustible fluids that must be stored away from any open flames or electricity
- Store up to 60 gallons
- · Available in manual or self close and with one or two shelves
- Bright yellow for visibility
- 2 Doors
- 1 Shelf models 4 gal. / 30 gal.
- 2 Shelf models 45 gal. / 60 gal.

Part No.	Description	Cabinet Size	Capacity	Weight
28362	Storage Cabinet (Self Close) – 2 Shelf	31.25" L x 31.25" W x 65" H	60 gallons	364 lbs.
28363	Storage Cabinet (Manual Close) – 2 Shelf	31.25" L x 31.25" W x 65" H	60 gallons	364 lbs.
28364	Storage Cabinet (Manual Close) – 2 Shelf	43" L x 18" W x 65" H	45 gallons	353 lbs.
28365	Storage Cabinet (Self Close) – 2 Shelf	43" L x 18" W x 65" H	45 gallons	353 lbs.
28366	Storage Cabinet (Manual Close) – 1 Shelf	43" L x 18" W x 44" H	30 gallons	257 lbs.
28367	Storage Cabinet (Manual Close) - 1 Shelf	17.5" L x 18" W x 22.5" H	4 gallons	70 lbs.





## Spill Containment



40 gallon paint and ink

## 40/60 Gallon Paint and Ink Storage Cabinets

- Safely store up to 60 gallons of paint or ink in these cabinets.
- 3 shelf model 40 gal.
- 5 shelf model 60 gal.

Part No.	Description	Cabinet Size	Capacity	Weight
28360	Storage Cabinet (Manual Close) – 3 Shelf	43" L x 18" W x 44" H	40 gallons	281 lbs.
28361	Storage Cabinet (Manual Close) – 5 Shelf	43" L x 18" W x 65" H	60 gallons	389 lbs.



60 gallon paint and ink



## **Grounding Wires for Storage Cabinets**

- These wires provide maximum protection against any static electricity or sparks that may cause ignition of fuels, paints or inks.
- Helps comply with Uniform Fire Code, Division VIII, Section 79.803
- Used to prevent sparking around flammable or combustible liquids, when used in combination with safety cabinets.

Part No.	Description	Length	Weight
28368	Bonding Wires – Silver	3'	1 lb.

# When it comes to repairs, quality products make the difference!

















