

# MATERIAL SAFETY DATA SHEET

# CHROMATE INDUSTRIAL CORPORATION®

100 DaVinci Drive, Bohemia, New York 11716 • 888-567-2206 • www.chromate.com

FOR CHEMICAL **EMERGENCY** 

Call Chemtrec day/night: 1-800-424-9300

#### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Paint Stick Marker - Red

**RED LION PART NUMBER: 28402** PRODUCT TYPE: Paint Product

CHEMICAL FAMILY: N/A

DATE PREPARED: 11/7/01

**CHROMATE INDUSTRIAL CORPORATION** 

100 DaVinci Drive, Bohemia, NY 11716 • (888) 567-2206

# 2. COMPOSITION / INFORMATION ON INGREDIENTS

**CHEMICAL NAME** % BY WEIGHT **ACGIHTWA** CAS# **OSHA PEL STEL** Linseed Oil 5,6 0 - 40N/D N/D N/D 8001-26-1

Markal "B" Paintstik was tested by an independent laboratory and found to be non-toxic, non-irritating to the skin and eyes within the meaning of the U.s. Federal Hazardous Substance Labeling Act.

#### 3. HAZARDS IDENTIFICATION

PRIMARY ROUTES OF ENTRY: Not Applicable

EMERGENCY OVERVIEW: Combustion Hazard - Waste soaked with this product may spontaneously catch fire if improperly discarded.

**EFFECTS OF OVEREXPOSURE:** 

INHALATION: Irritating fumes may be produced during the paint

drying process if exposed to large surface area.


**INGESTION:** Possible nausea or diarrhea if large amounts ingested.

**SKIN CONTACT: None** 

EYE CONTACT: Contact may cause mild irritation including stinging, watering, and redness. Irritating fumes may be produced during the paint

drying process if exposed to large surface area. MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Not determined

# HAZARD RATINGS NFR: FLAMMABILITY





#### 4. FIRST AID MEASURES

**EMERGENCY FIRST AID PROCEDURES:** 

INHALATION: Move away from source of exposure and into fresh air. Consult physician if discomfort occurs.

**INGESTION:** Consult physician if discomfort occurs.

SKIN CONTACT: Use good industrial hygiene and wash hands after use.

EYE CONTACT: Flush with water.

#### 5. FIRE FIGHTING MEASURES

**FLASH POINT:** 400°F (204°C) (Unknown) FLAMMABLE LIMITS: LEL N/D **UEL** N/D

EXTINGUISHING MEDIA: Alcohol resistant foam, carbon dioxide, dry chemical HAZARDOUS COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide

FIRE FIGHTING PROCEDURES: Keep personnel removed and upwind of any fire. Wear full fire-fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

UNUSUAL FIRE AND EXPLOSION HAZARDS: Rags and waste paper containing this product may burn spontaneously. Store wiping rags containing this product in metal containers with tight lids.

#### 6. ACCIDENTIAL RELEASE MEASURES

SPILLS OR LEAKS: Use recommended personal protective equipment (see Section 8). Rags or waste paper containing this product may burn spontaneously. Dispose of wiping rags in metal containers with tight lids.

Small Spill: Sweep or scrape up. Large Spill: General treat as a small spill. If large quantities are exposed to excessive heat, this product may melt. Allow melted material to cool and then scrape up.

### 7. HANDLING AND STORAGE

HANDLING PRECAUTIONS: Use recommended personal protective equipment (see Section 8). Wash thoroughly after handling. STORAGE REQUIREMENTS: Store in a cool, dry area.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY: Not applicable. SKIN PROTECTION: Not applicable. EYE PROTECTION: Not applicable. OTHER EQUIPMENT: Eye wash.

ENGINEERING CONTROLS: Normal room ventilation. Make sure area is well ventilated if large surface area of paint is drying.

ADMINISTRATIVE CONTROLS: Users of this product must be properly trained and qualified in its use.

OTHER INFORMATION: Not applicable.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/PHYSICAL STATE: Cylindrical crayon/solid

ODOR: Mild odor

ODOR THRESHOLD (ppm): N/D SPECIFIC GRAVITY (H<sub>2</sub>O=1): >1

pH @ 0.0%: N/A

MELTING POINT: Approx. 150°F/66°C

**BOILING POINT: N/A** 

VAPOR PRESSURE (mm Hg at 20°C): N/A

VAPOR DENSITY (Air = 1): N/A EVAPORATION RATE (n-BuAc=1): N/A SOLUBILITY IN WATER: Insoluble

PARTITION COEFFICIENT (N-OCTANOL/WATER): >1 VOLATILE ORGANIC COMPOUNDS (VOCS): 0% (w/w),

0% (v/v), 0 lbs./gal., 0 kg/l

## 10. STABILITY AND REACTIVITY

**STABILITY:** Stable

CONDITIONS TO AVOID: High surface area exposure can result in release of heat while paint is drying.

HAZARDOUS POLYMERIZATION: Will not occur INCOMPATIBILITY (CHEMICALS TO AVOID): Oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS (NON-THERMAL): Aldehydes (including acrolein) may be produced from atmospheric oxidation

(drying).

# 11. TOXICOLOGICAL INFORMATION

EYE: Irritant SKIN: Irritant

**INGESTION:** No data available

**INHALATION:** Irritant

**SUBCHRONIC:** No data available. **CHRONIC EFFECTS:** Not applicable

**CARCINOGENICITY:** 

NTP: Not Listed IARC MONOGRAPH: Not Listed OSHA REGULATED: Not Regulated

TARGET ORGAN EFFECTS: Not applicable

TERATOLOGY: Not applicable REPRODUCTION: Not applicable MUTAGENICITY: Not applicable

Toxicological information regarding individual ingredients, if applicable, may be found in Section 2.

# 12. ECOLOGICAL INFORMATION

MOBILITY: Not Determined ECOTOXICITY: Not Determined

DEGRADABILITY: Not Determined

ACCUMULATION: Not Determined

OTHER ADVERSE EFFECTS: Not Determined

# 13. DISPOSAL CONSIDERATIONS

RCRA HAZARD CLASS: No data available.

WASTE DISPOSAL METHOD: Dispose of in accordance applicable regulations.

# 14. TRANSPORT INFORMATION

Not regulated by DOT, IATA, ICAO, IMO, TDG

 ${\sf N/D-NOT}$  DETERMINED  ${\sf N/A-NOT}$  APPLICABLE  ${\sf N/R-NOT}$  REGULATED

#### 15. REGULATORY INFORMATION

#### FOOTNOTES FOR SECTION 2:

- 1. Subject to the reporting requirements of SARA Title III, Section 313.
- 2. Appears on the California Safe Drinking Water and Toxic Enforcement Act (Prop. 65) Substances List.
- 3. Appears on the Massachusetts Substances List.
- 4. Appears on the New Jersey Right-to-Know Hazardous Substances List.
- 5. Appears on the Pennsylvania Hazardous Substances List.
- 6. Appears on the Canadian WHMIS Ingredient Disclosure List.

OSHA HAZARD STATUS: This product is not considered to be hazardous as defined by the U.S. OSHA HCS (29 CFR 1910.1200). TOXIC SUBSTANCES CONTROL ACT (TSCA): All ingredients contained in this product are listed on the U.S. EPA TSCA Chemical Substance

Inventory.

CANADÍAN DOMESTIC SUBSTANCES LIST (DSL): All ingredients contained in this product are listed on the Canadian EPA (CEPA) Domestic Substances List (DSL).

**EUROPEAN INVENTORY OF EXISTING CHEMICAL SUBSTANCES (EINECS):** All ingredients contained in this product are listed on the European Inventory of Existing Chemical Substances (EINECS).

WHMIS RATING (CANADA): None

RISK PHRASES (CANADA): Not applicable

PRECAUTIONARY STATEMENTS (CANADA): Not applicable. CHIP 2 CATEGORIES OF DANGER (ENGLAND): None

Further regulatory information regarding individual ingredients, if applicable, may be found in Section 2.

This product has been classified in accordance with the hazard criteria of the U.S. OSHA Hazard Communication Standard, the Canadian WHMIS Controlled Products Regulations, the British CHIP2 regulation 6, and the Australian NMRCWHS. This MSDS contains the information required by the above regulations and conforms to ANSI Z400.1-1993.

#### 16. OTHER INFORMATION

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in this MSDS. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.

N/D — NOT DETERMINED N/A — NOT APPLICABLE N/R — NOT REGULATED Conforms to 29 CFR 1910.1200, OSHA